

BIBLIOGRAPHY

- Abbot, H.C. de S. 1886. Certain chemical constituents of plants considered in relation to their morphology and evolution. *Bot. Gaz.* 11: 270-272.
- Akerberg, E. 1939. Apomictic and sexual seed formation in Poa pratensis. *Hereditas*, 25: 359-370.
- Alston, R.E., 1967. Biochemical systematics. In *Evolutionary Biology*, Vol. 1, Eds. Dobzhansky, T., Hecht, M.K., and Steere, W.C., Appleton-Century-Crofts, New York.
- Alston, R.E., and Turner, B.L., 1963. Biochemical systematics. Prentice Hall, New Jersey.
- Anderson, A.M., 1927. Development of the female gametophyte and caryopsis of Poa pratensis and Poa compressa. *J. Agri. Res.* 34: 1001-1018.
- Anjana Sehgal and Tiwari, S.C., 1977. Antipodals in Fumaria; A histochemical study. *Phytomorphology*, 27: 347-350.
- Armstrong, J.M., 1937. A cytological study of the genus Poa L. *Can. J. Res. (Bot. Sci.)* 15: 281-297.
- Artschwager, E., Brandes, B.W. and Starret, R.C. 1929. Development of flower and seeds of some varieties of sugarcane. *J. Agric. Res.*, 39: 1-30.
- Artschwager, E. and McGuire, R.C. 1949. Cytology of reproduction in Sorghum vulgare. *J. Agric. Res.* 78: 659-673.
- Asker, S. and Frost, S., 1973. Thin-layer chromatographic studies of phenolics in oats. *Hereditas*, 73: 17-26.
- Avdulov, N. 1931. Karyosystematische untersuchung der familie Grammineen. *Bull. Appl. Bot. pl. Breed Suppl.* 44: 1-428.
- Barthlott, W. 1981. Epidermal and seed surface characters of plants; Systematic applicability and some evolutionary aspects. *Nord. J. Bot.* 1: 345-355.

- Basappa, G.P. and Muniyamma, M. 1981. IOPB chromosome number reports LXXII. *Taxon*, 30: 694-708.
- Basavaiah and Murthy, T.C.S. 1987. Cytomixis in Pollen Mother Cells of *Urochloa panicoides* P. Beauv. (Poaceae). *Cytologia*, 52: 69-74.
- Bashaw, E.C. and Holt, E.C. 1958. Megasporogenesis, embryo sac development and embryogenesis in dalisgrass *Paspalum dilatatum* Poir. *Agron. J.* 50: 753-756.
- Battaglia, E. 1963. 'Apomixis' in Maheswari P. (ed.). Recent advances in embryology. Int. Soc. Plant. Mor. Dept. of Botany, Delhi, pp. 221-264.
- Beadle, G.W. 1930. Genetical and Cytological studies of Mendelian asynapsis in *Zea mays*. Cornell Agri. Exp. Sta. Memoir. 44: I-428.
- \*Beauvois, A.M.F.J.P. de 1812. Essai d'une nouvelle agrostographie; on nouveaux genres des Graminees avec figures representant le caracteres de tous le genres. Paris. typ. Fain.
- Bendz, G. and Santesson, J., 1973. (Eds.) "Chemistry in Botanical Classification". Proceedings of the Twentyfifth Nobel Symposium held in August 20-25, 1973. Sodergran Lilingo. Academic Press, New York.
- Bernard, C. (Ed.) 1969. Grasses and grasslands. MacMillan and Co. Ltd., London.
- Bhanwra, R.K., Choda, S.P. 1981. Comparative embryology of some grasses belonging to the tribes Aveneae, Brachypodieae, Bromeae, Festuceae and Phalarideae; in contemp. Trends in plant sciences (New Delhi: Kalyani Publishers), pp. 254-262.
- Bhanwra, R.K., and Choda, S.P. 1986. Comparative embryology of *Echinochloa colonum* and *Echinochloa crusgalli* (Poaceae). *Proc. Indian Acad. Sci. (Plant Sci.)* 96(1), 71-78.
- Bhanwra, R.K., Choda, S.P. and Kumar, S. 1982. Comparative embryology of some grasses. *Proc. Indian Nat. Sci. Acad. B.* 48: 152-162.

- Bloom, M. 1976. Evolution in the genus Ruellia (Acanthaceae); A discussion based on floral flavonoids. Am. J. Bot. 63: 399-405.
- Boback, M., and Herich, R. 1978. Cytomixis as a manifestation of pathological changes after the application of trifluraline. The Nucleus, 20(1): 22-26.
- Bor, N.L., 1960. Grasses of Burma, Ceylon, India and Pakistan (excluding Bambuseae) (Pergamon Press, London).
- Boulter, D., Thurman, D.A. and Turner, B.L. 1966. The use of disc electrophoresis of plant proteins in systematics. Taxon, 15: 135-143.
- Bowes, B.G. 1973. Note on apparent case of cytomixis in the root apex of Allium cepa, Cytologia, 38: 125-129.
- Brehm, B.G. and Ownbey, 1965. Variations in chromatographic patterns in the Tragopogon dubius-pratensis-porrifolius complex (Compositae). Am. J. Bot. 52. 811-818.
- Bremer, G. 1923. A cytological investigation of some species and species hybrids with in the genus Saccharum. Genetica, 5: 97-148.
- Bremer, G. 1924. The cytology of the sugarcane II. A cytological investigation of some cultivated kinds and their parents. Genetica, 6: 497-525.
- Bremer, G. 1925. The cytology of the sugarcane III. The chromosomes of primitive forms of the genus Saccharum. Genetica, 7: 293-322.
- Brink, R.A. and Cooper, D.C. 1944. The antipodals in relation to abnormal endosperm behaviour in seeds. Genetics, 29: 391-406.
- Brown, M.S., 1947. A case of spontaneous reduction of chromosome number in somatic tissue of cotton. Am. J. Bot. 34: 384-388.
- Brown, W.V. 1958. Leaf anatomy in grass systematics. Bot. Gaz. 119: 170-178.

- Brown, W.V. and Emery, W.H.P., 1957. Apomixis in the Gramineae, Tribe Andropogoneae: Themeda triandra and Bothriochloa ischaemum. Bot. Gaz. 118: 246-253.
- Brown, W.V. and Emery, W.H.P., 1958. Apomixis in the Gramineae: Panicoideae. Am. J. Bot. 45: 253-263.
- Buckley, K.S. 1959. Plant testing for soil conservation at Inverell. J. Soil Conserv. Serv. N.S.W. 15: 327-345.
- Burt, R.L., Williams, W.T., Gillard, P. and Pengelly, B.C. 1980. Variation within and between some perennial Urochloa species. Aust. J. Bot. 28: 343-356.
- Cagnin, M.A.H., Gomes, C.M.R., Gottlieb, O.R., Marx, M.C., Rocha, A.J., Silba, G.F., and Temperini, J.A., 1977. Biochemical systematics. Methods and principles, Plant Syst. Evol. Suppl. 1: 53-76.
- Carnahan, H.L. and Hill, H.D., 1961. Cytology and Genetics of forage grasses. Bot. Rev. 27: 1-162.
- Celarier, R.P., 1956. Additional evidence for five as the basic chromosome number of the Andropogoneae. Rhodora. 58: 135-143.
- Celarier, R.P., 1957. Cytotaxonomy of the Andropogoneae II. Subtribes Ischaemineae, Rottboelliinae and the Maydeae. Cytologia, 22: 160-183.
- Chen, C.C. and Hsu, C.C. 1961a. Cytological studies on some Taiwan grasses I. Tribe Paniceae. Bot. Bull. Acad. Sin. 2: 101-110.
- Chen, C.C. and Hsu, C.C. 1961b. Cytological studies on some Taiwan grasses II. Chromosome numbers of some miscellaneous tribes. Jap. J. Bot. 37: 300-313.
- Cheng, K.C., Nieh, H.W., Yang, C.L., Wang, I.H., Chou, I.S., and Chen, J.S. 1975. Light and electron microscopical observations on cytomixis and study of its relation to evolution. Acta Bot. Sin. 17: 60-69. (In Chinese Engl. Summ. Biol. Abstr. 62(1): T090, 1976.
- \*Chiarugi, A., 1960. Tavole Chromosomiche della pteridophyta. Caryologia, 13: 27-150.

- Chippindall, L.K.A. 1955. A guide to the identification of grasses in South Africa. In Meredit, D. (Ed.) The grasses and pastures of South Africa. Central News Agency, pp. 380-385.
- Christopher, J. and Abraham, A., 1976. Cytology and Phylogeny of South Indian grasses. III. Subfamily Panicoideae Tribe-I Paniceae. *Cytologia* 41: 621-637.
- Church, G.L. 1929a. Meiotic phenomena in certain Gramineae. I. Festuceae, Aveneae, Agrostideae, Chlorideae and Phalarideae. *Bot. Gaz.* 87: 608-629.
- Church, G.L. 1929b. Meiotic phenomena in certain Gramineae. II. Paniceae and Andropogoneae. *Bot. Gaz.* 88: 63-84.
- Church, G.L., 1936. Cytological studies in the Gramineae. *Am. J. Bot.* 23: 12-15.
- Clark, C.A. and Gould, F.W., 1975. Some epidermal characteristics of paleas of Dichantherium, Panicum and Echinochloa. *Am. J. Bot.* 62: 743-748.
- Clayton, W.D. and Renvoize, S.A. 1982. Gramineae (Part 3) in *Flora of Tropical East Africa*. (Ed.) Polhill, R.M. Published on behalf of the East African Government By A.A. Balkema/Rotterdam.
- Cooke, R.J. 1984. The characterization and identification of crop cultivars by electrophoresis. *Electrophoresis*, 5: 59-72.
- Cooper, D.C. 1937. Macrosporogenesis and embryosac development in Euchlaena mexicana and Zea mays. *J. Agri. Res.* 55: 539-551.
- Cooper, D.C. 1952. The transfer of deoxyribosenucleic acid from the tapetum to the microsporocytes at the onset of meiosis. *Am. Nat.* 86: 219-229.
- Crawford, D.J. and Julian, E.A. 1976. Seed protein profiles in the narrow-leaved species of *Chenopodium* of the Western U.S.A. taxonomic value and comparison with flavonoids. *Am. J. Bot.* 63: 302-308.
- Cronquist, A. 1975. Some thoughts on angiosperm phylogeny and taxonomy. *Ann. Miss. Bot. Gard.* 62: 517-520.

- Daniel, M. and Sabnis, S.D., 1977. Chemotaxonomical studies on Capparidaceae-Cleomaceae. *Curr. Sci.* 46: 472-474.
- Darlington, C.D. 1928. Studies in Prunus I and II. *J. Genet.* 19: 215
- Darlington, C.D. 1958. The evolution of Genetic systems. 2nd Edn. Oliver and Boy. Edinburgh, 265 p.
- Darlington, C.D. 1965. Recent advances in cytology, J. & A Churchill Ltd., London. pp. 85-134.
- Darlington, C.D. and Janaki Ammal, E.K. 1945. Chromosome Atlas of Cultivated Plants. George Allen and Unwin, London.
- Darlington, C.D. and Moffett, A.A. 1930. Primary and Secondary chromosome balance in Pyrus. *J. Genet.* 22: 129-151.
- Darlington, C.D. and Wylie, A.P. 1955. Chromosome Atlas of Flowering Plants. George Allen and Unwin Ltd., London.
- Das, V.S.R., Rao, K.N., and Rao, J.V.S., 1966a. Phenolic acids in some members of Pedaliaceae. *Curr. Sci.* 35: 160.
- Das, V.S.R., Rao, K.N. and Rao, J.V.S. 1966b. Phenolic acid pattern and its bearing on the systematic position of Aristolochiaceae. *Curr. Sci.* 35: 288-289.
- Datta, A.K., and Biswas, A.K., 1984. Cytomixis and a trisomic in Nigella sativa L., *Cytologia*, 49: 437-445.
- \*de Candolle, A.P. 1804. Essai sur les properte medicales des plantes, comparee avec leurs formes exterieurs et leur classification naturelle. Paris.
- d'Cruz, R. and Reddy, P.S. 1971. Inheritance of apomixis in Dichanthium species. *Am. Nat.* 99:167-171.
- \*de Nettancourt, D. and Grant, W.F. 1964. La Cytogenetique de lotus (Leguminosae) III. Un cas de cytomixie dans un hybride interspecificue. *Cytologia* 29: 191-195.

- de Wet, J.M.J. 1954. The genus Danthonia in grass phylogeny. Am. J. Bot. 41: 204-211.
- de Wet, J.M.J. 1954a. Chromosome number of a few Southern African grasses. Cytologia, 19: 97-103.
- de Wet, J.M.J. 1960. Chromosome numbers and some morphological attributes of various South African grasses. Am. J. Bot. 47: 44-49.
- de Wet, J.M.J. and Anderson, L.J. 1956. Chromosome numbers in Transvaal grasses. Cytologia, 21: 1-10.
- de Wet, J.M.J. and Stalker, H.T. 1974. Gametophytic apomixis and evolution in plants. Taxon, 23: 689-697.
- Driscoll, C.J. 1972. Genetic suppression of homologous chromosome pairing in hexaploid wheat. Can. J. Genet. Cytol. 14: 39-42.
- Dujardin, M. and Hanna, W. 1984. Microsporogenesis, reproductive behaviour and fertility in five Pennisetum species. Theor. Appl. Genet. 67: 197-201.
- \*Duval, Jouve, J. 1875. Histotaxie des feuilles de Graminees. Ann. Sc. Nat. B. Ser. 6: 1-294.
- Dvorak, J. 1971. Reducing breakages of metaphase plates in Feulgen stained root tips of wheat; Ice-water storage before squashing. Stain Technol. 46: 93-94.
- Ellison, W.L., Alston, R.E. and Turner, B.L., 1962. Methods of presentation of crude biochemical data for systematic purposes with particular reference to the genus Bahia (Compositae). Am. J. Bot. 49: 599-604.
- Emery, W.H.P. 1957. A study of reproduction in Setaria macrostachya and its relatives in the South Western United States and Northern Mexico. Bull. Torr. Bot. Club. 84: 106-121.
- Enns, H. and Larter, E.N. 1960. Note on the inheritance of DS; a gene governing chromosome behaviour in barley. Can. J. Plant Sci. 40: 570-571.
- \*Ernst, A. 1918. Bastardierung als ursache der Apogamie im Pflanzenreich. Fischer, Jend.

- Evans, G. 1926. Chromosome complements in grasses. Nature (London), 118: 841.
- \*Fabbri, F. 1963. Primo supplemento alle Tavole Chromosomiche della pteridophyta di Alberto Chiarugi. Caryologia 16: 237-335.
- Farquharson, C.I., 1955. Apomixis and polyembryony in Tripsacum dactyloides. Am. J. Bot. 42: 737-743.
- Fedak, G., 1974. Alloenzymes as aids to Canadian barley cultivar identification. Euphytica, 23: 166-173.
- Federov, A.A. (Ed.) 1969. Chromosome numbers of flowering plants. Academy of sciences of the USSR, VL Kamarov Botanical Institute.
- Ferguson, J.M. and Grabe, D.F. 1984. Separation of annual and perennial species of ryegrass by gel electrophoresis of seed proteins. J. Seed. Tech. 9: 137-149.
- Fisher, W.D., Bashaw, E.C. and Holt, E.C. 1954. Evidence for apomixis in Pennisetum ciliare and Cenchrus setigerus. Agron. J. 46: 401-404.
- Fischer, C.E.C. 1934. Flora of Presidency of Madras X. pp. 1229-30 (2nd rep. III vol. Calcutta, 1967).
- Flovik, K., 1938. Cytological studies of aromatic grasses. Hereditas, 24: 265-376.
- Frost, S. and Asker, S. 1973. Further studies of flavonoid patterns in barley. Hereditas, 75: 201-206.
- Frost, S. and Holm, G. 1971. Thin layer chromatographic studies of phenolic compounds in twenty varieties of barley. Hereditas, 69: 25-34.
- Frost, S. and Holm, G. 1977. Intraspecific variation of flavonoid patterns in primitive spring wheats. Hereditas, 86: 267-272.
- Fryxell, P.A. 1957. Mode of reproduction in higher plants, Bot. Rev. 23: 135-233.
- Gardiner, S.E., Forde, M.B. and Slack, C.R. 1986. Grass cultivar identification by sodium dodecylsulfate polyacrylamide gel electrophoresis. New Zealand J. Agri. Sci. 29: 193-206.

- Gates, R.R. 1911. Pollen formation in Oenothera gigas.  
Ann. Bot. 25: 909-940.
- Gentscheff, G. 1941. Degenerative phenomena in the male gametophyte of Hieracium in relation to mitotic behaviour of the cell. Yearb. Univ. St. Kliment Ohridsky Sofia, Faculty of Agric. 19: 107-150.
- Giannasi, D.E. 1978. Genetic relationship in the Ulmaceae based on flavonoid chemistry. Taxon, 27: 331-344.
- Gibbs, R.D., 1958. Chemical evolution in plants. J. Linn. Soc. London, B. 56: 49-57.
- Gibbs, R.D., 1974. Chemotaxonomy of flowering plants. I-IV McGill, Queens Univ. Press, Montreal, London.
- Gillard, P. 1971. Urochloa mosambicensis - An easily established potential grass companion for townsville stylo. Tropical Grasslands 5: 131-135.
- Gilles, A. and Randolph, L.F. 1951. Reduction of quadrivalent frequency in autotetraploid maize during a period of 10 years. Am. J. Bot. 38: 12-57.
- Gornall, R.J. and Bohm, B.A. 1978. Angiosperm flavonoid evolution; A Reappraisal. Syst. Bot. 3: 353-368.
- Gottlieb, L.J. 1977. Electrophoretic evidence and plant systematics. Ann. Miss. Bot. Gard, 64: 161-180.
- Gottschalk, W. 1970. Chromosome and nucleus migration during microsporogenesis of Pisum sativum. The Nucleus, 13: 1-9.
- Gould, F.W. 1960. Chromosome numbers in South Western grasses II. Am. J. Bot. 47: 873-877.
- Gould, F.W. and Soderstrom, T.R. 1967. Chromosome numbers of tropical American grasses. Am. J. Bot. 54: 678-683.
- Gould, F.W. and Soderstrom, T.R. 1970. Chromosome numbers of some Mexican grasses and Columbian grasses. Can. J. Bot. 48: 1633-1639.

- Gould, F.W. and Soderstrom, T.R. 1974. Chromosome numbers of some Ceylon grasses. *Can. J. Bot.* 52: 1075-1090.
- Grant, V., 1971. Plant speciation. Columbia University Press, New York.
- Grazi, F., Umaerus, M. and Akerberg, 1961. Observations on the mode of reproduction and the embryology of Poa pratensis. *Hereditas*, 47: 489-541.
- Greene, C.W. 1984. Sexual and apomictic reproduction in Calamagrostis (Gramineae) from eastern North America. *Am. J. Bot.* 71: 285-293.
- Greshoff, M. 1909. Phytochemical investigations at Kew, Kew. Bull. 1909: 397.
- Guatham, N. and Sharma, Y.N. 1981. Epidermal studies in the genus Chloris (Gramineae). *Geobios*, 8: 127-128.
- Guildenhuys, P.J. and Brix, K. 1959. Apomixis in Pennisetum dubium. *S. Afr. J. Agric. Sci.* 2: 231-245.
- Gupta, P.K. 1969. Apomixis in Bothriochloa pertusa (L.) A. Camus. *Port. Acta Biol.* 11: 279-287.
- Gustafsson, A. 1946. Apomixis in Angiosperms I. Lunds Univ. Arsskr NF II, 42: 1-67.
- Gustafsson, A. 1947a. Apomixis in Angiosperms II. Lunds Univ. Arsskr NF II, 43: 71-179.
- Gustafsson, A. 1947b. Apomixis in Angiosperms III. Lunds Univ. Arsskr NF II, 43: 183-370.
- Harborne, J.B. 1971. Distribution of flavonoids in the Leguminosae. In *Chemotaxonomy of Leguminosae* (Eds.) Harborne, J.B., Boulter, D and Turner, B.L. Academic Press, New York.
- Harborne, J.B. 1973. *Phytochemical methods*. Chapman and Hall, London.
- Harborne, J.B. 1977. Flavonoid profiles in Compositae. In: *The Biology and Chemistry of the Compositae* (Eds.) Haywood V.H., Harborne, J.B. and Turner, B.L. pp. 359-384. Academic Press, London.

- Harborne, J.B. and Swain, T. 1969. *Perspectives in Phytochemistry*. Academic Press, New York.
- Harborne, J.B. and Turner, B.L. 1984. *Plant Chemosystematics*. Academic Press. London, New York.
- Harborne, J.B., Williams, C.A. and Wilson, K.L. 1982. Flavonoids in leaves and inflorescences of Australian Cyperus species. *Phytochemistry* 21: 2491-2507.
- Heilborn, O. 1936. The mechanism of so called secondary association between chromosomes. *Hereditas*, 22: 168-188.
- \*Henrard. 1922. in *Meded elingen Van's Rigks Herbarium Leiden*. n. 43,2.
- Heslop-Harrison, J. 1966. Cytoplasmic connections between angiosperm meiocytes. *Ann. Bot. N.S.* 30: 222-230.
- \*Holm, T. 1891. *Bot. Gaz.* 16: 219.
- \*Holmgren, I. 1919. Zytologische studies liber die fortpflanzung bei den Gattungen Erigeron and Eupatorium K. Sven. Vetenskapsakad. *Handl.* 59: 1-118.
- Hooker, J.D. 1896. *The flora of British India*. London, Vol. 7: p. 35.
- Hunter, A.W.S. 1934. A karyosystematic investigation in the Gramineae. *Can. J. Res.*, 11: 213-241.
- \*Huss, H.A., 1906. Beitrage zur Morphologie and physiologie der Antipoden. *Beih. Bot. Ztbl.* 20: 77-174, Diss. Zurich.
- Ikeda, T. 1902. Studies on the physiological function of antipodals and related phenomena of fertilization in Liliaceae. I. Trichyrtis lirta. *Bull. Coll. Agri. Tokyo Imp. Univ.* 5: 41-72.
- Jacob, K.T. 1941. Certain abnormalities in the root tips of cotton. *Curr. Sci.* 10: 174-175.
- Jauhar, P.P. 1967. Studies on epidermal pattern in some species of Panicum. *J. Indian Bot. Soc.* 46: 215-221.

- Johansen, D.A. 1940. Plant microtechnique, McGraw Hill, New York.
- John, B. and Lewis, K.R. 1965. The meiotic system, Protoplasmatologia, Springer-Verlag, New York.
- Johnson, B.L. and Hall, O. 1965. Analysis of phylogenetic affinities in the Triticinae by protein electrophoresis. Am. J. Bot. 52: 506-513.
- Johnson, B.L. 1967. Confirmation of the genome donors of Aegilops cylindrica. Nature (London) 216: 859-862.
- Johnson, B.L. 1972. Seed protein profiles and the origin of hexaploid wheats. Am. J. Bot. 59: 952-960.
- Johri, B.M. 1963. Embryology and Taxonomy. In Recent advances in the embryology of angiosperms: (Ed.) Maheswari P. Delhi, pp. 395-444.
- Jones, K. 1984. Cytology and Biosystematics: 1983. In Plant Biosystematics (Ed.) W.F. Grant. Academic Press, London.
- Kamra, O.P. 1960. Chromatin extrusion and cytomixis in pollen mother cells of Hordeum. Hereditas (Lund), 46: 592-600.
- Kapil, R.N. and Bhatnagar, A.K. 1978. The antipodals. Phyta, 1: 54-75.
- Kimber, G., 1961. Basis of the diploid like meiotic behaviour of polyploid cotton. Nature (London), 191: 98-100.
- Knox, R.B. and Heslop-Harrison, J. 1963. Experimental control of Aposporous apomixis in a grass of the Andropogoneae. Bot.Nat. 116: 127-141.
- \*Kornicke, M. 1901. Uber ortsveranderung von Zellkarnem. S.B. Niederrh hein, Ges., Nature-U, Heilkunde Bonn. A. 14-25.
- \*Koul, A.K., 1970. Cytoembryological studies in oriental Maydeae II: Chionachne Koenigii, Thw. Proc.Nat. Acad. Sci. XL: 178-190.

- \*Krause, E.H.L. 1909. Ein Bassierungen am system der Gramineen Beih, Bot. Zbl. 29: 127-146.
- \*Krause, E.H.L. 1913. Beitrage Zur Gramineen Systematic (Fortsetzung) Beih. Bot. Zbl. 30: 111-123.
- \*Kunth, C.S. 1829. Revision de Graminees, 1-168.
- Kurup, S. 1973. Cytoembryological studies in Pennisetum hoenackeri Hochst. J. Mysore University 25: 1-7.
- Kuwada, Y. 1910. A cytological study of Oryza sativa L. Bot. Mag. Tokyo. 24: 267-281.
- \*Kuwada, Y. 1919. Die chromosenzahl von Zea mays, J. Coll. Sci. Imp. Univ. Tokyo, 39: 1-148.
- Lacmmlie, U.K. 1970. Cleavage of structural proteins during the assembly of the head of Bacteriophage T<sub>4</sub> Nature, 227: 68-685.
- Lawrence, W.J. 1931. The secondary association of chromosomes. Cytologia, 2: 353.
- \*Lebegue, A. 1952. La Polyembryonic chez les Angiosperms. Bull. Soc. Bot. Fr. 99: 329-367.
- Lee, Y.S. and Fairbrother, D.E. 1978. Serological approaches to the systematics of the Rubiaceae and related families. Taxon 27: 159-185.
- Levan, A., Fredga, K. and Sandberg, A.A. 1964. Nomenclature for centromeric position on chromosomes. Hereditas, 52: 201-220.
- Levitsky, G.A. 1931. The 'Karyotype' in systematics. Bull. Appl. Genet. Pl. Breed. (Leningrad) 27: 200-240.
- Lowry, O., Rosenborough, N.J., Tass, A. and Raniall, R.J. 1951. Protein measurements with the Folin phenol reagent. J. Biol. Chem. 193: 265-275.
- Mabry, T.J., Markham, K.R. and Thomas, M.B. 1970. The systematic identification of flavonoids, Springer-Verlag. Berlin.
- Maheswari, P. 1950. An introduction to the Embryology of Angiosperms, McGraw Hill Book Co., New York.

- Malik, C.P. and Mary, T.N. 1970. IOPB Chromosome Number Reports XXVII: *Taxon*, 19: 437-442.
- Malik, C.P. and Tripathi, R.C. 1970. IOPB Chromosome Number Reports XXVII: *Taxon*, 19: 437-442.
- Mantu, De and Sharma, A.K. 1983. Cytomixis in pollen mother cells of an apomictic ornamental *Ervatamia divaricata* (Linn.) Alston. *Cytologia*, 48: 201-207.
- Maze, J. and Bohm, L.R. 1973. Comparative embryology of *Stipa elmeri* (Gramineae). *Can. J. Bot.* 51: 235-247.
- Maze, J. and Bohm, L.R. 1974. Embryology of *Agrostis interrupta* (Gramineae). *Can. J. Bot.* 52: 365-379.
- Maze, J. and Bohm, L.R. (1977). Embryology of *Festuca microstachys*. *Can. J. Bot.* 55: 1768-1782.
- Mehra, P.N. and Remanandan, P. 1973. Cytological observations on W. Himalayan Panicoideae. *Cytologia*, 38: 259-270.
- Mehra, P.N. and Sharma, M.L., 1975. Cytological studies in some central and eastern Himalayan grasses I. The Andropogoneae. *Cytologia*, 40: 61-74.
- Mehra, P.N. and Sunder, S. 1970. Cytological studies in the North Indian grasses (Part II). *Res. Bull Punjab Univ.* 20: 503-539.
- Mehra, P.N., Khosla, P.K., Kohli, B.L. and Koonar, J.S., 1968. Cytological studies in the North Indian grasses (Part I). *Res. Bull. Punjab Univ.* 19: 157-230.
- Mehra, K.L., Subramanyam, K.N. and Swaminathan, M.S. 1962. Cytological studies in some members of Andropogoneae. *J. Indian Bot. Soc.*, 41(3): 491-503.
- Metcalfe, C.F. 1960. *Anatomy of Monocotyledons, I. Gramineae* (Oxford, Clarendon Press).
- Mitra, K. and Datta, N. 1967. IOPB Chromosome Number Reports XIII. *Taxon*, 16: 445-461.
- Moffett, A.A. and Hurcombe, R. 1949. Chromosome Numbers of South African grasses. *Heredity*, 3: 369-373.

- Morisset, P. 1978. Cytomixis in pollen mother cells of Ononis (Leguminosae). Can. J. Genet. Cytol. 20: 383-388.
- Muniyamma, M. 1976. A cytoembryological study of Agrostis pilosula. Can. J. Bot. 54: 2490-2496.
- Muniyamma, M. 1978. Variations in microsporogenesis and development of embryo sac in Echinochloa stagnina (Retz.) P. Beauv. (Gramineae). Bot. Gaz. 139: 87-94.
- Muntzing, A., 1932. Apomictic and sexual seed formation in Poa. Hereditas, 17: 131-154.
- Muntzing, A. and Prakken, R. 1941. Chromosome aberrations in rye populations. Hereditas, 27: 273-308.
- Myers, W.M. 1947. Cytology and genetics of forage grasses. Bot. Rev. 13: 319-421.
- Nageshwar, G., Anuradha, S.M.J., Radhakrishnaiah, M. and Narayana, L.L. 1986. Distribution of phenolic constituents in species of Bauhinia Linn. and its taxonomic significance. Proc. Indian Acad. Sci. 96: 1-7.
- Nakamura, S., 1979. Separation of rye grass species using electrophoretic patterns of seed proteins and enzymes. Seed Sci. and Tech. 7: 161-168.
- Narain, P. 1979. Cytomixis in pollen mother cells of Hemerocallis Linn. Curr. Sci. 48: 996-998.
- Narayan, K.N. 1951. Cytogenetic studies in apomictic Pennisetum species. Ph. D. thesis Univ. California, Berkley.
- Narayan, K.N. 1955 a . Cytogenetic studies of apomixis in Pennisetum I. Pennisetum clandestinum Hochst. Proc. Indian Acad. Sci. 13: 208.
- Narayan, K.N. 1955 b . Cytogenetic studies of apomixis in Pennisetum II. Pennisetum latifolium Spreng. J. Mysore Univ. 14: 33-42.

- Narayanaswami, S. 1953. The structure and development of the caryopsis in some Indian millets: Eleusine coracana Gaertn. Mich. Acad. of Science Arts and Letters, 40: 33-53.
- Narayanaswami, S. 1954. The structure and development of the caryopsis in some Indian millets III. Paspalum serobiculatum L. Bull. Torr. Bot. Club. 81: 288-299.
- Narayanaswami, S. 1956. The structure and development of caryopsis in some Indian millets. 6. Setaria italica, Bot. Gaz. 118: 112-122.
- Nath, J. and Swaminathan, M.S. 1957. Chromosome numbers in some grasses. Indian J. Genet. pl. Breed. 17: 102.
- Nath, J., Swaminathan, M.S. and Mehra, K.L. 1970. Cytological studies in the tribe Paniceae, Gramineae. Cytologia, 35: 111-131.
- Nielsen, E.L. 1946. The origin of the multiple macrogametophytes in Poa pratensis. Bot. Gaz. 108: 41-50.
- Norstog, K.J. 1957. Polyembryony in Hierochlœ odorata (L.) Beauv. Ohio J. Sci. 57: 315-320.
- Nygren, A. 1967. Apomixis in the Angiosperms. Encyclopedia of Plant Physiol. 18: 551-596.
- Omara, M.K. 1976. Cytomixis in Lolium perenne. Chromosoma, 56: 267-271.
- \*Parodi, L.R., 1959. Classification de las Gramineas Argentinas basada en lamorfologia, la cariológia Y la anatomía foliar. Proc. IX Int. Bot. Congr. Vol. 2, pp. 295.
- Peto, F.H., 1930. Cytological studies in the genus Andropogon. Can. J. Res., 3: 428-448.
- Prakken, R. 1943. Studies of asynapsis in rye. Hereditas, 29: 475-495.
- \*Prat, H. 1932. La Systematique der Graminees etude anatomique et. Systematique Annals. Sci. Nat. Bot. 14: 117-324.

- \*Prat, H. 1936. La Systematique der Graminees. Annals. Sci. Nat. Bot. 18: 165-258.
- Pryer, K.M.M., Britton, D.M. and McNeil, J. 1983. A numerical analysis of the chromatographic profiles in North American taxa of the fern genus Gymnocarpium. Can. J. Bot. 61: 2592-2602.
- Pritchard, A.J., 1970. Meiosis and embryo sac development in Urochloa mosambicensis and three Paspalum species. Aust. J. Agri. Res. 21: 649-652.
- Quarin, C.L. and Hanna, W.W. 1980. Effect of three ploidy levels on meiosis and mode of reproduction in Paspalum hexastachyum. Crop Sci. 20: 69-75.
- Quarish, H.B. and Faruqi, S.A. 1979. Cytogenetics of Cymbopogon species from Pakistan, Caryologia, 32: 311-327.
- Radford, A.E., Dickinson, W.C., Massey, J.R. and Bell, C.R. 1974. (Eds.) Vascular plant systematics, Harper and Row, New York.
- Raju, M.S., V. Seshavatharam and S. Appa Rao, 1986. Contribution to the leaf anatomy of the genus Pennisetum Rich. Proc. Indian Acad. Sci. (Plant Sci.) 96: 113-120.
- Raman, V.S., Chandrasekharan, P. and Krishnaswamy, D. 1959. Note on some chromosome numbers in Gramineae. Curr. Sci. 28: 127-128.
- Rao, P.N., Ranganandham, P., and Nirmala, A. 1986. Twins and Triplets in Pearl Millet: their cytology and origin. Ann. Bot. 58: 627-631.
- Reddy, P.S. and d'Cruz, R. 1969. Mechanism of apomixis in Dichanthium annulatum (Forssk) Stapf. Bot. Gaz. 130: 71-79.
- Reddy, P.S. and d'Cruz, R. 1971. Polyembryony in Dichanthium annulatum (Forssk.) Stapf. Bot. Gaz. 133: 162-165.
- Riley, R. and Chapman, V. 1958. Genetic control of the cytologically diploid behaviour of hexaploid wheat. Nature, 182: 713-715.

- Riley, R. and Kimber, G. 1961. Aneuploids and cytogenetic structure of wheat varietal populations. *Heredity*, 16: 275-290.
- Riley, R. and Law, C.N. 1965. Genetic variation in chromosome pairing, *Adv. Genet.* 13: 57-114.
- Riley, R. 1966. Genetics and the regulation of chromosome behaviour. *Sci. Prog. Oxf.* 54: 193-207.
- \*Rutishauser, A. 1949. Untersuchungen über Pseudogamie und Sexualität einiger Potelitte, *Ber. Schweiz. Bot. Gaz.* 59: 409-419.
- Rychlewski, J. 1961. Cytoembryological studies in the apomictic species Nardus stricta L. *Acta. Biol. Crac. Ser. Bot.* 4: 1-23.
- \*Salesses, G. 1970. Sur Le phenomene de cytomixie Chez des hybrides triploids de punier. Consequences genetiques possibles. *Ann. Amelior. Plant.* 20: 283-388.
- Sapre, A.B. and Deshpande, D.S. 1987. A change in chromosome number due to cytomixis in an interspecific hybrid of Coix L. *Cytologia*. 52: 167-174.
- Saran, S. and de Wet, J.M.J. 1970. The mode of reproduction in Dichanthium intermedium (Gramineae). *Bull. Torrey Bot. Club*, 97: 6-13.
- Sarvella, P. 1958. Cytomixis and the loss of chromosomes in meiotic and somatic cells of Gossypium. *Cytologia*, 23: 14-24.
- \*Savidan, Y. 1975. L'apomixie gametophytique chez les Graminees et son utilization in Amelioration des plantes. *Ann. Amelior Plant (Paris)* 28: 1-9.
- Savidan, Y. 1980. Chromosomal and embryological analysis in sexual X apomictic hybrids of Panicum maximum Jacq. *Theor. Appl. Genet.* 57: 153-156.
- Savidan, Y. 1981. Genetics and utilization of apomixis for the improvement of Guinea grass (Panicum maximum Jacq.) *Proc. XIV Intl. Grassland Congr. Lexington Ky*: 182-184.

- \*Schnarf, K. 1931. Vergleichende Embryologie der Angiospermen. Berlin.
- Semyarkhina, S. Ya and Kuptsou, M.S. 1974. Cytomixis in various form of sugarbeet, vests I An BSSR Ser. Biyal. 4: 43-47.
- Shamakumari, K. 1961. Cytogenetic investigations in Paniceae: Occurrence of apospory in a diploid species of Panicum antidotale Retz. Curr. Sci. 29: 191.
- Shanthamma, C. 1979. Reproductive behaviour of Pennisetum macrostachyum Benth. and a new basic number in the genus Pennisetum. Bull. Torrey Bot. Club. 106: 73-78.
- Shanthamma, C. 1981. Apomixis in Cenchrus glaucus. Mudaliar et Sundaraj, Proc. Indian Acad. Sci. (Plant Sci.) 91: 25-35, 1982.
- Sharma, M.L. 1985. Climato-geographic Polyploidy variations in the Himalayan Grasses. Cytologia, 50: 483-486.
- Sharma, M.L. and Sharma, Kamalesh, 1979. Cytological studies in the North Indian grasses. Cytologia, 44: 861-872.
- Sindhe, A.N.R., Swamy, B.G.L. <sup>and</sup> Govindappa, D.A. (1980). Synergid embryo in Pennisetum squamulatum. Curr. Sci, 49: 914-915.
- Singh, D.N. 1966. Classification of Gramineae in relation to cytology. In Advancing frontiers of plant sciences, 17: 197-203. (Ed. Lokesh Chandra) Hanz Khes Enclave, New Delhi.
- Singh, F. 1986. Cytogenetical studies in Petunia I. Secondary association of bivalents in Petunia parviflora Juss. Cytologia, 51: 143-147.
- Singh, R.D. <sup>and</sup> Chatterjee, B.N. 1968. Growth analysis of perennial grasses in tropical India. I. Herbage growth in pure grass swards. Exp. Agric. 4: 117-125.

- Sisodia, K.P.S. 1971. Studies on cytogenetics of some species in genus Urochloa L. Cytologia, 36: 382-391.
- Skalinska, M. 1959. Embryological studies in Poa granitica Br. Bl, an apomictic species of the carpathian range. Acta. Biol. Crac. Ser. Bot. 2: 91-112.
- Smith, B.W., 1948. Heredity and apomixis in the perennial grass, Paspalum dilatatum. Genetics, 33: 628-629.
- Smith, P.M. 1976. The chemotaxonomy of plants. Edward Arnold, London.
- Snyder, L.A. 1957. Apomixis in Paspalum secans. Am. J. Bot. 44: 318-324.
- Snyder, L.A., Hernandez, H.E. and Warmke, H.E. 1955. The mechanism of apomixis in Pennisetum ciliare. Bot. Gaz. 116: 209-221.
- Sokal, R.R. and Sneath, P.H.A. 1963. Principles of numerical taxonomy (San Francisco, London). W.H. Freeman and Co.
- Srivastava, A.K. 1978. Study of leaf epidermis in the genus Digitaria Rich. (Gramineae). J. Indian Bot. Soc. 57: 155-160.
- Stace, C.A. 1965. Cuticular studies as an aid to plant taxonomy. Br. Mus. (Nat. Hist.) Botany Bulletin 4: 1-78.
- \*Stahlin, A. 1929. Morphologische and Zytologische untersuchungen an Gramineen, Wissensch. Arc. Land. Bd. 1.
- Stapf, O. 1920. Flora of tropical Africa. Ashford, Kent. Plain, D. (Ed.). L. Reeve, and Co., Vol. 9, p. 586.
- Stebbins, G.L. Jr. 1941. Apomixis in the Angiosperms. Bot. Rev. 10: 507-542.

- Stebbins, G.L. Jr. 1947. Types of polyploids: their classification and significance. *Adv. Genetics*, 1: 403-429.
- Stebbins, G.L., 1950. Variation and evolution in plants. Columbia Univ. Press, New York.
- Stebbins, G.L., 1958. Longevity, habitat and release of genetic variability in the higher plants. Cold Spring Harb. Symp. Quant. Biol. 23: 365-377.
- Stebbins, G.L., 1971. Chromosomal evolution in higher plants, Edward Arnold. Ltd., London.
- Swain, T. 1966. Comparative phytochemistry. Academic Press, London.
- Swain, T. 1975. Evolution of flavonoid compounds. In: The Flavonoids Eds. J.B. Harborne, Mabry, T.J. and Mabry, H. pp. 1096-1129, Chapman and Hall, London.
- Swaminathan, M.S. and Sulba, K. 1959. Multivalent frequency and seed fertility in raw and evolved tetraploids of Brassica campestris var. toria. *Z. Vererbungsl.* 90: 385-392.
- Swamy, B.G.L., 1944. A reinvestigation of the embryo sac of Eragrostis ciliensis. *Curr. Sci.* 13: 103-104.
- Takats, S.T. 1959. Chromatin extrusion and DNA transfer during sporogenesis. *Chromosoma*, 10: 430-453.
- Tarkowska, J. 1960. Cytomixis in the epidermis of scales and leaves and in the meristems of the root apex of Allium cepa L. *Acta. Soc. Bot. Polon.* 29: 149.
- Tateoka, T., 1954. Karyotaxonomy in Poaceae II. Somatic chromosomes of some species. *Cytologia*, 19: 317-328.
- Tateoka, T., 1956. Karyotaxonomy in Poaceae IV. Chromosomes and systematic relationships of several species. *Bot. Mag. Tokyo*, 69: 112-117.

- Tateoka, T., 1957. Proposition of a new phylogenetic system of Poaceae. JPN. J. Bot., 32: 275-287.
- Tateoka, T., 1960. Cytology in grass systematics. A critical review. Nucleus (Calcutta), 3: 81-110.
- Tateoka, T., 1962. Starch grains of endosperm in grass systematics. Bot. Mag. Tokyo, 75: 377-383.
- Tateoka, T., 1965a. Chromosome numbers of some East African grasses. Am. J. Bot. 52: 864-869.
- Tateoka, T., 1965b. Contributions to biosystematic investigation of East African grasses. Bull. Nat. Sci. Mus. Tokyo. 8: 161-173.
- Tateoka, T., Inoue, S. and Kawano, S. 1959. Notes on some grasses IX. Systematic significance of bicellular microhairs of leaf epidermis. Bot. Gaz. (Chicago) 121: 80-91.
- Thompson, R.A. and Estes, J.R. 1986. Anthecial and foliar micromorphology and foliar anatomy of Brachiaria (Poaceae: Paniceae). Am. J. Bot. 73: 398-408.
- \*Van der Merwe, R.B. 1957. Nembriologiese studie van Themeda triandra Forsk. J.S.Afr. Bot. 23: 139-149.
- Vaughan and Waite, A. 1967. Comparative electrophoretic studies of the seed proteins of certain amphidiploid species of Brassica. J. Expt. Bot. 18: 269-276.
- \*Vogl, E. 1947. Untersuchungen über die Teilungsrichtungen in Pollen und bei der Blauogale chroococcus. Ost. Bot. Z. 94: 1-29.
- Wagner, W.H. Jr. 1968. Plant taxonomy and modern systematics. Bioscience, 18: 96-100.
- Wains, J.G. and Johnson, B.L. 1975. Incomplete concurrence of evidence from protein electrophoresis and genome analysis regarding the origin of Aegilops ovata. Can. J. Bot. 17: 1-8.

- Wanscher, J.H. 1934. The basic chromosome numbers of higher plants. *New Phytol.* 33: 101-126.
- Warmke, H.E. 1954. Apomixis in *Panicum maximum*. *Am. J. Bot.* 41: 5-11.
- Webber, J.M. 1940. Polyembryony. *Bot.Rev.* 6: 575-598.
- Weimarck, G. 1967a. Apomixis and sexuality in *Hierochlœ australis* and in Swedish *Hierochlœ odorata* in different polyploid levels. *Bot. Not.* 120: 209-235.
- Weimarck, G. 1967b. Apomixis in *Hierochlœ monticola* (Gramineae). *Bot. Not.* 120: 448-455.
- Whelan, E.D.P. 1974. Discontinuities in the callose wall, inter meicyte connections and cytomixis in angiosperm meicytes. *Can. J. Bot.* 52: 1219-1224.
- Whiteman, P.C. and Gillard, P. 1971. Species of *Urochloa* as pasture plants. *Herbage Abstracts.* 41: 351-357.
- Williams, C.A. and Harborne, J.B. 1974. The taxonomic significance of leaf flavonoids in *Saccharum* and related genera. *Phytochemistry*, 13: 1141-1149.
- Williamse, M.T.M. and Van Went J.L. 1984. The female gametophyte. In *Embryology of Angiosperms.* (Ed.) B.M. Johri, 160-196.
- \*Winkler, H. 1908. Über parthenogenesis und apogamie im pflanzenreich. *Prog. Rei. Bot.* 2: 293-454.
- Woodworth, R.H. 1931. Cytomixis, *J. Arnold Arbor.*, Harvard, Univ. 12: 23-25.
- Wu, M.C.Y. 1962. The classification of bambuseae based on leaf anatomy. *Bot. Bull. Acad. Sin. Taipei*, 3: 83-108.
- \*Yamamura, A. 1933. Karyologische und embryologische studien ulber einige Bambusae Arten (Vorlaufige Mitteilung) *Bot. Mag. Tokyo*, 47: 551-555.
- \*Yamashita, K. 1937. Über cine diplo-tetraploide chimarebei *Triticum*. *Cytologia (Fuji jub. Vol)*, 1062-1069.

- Yeoh, H.H., Stone, N.E. and Watson, L. 1982. Taxonomic variation in the subunit amino acid composition of RuBP carboxylases from grasses. *Phytochemistry*, 22: 71-80.
- Yu, S.H. and Chao, Chy. 1979. Histochemical studies of ovary tissues during the embryo sac development in Paspalum longifolium Roxb. *Caryologia*, 32: 147-160.
- Zennie, T.M. and McClure, J.W. 1977. The flavonoid chemistry of Pistia stratiotes Linn. and the origin of the Lemnaceae. *Acquatic Bot.* 3: 49-54.
- \*Zollikofer, C. 1930. Zur Fortifflazung von Poa alpina. *Jb. St. Gall. Naturew Ges.* 65.

\* Originals not seen.