

BIBLIOGRAPHY

- ✓ Anfinson, J.R.; Anson, C.B.; Kenneth bailey, M.L.; Edsali, M.L. and Jhon, T. (1958) Bio-synthesis and spinning of silk proteins. *Advances in protein chemistry.*, 13: 116 - 118.
- ✓ Abdullaev, I.K. (1963) The new bush - type mulberry kot - tat. *Rep- Acad - Sci. Azerbaijan - SSR*, 9: 69 - 74.
- ✓ Arnason, T.J.; Minocha, J.L.; El - Sadak. and Laila, M. (1963) The effect of some combinations of mutagens on mutation frequency in barely. In : *Genetics today, Proc. 11th Intern. Congr. Genetics.*, Pergamon, press, Oxford. 1 : 93 -94.
- ✓ Abdullaev, I.K. and Gasnaov, D.O. (1966) Effect of ionizing radiation and colchicine on the changes in some features of mulberry tree varieties. *AZ. SSR. Ser. Biol.Nauk*, 6: 3 - 10.
- ✓ Abraham, A. and Ninan, C.A. (1968) Genetic improvement of the coconut palm: some problems and possibilities. *Indian J. Genet and Pl. Breed.*, 28A: 42 - 153.
- ✓ Aliev, M.O. (1977) Effect of radiation on mulberry. *Selektsiya rast, Tez. Dokl. Leningard, USSR*, 18 - 19.
- ✓ Ahmed, S.M. and Mathew, P. (1978) Study on the effect of IAA and GA3 on rooting of mulberry stem. *Geobios (Jodhpur)*, 5(3): 107 - 110.
- ✓ Abifarin, A.O. and Rutager, A.M. (1982) Effect of low gamma radiation exposure on the rice seedling development. *Environ. Exp. Bot.*, 22: 301 - 306.
- ✓ *Amin, M.N. and Jaiswal, V.S. (1988) *Scientia Hort.*, 30: 89 - 95.
- ✓ Ahloowalia, B.S. (1990) In vitro radiation induced mutagenesis in potato. In: R. S. Sangewan and B.S. Sangwn (eds). *The Impact of Biotechnology in Agriculture*. Kluwer Acadmic publishers, Dordrecht, The Netherlands, PP. 39 - 46.
- ✓ Alvard, D.; Cote, F. and Teisson, C. (1993) Comparison of methods of liquid medium culture for banana micropropagation. *Plant Cell Tissue and Organ Culture.*, 32 : 3255 - 60.

- ✓ Ashalatha, S. Nair. and Seo, B. B. (1995) Hormonal effects on chromosomal variability among the regenerated plants in *Allium sensscens* L. var. Minor. *Indian J. Expt. Biol.*, **33**: 533 - 536.
- ✓ Absar, N.; Abdus satter, M. and Aziz Sarker, A. (1995) Purification and characterization of six proteins from the leaves of BM-3 mulberry variety. *Sericologia.*, **35(4)**: 725 - 732.
- ✓ Ahloowalia, B. S. (1995) *In vitro* mutagenesis for the improvement of vegetatively propagated plants. In: *Proceedings, Induced Mutations and Molecular Techniques for Crop Improvement, International Symposium, IAEA and FAO of the United Nations, IAEA, SM- 340, VIENNA, Austria.* PP. 531 - 541.
- ✓ Bray, H. G. and Thrope, W. E. (1954) Analysis of phenolic compounds of interest in metabolism. *Methods Biochem. Anal.*, **1**: 27 - 52.
- ✓ Bishop, C. J. and Alders, L. E. (1955) A comparison on morphological effect of thermal neutron and x- irradiation of apple scion. *Amer. J. Bot.*, **42**: 618 - 623.
- ✓ Beibl, R. (1956) Morphological, anatomische and zellphysiologische untersuchungen and pflanzen vom y- fied des brookhaven National Laboratory (USA). *Ost. Bot.*, 400 - 435.
- ✓ Brock, R. D. (1965) Induced mutations affecting quantitative characters. *Rad. Bot.*, **5**: 451 - 464.
- ✓ Bajaj, Y. P. S.; Seattler, A. W. and Adams, M. V. (1970) Gamma irradiation studies on seeds, seedlings and callus tissue culture of *Phaseolous vulgaris*. *Rad. Bot.*, **10**: 119 - 124.
- ✓ Bayliss, M. W. (1975) The effects of growth regulators on chromosome complement of *Daucus carota* L. suspension cultures. *Chromosoma.*, **51**: 401 - 411.
- ✓ Blix, S. and Gottschalk, W. (1975 a) Mutations in Legminosae. *Agri. Hortique Genetica.*, **33**: 33 - 85.

11/1

✓ Bush, S.R.; Earle, E.D. and Langhans, R.W. (1976) Plantlets from petals epidermis and shoot tips of the periclinal chimera *chrysanthemum morilloium* 'Indianopolis'. *Amer.J.Bot.*, **63**: 729 - 737.

✓ Broertjes, C.; Foest, S. and Bokelmann. (1976) Mutation breeding of *Chrysanthemum monifoium* RAM *in vivo* and *in vitro* adventitious bud technique. *Euphytica.*, **25**: 11 - 19.

✓ Broertjes, C. and Keen, A. (1980) Adventitious shoots: Do they develop from one cell ? . *Euphytica.*, **29**: 73 - 87.

Bhojawani, S.S. (1980 b) Micropropagation method for a hybrid willow (*Salix matsudanax alba* NA 1002). *N.Z.J.Bot.*, **18**: 209 - 214.

✓ Bhojawani, S.S. (1980) *In vitro* propagation of garlic by shoot proliferation. *Sci. Hort.*, **13**: 47 - 52.

✓ Browsers, M.A and Orton, T.J. (1982) Transmission of gross chromosomal variability from suspension cultures in to regenerated cereley plants. *J. Hered.*, **73** : 159 - 162.

✓ Blongstern, A.D. and Gale, M.D. (1984) Cell size and cell number in dwarf mutant of barley in semi dwarf cereal mutants and their use in cross breeding. *Teidse 407*, TFAO / IAEA , VIENNA. 19 - 29.

✓ Barghchi, M. and Alderson, P.G. (1985) *In vitro* propagation of *Pistaca vera* L. and the commercial cultivars Ohadi and Kalleghochi. *J.Hort. Sci.*, **60(3)**: 423 - 430.

✓ Bergan, L.^{??}; Arnold, S.V. and Eriksson, T. (1985) Effects of N - benzyladenine on shoots of five willow clones (*Salix* Spp.) cultured *in vitro*. *Plant Cell Tissue and Organ Culture.*, **4**: 135 - 144. Shelby?

✓ Bapat, V.A.; Mahatre, M. and Rao, P.S. (1987) Propagation of *Morus indica* L. (Mulberry) by encapsulated shoot buds. *Plant Cell Report.*, **6** : 393 - 395.

✓ Bose, P.C. (1989) Evaluation of mulberry leaf quality by chemical analysis. In: *Genetic responses of mulberry and utilization*. Edt. by Sengupta, K and Dandin, S.B. C.S.R & T.I., Mysore. 183 - 190.

- ✓ Bapat, V.A. and Rao, P.S. (1990) *In vitro* growth of encapsulated axillary buds of mulberry (*Morus indica* L.). *Plant Cell Tissue and Organ Culture.*, **20** : 69 - 70.
- ✓ Biswas, S. and Sengupta, K. (1993) Effect of hormones on the mulberry - A review. *Sericologia.*, **33(3)**: 461 - 478.
- ✓ Bhatnagar, S.M.; Sharma, S.N.; Singha, D. and Bhatnagar, V.K. (1994) Induced morphological variants in Kabuli chickpea. *Indian J. Pl. Genet. Resources.*, **7(2)**: 235 - 238.
- ✓ Bindokumar, S.M.; Jayalal Mahto. and Haider, Z.A. (1996) Induced mutation studies in finger millet (*Eleusine coracana* Gacert n.). *Indian J. Genet.*, **56(4)** : 526 - 532.
- ✓ Carlson, P.S. (1973) Methionine Suloximine -resistant mutants of tobacco. *Science.*, **180**: 1366 - 1368.
- ✓ Chaleff, R.S. (1983) Isolation of agronomically useful mutants from plant cell cultures. *Science.*, **219** : 676 - 682.
- ✓ Chang, J.S. (1985) Tissue culture of winter shoots of Baigelu mulberry (*Morus ihoukoidz*) trees. *Shanxi. Agri. Sci.*, **3**: 17 - 18 (ch).
- ✓ Cocking. (1986) The tissue culture revolution. In : *Plant Tissue culture and its agricultural application* (eds) CA. Witness and P.G. Alderson. Butterworths, London.
- ✓ Chattopadhyay, A.K. (1989) Relationship of phenols and sugars in *Alternaria* blight resistance of rape seed mustard. *Indian J. Mycol. Res.*, **27**: 195 - 199.
- ✓ Christopher, R. (1989) Mutation breeding and tissue culture studies in *Capsicum*. **Ph.D Thesis, Kakatiya univ. Warangal. India.**
- ✓ Chattopadhaya, S.; Chattopadhyay, S and Datta, S.K. (1990) Quick *in vitro* production of mulberry (*Morus alba*) plantlets for commercial purpose. *Indian J. Exp. Biol.*, **28**: 522.
- ✓ Chaluvachari, (1995) Studies on leaf quality evaluation of a few selected mulberry varieties. **Ph.D. Thesis, Bangalore university, Bangalore, India.**

- ✓ Chandel, G.; Rajan, S.; Sharma, D.K. and Katiyar, S.K. (1998) Variation in soluble protein fraction of anther derived green and *Albino indica* rice plants. *Indian J. Pl. Physiol.*, **3(4)** : 265 - 268.
- ✓ Chakraborty, S.P.; Vijayan, K.; Roy, B.N. and Quader, S.M.H. (1998) *In vitro* induction of tetraploidy in mulberry (*Morus alba* L.). *Plant cell Report.*, **17** : 799-803.
- ✓ Chakraborty, S.P.; Das, C.; Vijayan, K.; Mishra, A.K.; Raghunath, M.K.; Narayan, P. and Roy, B.N. (1999) Field evaluation of a somaclonal variant (SV1) developed from *Morus alba* Var. S₁. *Indian J. Seric.*, **38 (1)**: 69 - 71.
- ✓ Demerec, M. (1954) Genetic action of mutagens. *Cytologia.*, suppl. 201 - 217.
- ✓ Duncan, D.B. (1955) Multiple range and multiple F tests. *Biometrics*, **11**: 1-42.
- ✓ Das, B.C. (1970) Effect of gamma radiation on germination and seedlings development of mulberry. *Sci. cult.*, **36**: 60 - 61.
- ✓ Dullieu, H. (1972) The combination of cell and tissue culture with mutagenesis for the induction and isolation of morphological or developmental mutants. *Phytomorphology.*, **22**: 283 - 296.
- ✓ Devereux. (1973) *In vitro* culture and mutation breeding. In: *Induced mutation in vegetatively propagated plants. Proc. of a panel IAEA, Vienna*, PP. 41 - 51.
- ✓ Degani, N. and Pickholz, D. (1973) Direct and indirect effect of gamma irradiation on differentiation of tobacco tissue culture. *Rad. Bot.*, **13**: 381.
- ✓ D' Ammato, F. (1975) The problems of genetic stability in plant tissues and cell cultures. In : O.H. Frankel and J.G. Hawkes (edt). *Crop Genetic Resources for today and tomorrow*. cambridge university press, Cambridge. PP. 333 - 348.
- ✓ *Denton, I.R.; Wescott, R.J. and Ford - Lloyd, B.V. (1977) *Potato Res.*, **20**: 131 - 363.
- ✓ Deambrogio, E. and Dale, P.I. (1980) Effect of 2,4-D on the frequency of regenerated plants in barley (*Hordeum vulgare*) cultivar 'Akka' and on genetic variability between them. *Cereal Res. Commun.*, **8**: 417 - 424.

- ✓ Dix, J. and Vastaden, J. (1982) Auxins and gibberellin - like substances in coconut milk and malt extract. *Plant Cell Tissue and Organ Cult.*, **1**: 239 - 245.
- ✓ Dwivedi, N.K.; Sikdar, A.K. and Jolly, M.S. (1987) Colchicine induced variant in mulberry (*Morus alba* var. Kanva-2). *Indian J. Seric.*, **26** (2) : 93 - 97.
- ✓ Dix, P.J.; Mckinley, C.P. and McCabe, P.F. (1990) Antibiotic resistant mutants of *Solanum nigrum* in H.J.J. Nijkamp L. H. W. vander plas and Van Aartrijk (eds), *Progress in plant cellular and molecular biology*. Kluwer Academi publishers. Dordrecht, Boston, London, 169 - 174.
- ✓ Dandin, S.B.; Rajan, M.V. and Mallikarjunappa, R.S. (1996) Colchicine induced variant in mulberry (*Morus alba* var. Kanva-2). *Indian J. Seric.*, **26** (2): 93 - 97.
- ✓* Engler, A. and Prantl, K. (1924) Die naturlichen planzen - familien.
- ✓ Earle, E.D. and Langhans, R.W. (1974) Propagation of *chrysanthemum in vitro*. I. Multiple plants from shoot tips and establishment of tissue culture. *J. Amer. Soc. Hort. Sci.*, **99** (2) : 128 - 132.
- ✓ Engelke, A.L.; Hazmi, H.Q. and Skoog, F. (1973) Cytokinin - Gibberlin regulation of shoot development and leaf form in Tobacco plants. *Amer. J. Bot.*, **60** : 491 - 495.
- ✓✓ Evans, D.A. and Bravo, J.E. (1980) Phenotypic and genotypic stability of tissue culture as a plant production system for Horticultural crops. (R.H. Zimmerman *et al.*, eds). Martinus Nijhoff publishers, Dordrecht, The Netherlands. PP. 73 - 94.
- ✓✓✓ Evans, D.A.; Sharp, W.R. and Medina-Filho, H.P. (1984) Somaclonal and gametoclonal variation. *Amer. J. Bot.*, **71**: 759 - 774.
- ✓✓ Evans, D.A. and Sharp, W.R. (1986) Applications of somaclonal variation. *Biotechnology.*, **4**: 528 - 534.
- Evans, N.; Foulger, D.; Farrer, L. and Bright, S.W.J. (1986) Somaclonal variation in explant- derived potato clones over three tuber generations. *Euphytica.*, **35**: 353 - 361.

- ✓ Eapen. and Rao. (1986) Spontaneous and induced variation in tissue cultures and regenerated plants of bread wheat. In : *Withers. LA and Alderson Ph (Eds) plant tissue culture and its agricultural applications Butterworths, London , UK, pp . 461 - 467.*
- ✓ Fukuda, T.; Sudo, M.; Mutada, M.; Hayashi, T.; Kurose, T.; Horiuchi, Y and Mareen florrin. (1959) Formation of silk protein during development of the silkworm larvae (*Bombyx mori*). *Proc. 4th. Int. Cong. Bio-chemistry, 12: 90 - 112.*
- Favert, E.A. (1963) Genetic effect of single and combined treatment of ionizing radiation and EMS on barley seeds. *Proc. 1st Intern. Barley Genet. Symp. wageningen, 68 - 81.*
- ✓ Fugita, H. and Nakajima, K. (1973) Retreatment of induced mulberry mutants with Y- rays. *Gamma field Symp, 12: 49 - 59.*
- ✓ Fujita, H.; Yokayama, T. and Nakajima, K. (1980) Retreatment of induced mutants with gamma rays. *Tech. News. Inst. Rad. Breed, 23: 18 - 29. 138 - 149.*
- ✓ Fujita, H. and Wada, M. (1982) Studies on mutation breeding in mulberry (*Morus Spp*). In: *Induced mutation in vegetatively propagated plants . II. IAEA. No. 1336 : 249 - 279.*
- ✓ Fluhr, A.; Aviv, D.; Galun, E. and Edelman, M. (1985) Efficient induction and selection of chloroplast encoded antibiotic resistant mutant in *Nicotiana*. *Proc Natl Acad Sci Usa, 82: 1485 - 1489.*
- ✓ Fujita, H. and Uchikawa, C. (1986) Electron microscopical study of mulberry with special reference to the identification of cultivars : Development of new technology for identification and classification of tree crops and ornamentals. Ed. by. Kitawara, K., Akihama, T., Kukimura, H., Nakajima, K., Horie, M. and Kozaki, I. Fruit tree research station. M.A.F.F. Japan. PP. 53 - 57.
- ✓ Fotedar, R.K.; Ashan, M.M.; Dhar, K.L. and Dhar, A. (1990) Screening of mulberry varieties for rooting and induction of rooting by the use of growth regulators. *Sericologia., 30 (3) : 347 - 361.*
- ✓ Gunekal, J.E. and Sparrow, A.H. (1954) Aberrant growth in plants induced by ionizing radiation. *Brook Haven Symp. Biol, 6: 252 - 279.*

- Gaul, H. (1960) Critical analysis of the methods for determining mutation frequency after seed treatment with mutagens. *Genet Agrar.*, **12**: 297 - 312.
- ✓ Gaul, H. (1964) Mutations in plant breeding. *Rad. Bot.*, **4**: 155 - 232.
- ✓ Guevarra, A. and Chang, T.T. (1965) Internode elongation in rice varieties in reduced plant stature. *Phillip Agriculturist.*, **49** : 23 - 42.
- ✓ Gupta, G.R.; Guha, S. and Maheswari, S.C. (1966) Differentiation of buds from leaves of *Nicotiana tobacum* in sterile culture. *Phytomorphology.*, **16**: 175 - 182.
- Gamborg, O.L.; Miller, R.A. and Ojima, K. (1968) Nutrient requirements of suspension cultures of Soybean root cells. *Exp. Cell. Res.*, **50**: 151 - 158.
- ✓ Ghugale, D.D.; Kulkarni, D.D. and Narasimhan, R. (1971) Effect of auxins and gibberlic acid on growth and differentiation of *Morus alba* and *Populus nigra* tissue *in vitro*. *Indian J. Exp. Biol.*, **9**: 381-384.
- ✓ Gamborg, O.L.; Shyluk, J.P.; Brar, D.S. and Constable, F. (1977) Morphogenesis and plant regeneration from callus of immature embryos of *Sorghum*. *Pl. Sci. lett.*, **10**: 67 - 74.
- ✓ Gaul, H. (1980) Critical analysis of methods for determining the mutation frequency after seed treatment with mutagens. *Genet. Agrar.*, **12**: 297 - 318.
- Gatin, F.G. and Ogurtsov, K.S. (1981) Mutagenic effect of N-Nitroso - N-ethylmea in the M2 of mulberry. *Shelk.*, **6**: 6 - 7.
- Groshmen, H.H. and Crajii, R. (1982) The effect of gamma radiation of seeds on germination and plant morphology of *Pelargonium hotorum*. L.H. Baily. *J. Amer. Soc. Hort. Sci.*, **107** : 72 - 75.
- ✓ Gomez, K.A. and Gomez, A.A. (1984) Statistical procedure for Agricultural Research. Second Edition, John Wiley and Sons, New York.
- ✓ Graybosch, R.A.; Edge, M.E. and Delannay, X. (1987) Somaclonal variation in soybean plants regenerated from the cotyledonary node tissue culture system. *Crop Sci.*, **27** : 803 - 806.

- ✓ Griesbach, R.J. and Semenluk, P. (1987) Use of somaclonal variation in the improvement of *Evstoma grandiflorum*. *The Journal of Heredity*, **78** : 114 - 116.
- ✓ Gavazzi, G.; Tonelli, C.; Todesco, G.; Arreghini, E.; Raffaldi, F.; Vecchio, F.; Barbuzzi, G.; Biasini, M.G. and Sala, F. (1987) Somaclonal variation versus chemically induced mutagenesis in tomato (*Lycopersicon esculentum* L). *Theor. Appl. Genet.*, **74**: 733 - 738.
- ✓ Gao, M.W.; Liang, Z.G. and Chen, Z.Y. (1988) Effect of gamma radiation on immature wheat embryo culture. In : *Semi dwarf cereal mutants and their use in cross breeding III*. IAEA. Vienna, Austria. PP. 177 - 182.
- ✓ Gupton, C.L. (1989) Production of non - chimeral colchiploids in *Rubus* species by tissue culture. *Euphytica*, **44**: 133 - 135.
- ✓ Giriraj, S.M.; Sharma, S.N.; Singh, D. and Bhatnagar, V.K. (1994) Induced morphological variants in Kabuli Chick pea. *Indian J. Pl. Genet. Resources*, **7(2)**: 235 - 238.
- ✓ Griga, M.; Steiskal, J. and Beber, K. (1995) Analysis of tissue culture - derived variation in pea (*Pisum sativum* L) preliminary results. *Euphytica*, **85** : 335 - 339.
- ✓ Gayathri, M.C.; Vidya, R. and Kiran, S. (1998) *In vitro* mutation studies on *Zingiber officinale*. *Seminar on Recent advances in Cytogenetics and Tissue culture*, Dharwar, Karnataka, India, Jan 27th, 1998 (Abstract).
- ✓ Gupta, V.P.; Sharma, D.D.; Rekha, M. and Chandrashekar, D.S. (1999) Integration of *Trichoderma pseudokoningii* with agrochemicals for disease management and plant development in mulberry. *Archiv fur phytopathologie und pflanzenschutz*, **32**: 521 - 529.
- ✓ Hooker, J.D. (1885) **Flora of British India. V: 491 - 493.** (Reprinted) Bishen Singh Mahendra Pal Singh, Dehra Dun.
- ✓ Haberlandt, G. (1902) Culture versuche mit isolaten pflanzellen. *Sitzungsber. Math. Naturwis. Kl. Kais. Akad. Wiss. Wein.* 111. 69 - 92.

- ✓ * Hotta, T. (1951) Kuwa-hen.PP. 414. Yokendo, Tokyo (In Japanese).
- ✓✓ Hartman, H.T. and Kester, D.E. (1959) Plant propagation - principles and practices. Prentice. Inc. Englewood, Cliffee, PP. 159 - 265.
- Haber, A. H. and Luippola, H.J. (1960) Effects of gibberellin on gamma irradiated wheat. *Am. J. Botany.*, **47**: 140-144.
- ✓ Hedge, J.E. and Hofreier, B.T. (1962) In: *Carbohydrate chemistry* (Eds. Whistler, RL and B. Miller, J.N.) 17.
- ✓ Harber, A.H. and Foard, D.E. (1964) Further studies of gamma irradiated wheat and their relevance to use of mitotic inhibition for developmental studies. *Amer. J. Bot.*, **51**: 158 - 159.
- ✓ Hazama, K. (1968 b) Adaptability of mutants in mulberry tree. *Gamma Field Symp.*, **7**: 79 - 85.
- ✓✓ Hazama, K.; Katagiri, K. and Takato, S. (1968) Varietal difference of radio-sensitivity and bud mutation of mulberry tree in the gamma irradiation field. *J. Seric. Sci Jpn.*, **37**: 427 - 433.
- ✓✓ Heinz, D.J.; Krishnamurthy, M.; Nickell, L.G. and Maretzki, A. (1977) Cell, tissue and organ culture in sugarcane improvement, PP. 3 - 17. In : *J.Reinert and Y.P.S. Bajaj (eds). Plant cell, tissue and organ culture*. Springer -verlag, Newyork.
- ✓ Hiscox, J.D. and Israelstam. (1979) A method for the extraction of chlorophyll from leaf tissue without maceration. *Can.J.Bot.*, **57**: 1332 - 1334.
- ✓ Hirano, H. (1980) Thermomatological studies of protein variation in mulberry. *Bull. Sericult. Exp. Sta.*, **28** : 67 - 186.
- ✓ Hirano.H. (1982) Varietal differences of leaf protein profiles in mulberry. *Phytochemistry.*, **21(7)** : 1513 - 1518.
- ✓ Hammerschalg, F. (1982) Factors affecting established and growth of peach shoots *in vitro*. *Hort. Sci.*, **17** : 85 - 86.

- ✓ Hossain, M.; Rahman, S.M.; Zaman, M.A. and Joardar, O.I. (1991) Effect of nature of explant and pH on *in vitro* propagation of some mulberry genotypes. *Bull. Seric. Res.*, **2**: 13-22.
- ✓ Irvine, V.C. (1940) X-ray radiation and growth substances affecting plant primordial tissues. *Proc. Soc. Exp. Biol.*, **43**: 453 - 455.
- ✓ Ito, T. and Arai, N. (1963) Food values of mulberry leaves for the silkworm *Bombyx mori* L. determined by means of artificial diets. I: relationship between kinds of mulberry leaves and larval growth. *Bull. Seric. Extn. Stn. Jpn.*, **18**: 117 - 120.
- ✓ Iizuka, T. and Arakawa, Y. (1979) *Tech. Bull. Sericult. Exp. Sta.*, **109**: 27.
- ✓ Israeli, Y.; Reuveni, O. and Laha, U.E. (1991) Qualitative aspects of somaclonal variations in banana propagated by *in vitro* techniques. *Sci. Hort.*, **48**: 71 - 88.
- ✓ Islam, R.; Zaman, A.; Hossain, M.; Barmar, A.C.; Jorder, O.I. and Hossain, A.B.M.B. (1992) Effect of growth regulators on callogenesis in *Morus laevigata* Wall. *Bull. Seric. Res.*, **3**: 55 - 58. 22
- ✓ Islam, R.; Rahman, S.M.; Zaman, A.; Joarder, O.I. and Islam, R. (1992) Micropropagation of *M. laevigata* Wall from mature trees. *Plant Cell Rep.*, **11**: 522 - 524. 22
- Ito, K.; Doi, K.; Tatemichi, and Shibata, M. (1996) Plant regeneration of eucalyptus from rotating nodule cultures. *Plant Cell Reports.*, **16**: 42 - 45.
- ✓ Johnson, E.L. (1948) Response of *Kalanchoe tubiflora* to x - irradiation. *Plant physiology.*, **23**: 544 - 556.
- ✓ Jackson, H.L. (1973) Soil chemical analysis. Prentice Hall of India. New Delhi. India. P. 338.
- ✓ Jayapal, R.R.; Rao, M. M. and Sarojini, N.Z. (1984) Mutation breeding in mulberry (*Morus indica* L.). *Indian J. Bot.*, **1**: 106 - 111. 22

Jain, A.K.; Maherchandani, N.; Sharma, D.R. and Chowdhury, J.B. (1984) Effect of gamma radiation and gibberlic acid on growth and shoot regeneration in callus cultures of *Datura innoxia*. *Curr. Sci.*, **53**: 700 - 701.

✓ Jayaramaiah, V.C. and Munirajappa. (1987) Induction of mutations in mulberry variety 'Mysore local' by gamma - irradiation. *Sericologia.*, **27 (2)**: 199 - 204.

✓ ✓ ✓ Jain, R.K.; Sharma, D.R. and Chowdhury, J.B. (1989) High frequency regeneration and heritable somaclonal in *Brassica juncea*. *Euphytica.*, **40**: 75 - 81.

✓ Jayapalan, N. and Rao, G.R. (1989) Effect of physical and chemical mutagens on food yield in Tomato. *J. Indian Bot. Soc.*, **68** : 233 - 234. miller

✓ ✓ ✓ ✓ Jain, A.K.; Dandin, S.B. and Sengupta, K. (1990) Micropropagation through axillary bud multiplication in different mulberry genotypes. *Plant cell Report.*, **8**: 737 - 740.

✓ ✓ ✓ Jain, A.K and Datta, R.K. (1992) Shoot organogenesis and plant regeneration in mulberry (*Morus bombycis* Koidz.): Factors influencing morphogenetic potential in callus cultures. *Plant Cell Tissue and Organ Culture.*, **29**: 43 - 50.

Koidzumi, G. (1917) Kuwa zoku shokubutsu ko (Study of the genus *Morus*). *Bul. Sericul. Exp. Sta.*, **3**: 62 (in Japanese).

✓ Kosuge, T. (1969) The role of phenolics in host response to induction. *Ann. Rev. Phytopathol.*, **7**: 195 - 222.

✓ ✓ ✓ ✓ Katagiri, K. (1970) Varietal differences of mutation rate and mutation spectrum after gamma ray irradiation in mulberry. *J. Seric. Sci. Jpn.*, **39** : 194 - 200.

✓ Krishnaswami, S.; Nomani, M.K.R. and Ashan. (1970) Studies on the quality of mulberry leaves and silkworms cocoon crop production, part-I, quality difference due to varieties. *Indian J. Seric.*, **9 (1)**: 1- 10.

✓ ✓ ✓ Kawai, T. and Narahari (1971) Pattern of reduction of internode lengths and changes of some other characters in short culm mutants in rice. *Indian J. Genet.*, **31**: 421 - 44.

- ✓ Kaicker, V.S. and Swarup, V. (1972) Induced mutations in roses. *Indian J. Genet and Pl. Breed.*, **32** (2) : 257 - 265.
- ✓ Katsumata. (1972) Relationship between the length of styles and shape of idioblasts in mulberry leaves., with special reference to the classification of mulberry tree. *J. Seric. Sci. Jpn.*, **41**: 387 - 395.
- ✓ Katagiri, K. (1973) Radiation damage in winter buds and relation old shoot cuttings - back to mutation frequencies and spectra in acutely gamma - irradiation mulberry. *Gamma Field Symp.*, **12**: 63 - 81.
- Kamaluddin, S.B. and Abraham, A.T. (1973) Biological effects of x-rays on chillies (*Capsicum annum*). *Agric. Res. J (Kerala)*., **8**: 68 -72.
- ✓ Kawase, (1975) In: *Text book of tropical sericulture. Japan oversease co-operation volunteers*, Tokyo: 155.
- ✓ Katagiri, K. (1976) Polyploidy induction in mulberry by gamma radiation. *Mut. Breed. News letters.*, **8**: 11 - 12.
- ✓ Katagiri, K. (1976 a) Radiation damage and induced Tetraploidy in mulberry (*Morus alba*.L.). *Environ. Exp. Bot.*, **16**: 119 - 130.
- ✓ Kukimura, H.; Ikeda, F.; Fujita, H.; Maeta, T.; Nakajima, K.; Katagiri, K.; Nakahira, K. and Somegou, M. (1976) Genetical, cytological and physiological studies on the induced mutants with special regard to effective methods for obtaining useful mutants in perennial woody plants. II. In : *Improvement of vegetatively propagated plants and Tree crops through induced mutations*, Wageningen, IAEA, Vienna, PP. 93 - 137.
- ✓ Kozikova, R.K. (1979) First generation gammanorphs of mulberry. *Shelk.*, **3**: 20 - 23.
- Kuchkarov, V. (1979) Experimental mutagenesis breeding mulberry. *Tashkent. Vzbek. SSR*, 21 - 22.
- ✓ Kasperbauer, M.J. ; Buckner, R.C. and Bush, L.P. (1979) Tissue culture of Annual Rye grass x Tall Fescue F1 Hybrids: *Callus Establishment and plant regeneration. Crop Science.*, **19**: 457-460.

- ✓ Koul, O.; Tikoo, K.; Saxena, B.P. and Atal, C.K. (1980) Growth and silk production in *B. mori* fed on three different varieties of mulberry (*M. alba*). *Indian Seric.*, **18(1)**: 1-5.
- ✓ Khanna, V.K. and Meharchandani. (1981) Effect of radiation on germination, seedling growth and mature plant characters of chick pea. *Haryana Agric. Univ. J. Res.*, vol X1 No.4: PP. 467 - 470.
- ✓ Krishnamurthi, M. (1981) Sugarcane improvement through tissue culture and review of progress. In : A.N. Rao (Ed.), *Tissue Culture of economically important plants*. Asian Net work for Biological Sciences. Singapore, PP. 70 - 77.
- ✓ Katagiri, K. and Nakajima, K. (1982) Tetraploid induction by gamma rays irradiation in mulberry. In: *Induced mutation in vegetatively propagated plants*. IAEA, Vienna: 235 - 248.
- ✓ Kamala, T. and Rao, R.N.B. (1982) Effect of gamma rays on growth and survival of three mustard varieties in M₁ generation. *Geobios.*, **9**: 166 - 169.
- Kukimura, H. and Kouyama, Y. (1982) Studies on mutation breeding in sweet potato (*Ipomea batatas* (L.) Lam) In : *Induced mutations in vegetatively propagated plants II*. PP. 199. IAEA. Vienna.
- ✓ Kar, G.N. and Chakraborti, S.N. (1983) Induced micro mutation in bread wheat. *Indian J. Genet.*, **43** : 218 - 220.
- ✓ King, P.J. (1984) Mutagenesis of cultured cells. In : *Vasil, I.K. (ed) Cell culture and somatic cell genetic of plants*, I. Academic press, New York, 547 - 551.
- ✓ Konzak, C.F. (1984) Role of induced mutations. In : *P.B. Vose and S.G. Blix (Edt), crop breeding, a contemporary basis*. Pergamon press, Oxford. PP. 216 - 292.
- ✓ Kim, H.R.; Patel, K.R. and Thrope, T.A. (1985) Regeneration of mulberry plantlets through tissue culture. *Bot Gaz.*, **146 (3)** : 335 - 40.
- ✓ Karp, A. and Bright, S.W.J. (1985) On the causes and origin of somaclonal variation. *Oxford surveys of plant Molecular & Cell Biology*, **2**: 199 - 234.
- ✓ Kuchkarov, V. and Ogurstsov, K.V. (1987) Spontaneous mutants of mulberry. *Shelk.*, **6**: 3 -4.

- Ken Mc Pheeters. and Robert M. Skirvin. (1989) Somaclonal variation among ex vitro 'Thornless Evergreen' Trailing Blackberries. *Euphytica.*, **42** : 155 - 162.
- Kapoor, M.L. and Sharma, V.K. (1992) Induced early flowering mutants in *Dendrocalamus strictus* after gamma irradiation. *Indian Forester.*, **118** (1) : 66 - 69.
- ✓ Katagiri, K. and Venkateswarlu, M. (1993) Induction of calli and organ - like structures in isolated pollen culture of mulberry *Morus australis* Poiret. *J. Seric. Sci. Jpn.*, **62**: 1- 6.
- Kasae, M. (1993) *Ex vitro* propagation and acclimatization of mulberry shoots. *J. Seric. Sci. Jpn.*, **62**: 420 - 427.
- ✓ Katase, M. (1993²) Factors affecting proliferations of shoot in mulberry axillary bud culture. *J. Seric. Sci. Jpn.*, **62**: 152 - 161. ?
- Katagiri, K. and Thinh, N.T. (1994) Effects of rotary shaking on the induction of adventitious buds in mulberry leaves cultured *in vitro*. *J. Seric. Sci. Japan.*, **63**: 278 - 283.
- ✓ Kathiravan, K.; Shahajahan, A. and Ganapathi, A. (1995) Evaluation of *in vitro* response of mulberry genotypes. *Sericologia.*, **35**(2): 305-317. 2
- ✓ Kong, L-W.; Zheng, S-X.; Tan, z-d; Zhengs - M. and Zhou -X. (1996) Studies on inducing variations of adventitious buds differentiated from mulberry leaves *in vitro* culture. In: *Sericulture Science facing 21st Century, Hanzhou China*, October 6 - 10. PP. 4.
- ✓ Koksova, B.; Valeria Nikolai M. Piven. and Gleba Yu Yuri. (1997) Somaclonal variation and *in vitro* induced mutagenesis in grapevine. *Plant Cell, Tissue and Organ culture*, **49** : 17 - 27.
- ✓ Kathiravan, K.; Ganapathi, A. and Shahajahan, A. (1997) Adventitious shoot formation from plant regeneration from callus cultures of mulberry (*Morus alba* L). *Sericologia.*, **17** : 727 - 735.

- ✓ Kharkwal, M.C. (1998) Induced mutations in Chick pea (*Cicer arietinum* L), I. Comparative mutagenic effectiveness and efficiency of physical and chemical mutagens. *Indian J. Genet.*, **58** (2) : 159 -167.
- ✓* Linneaus, C (1753) *Species Plantarium*. Stockholm, 986.
- ✓ Love, A. (1960) Evolutionary fundamentals of plant breeding. *Evolution.*, **14** : 270 - 272.
- ✓ Linsmaire, E.M. and Skoog, F. (1965) Organic growth factor requirements of tobacco tissue cultures. *Physiol plant.*, **18**: 100 - 127.
- ✓ Liu, M.C. and Chen, W.H. (1978) Tissue and cell culture as aids to sugarcane breeding. II. performance and yield potential of callus derived lines. *Euphytica.*, **27** : 273 - 282.
- ✓ Lily. and Ramadasan, A. (1979) Changes in phenolic content of coconut leaf in relation to the development of leaf rot. *Phytopath.*, **32**: 112 - 113.
- ✓ Larkin, P.J. and Scowcroft, W.R. (1981) Somaclonal variation - a novel source of variability from cell culture for plant improvement. *Theor. Appl. Genet.*, **60**: 197 - 214.
- ✓ Lorz, H. and Scowcroft, W.R. (1983) Variability among plants and their progeny regenerated from protoplasts of Su/Su heterozygotes of *Nicotiana tabacum*. *Theor. Appl. Genet.*, **66**: 225 - 230.
- Larkin, P.J.; Ryan, S.A.; Brettell, R.I.S. and Scowcroft, W.R. (1984) Heritable somaclonal variation in wheat. *Theor. Appl. Genet.*, **67**: 443 - 455.
- ✓ Lorz, H. and Brown, P.T.H. (1986) Variability in tissue culture derived plants - possible origins; advantages and draw backs. In: Horn, W.; Jensen, C.J. Odenbach, W and Schieden, O (eds) *Genetic manipulation in plant breeding. de Gruyter Berlin*, PP. 513 - 534.
- ✓ Lin, S., Ji, D. and Qin, J. (1987) *In vitro* production of haploid plants from mulberry (*Morus*) anther culture. *Scientia sinica (series B)*, **30**: 853 - 863.
- ✓ Lee, M. and Phillips, R.L. (1988) The chromosomal basis of somaclonal variation. *Annu. Rev. Plant Physiol. Mol. Biol.*, **39**: 413 - 437.

- ✓ Mutsumura, S. and Fijii. (1957) Induction of buds by x-rays and gamma rays. *Ann. Rep. Nat. Inst. genet., Japan*, **8**: 94 - 95.
- ✓ Meiselman, N.; Gunckel, J.E. and Sparrow, A.H. (1961) The general morphology and growth responses of two species of *Nicotiana* and their interspecific hybrid after chronic gamma irradiation. *Rad. Bot.*, **1**: 69 - 79.
- ✓ Moh, C.C. (1962) The use of radiation induced mutations in crop breeding in Latin America and some biological effects of radiation in coffee. *Int. Jour. Appl. Radiations and Isotopes.*, **13**: 467 - 475.
- ✓ Murashige, T. and Skoogs, F. (1962) A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. plant.*, **15**: 473 - 497.
- ✓ Murashige, T. and Nakano, R. (1967) Chromosome complement as a determinant of the morphogenetic potential of tobacco cells. *Amer. J. Bot.*, **54**: 963 - 970.
- Mikaelson, K.; Ahustrom, G. and Li, W.C. (1968) Genetic effects of alkylating agents in barley. Influence of paststorage, metabolic state and pH of mutagen solution. *Hereditas.*, **59** : 353 - 374.
- ✓ Minocha, J.L. and Brar, D.S. (1970) Mutation frequencies in barley following combination treatments of gamma rays and EMS. *J. Cytol. Genet.*, **5**: 60 - 63.
- ✓ Mehra, P.N. and Mehara, A. (1971) Morphogenetic studies in *Pterotheca faconeri*. *Phytomorphology.*, **21**: 174 - 191.
- ✓ Mikaelson, K.; Karunakaran, K. and Kiss, I.A. (1971) Mutagenic effectiveness and efficiency of gamma rays, fast neutrons and EMS on rice. In : *Tech. Rep. Ser. No. 103, IAEA, Vienna*, PP.91.
- Maherchandani, N. (1975) Effects of gamma - radiation on the dormant seed of *Avena fatua*. *Rad. Bot.*, **15**: 439 - 443.
- ✓ Minamizawa, K. (1976) Saisogaku (Science of mulberry cultivation). PP. 435. Meiho - Sha, Tokyo. (in Japanese).

- ✓ Mullev, G.B. and Kovalik, A.I. (1977) New Ukrainian mulberry varieties and methods of breeding them. Shelkovissy Tashkent. Uzbek. SSR, 127 - 133.
- ✓ Mukherjee, S.K. and Sikdar, A.K. (1977) Effect of auxin, vitamins and thier combination on the rooting of mulberry cuttings. *Indian J. Seric.*, **15**: 1 -9.
- Matsuoaka, H. and Hinata. K. (1979) NAA induced organogenesis and embryogenesis in hypocotyl callus of *Solanum melonagena* L. *J. Expt. Bot.*, **30**: 363 - 370.
- ✓ Mc Clintock, B. (1984) The significance of responses of the genome to challenge. *Science.*, **226**: 792 - 801.
- ✓ Mhatre, M.; Bapat, V.A. and Rao, P.S. (1985) Regeneration of plants from culture of leaves and axillary buds in mulberry (*Morus indica*.L.). *Plant cell Report.*, **4**: 78 - 80.
- ✓ Mc Cabe, P.F.; Timmons, A.M. and Dix, P.J. (1989) A simple procedure for the isolation of *streptomycein* resistant plants in *Solanaceae*. *Mol. Gen. Genet.*, **132** - 137.
- ✓ Moustaffa, R.A.K.; Duncan, D.R. and Widholm, J.M. (1989) The effect of gamma radiation and N-ethyl - N - nitrosoourea on cultured maize callus growth and plant regeneration. *Plant Cell, Tissue and Organ culture*, **17**: 121 - 132.
- ✓ Malpathak, N.P. and David, S.B. (1990) Effect of gamma irradiation and Ethyl Methane Sulphonate on flavour formation of garlic (*Allium sativum*. L.) cultures. *Indian J. Expt. Biol.*, **28**: 519 - 521.
- Mukherjee, K.K.; Rathingsabapathi, B. and Gupta, N. (1991) Low sugar and osmotic requirements for shoot regeneration from leaf pieces of *Solanum melongena* L. *Plant cell Tissue and Organ Culture*, **25** : 13 - 16.
- Masrizal.; Simonson, R.L. and Baenziger, P.S. (1991) Response of different wheat tissues to increasing doses of ethyl methane sulphonate. *Plant Cell Tissue and Organ Culture*, **26** : 141 - 146.
- ✓ Machii, H. (1992) *In vitro* growth of encapsulated adventitious buds in mulberry (*Morus alba* L). *Japan J. Breed.*, **42**: 553-559.

21

✓ Machii, H. and Yamanouchi, H. (1993^b) *In vitro* flower bud formation from immature leaf cultures in mulberry. *J. Seric. Sci. Jpn.*, **62**: 428 - 430. 27

Maluszynski, M.; Ahloowalia, B.S. and Sirgurbjornsson. (1995) Application of *in vitro* and *in vivo* mutation techniques for crop improvement. *Euphytica.*, **85**: 303 - 315.

✓ Nitsch, J.P. and Nitsch, C. (1969) Haploid plants from pollen grains. *Science.*, **163**: 85 - 87.

Nitsch, C. and Nitsch, J.P. (1969) The induction of flowering *in vitro* in stem segments of *Plumbago indica* II. The production of productive buds. *Planta.*, **72**: 371 - 384.

✓ Narayan, E.S.; Kasivishwanathan, K. and Sitaramiyengar, M.N. (1967) Effects of varietal seedling irrigation levels and nitrogen fertilization on the larval development and cocoon characters of *B. mori*. *Ind. J. Seric.*, **1(1)**: 13 - 17.

✓ Nair, V.G. (1971) Studies on induced mutation in rice *Oryza sativa*. **Ph.D Thesis.** Univ. of Madras, India.

✓ Narahari, P. (1972) Altered pattern of internode elongation in an x-ray induced dwarf mutant of indica rice variety. HR-5. *Curr. Sci.*, **41**: 741 - 742.

✓ Nakajima, K. (1973) Induction of useful mutations of mulberry and roses by gamma rays. In: *Induced mutation in vegetatively propagated plants*. IAEA. Vienna. 105 - 117.

✓ Novak, F.J.; Hermelin, T.; Daskalov, S. and Nesticky, M. (1986) *In vitro* mutagenesis in maize. In: *Genetical manipulation in plant breeding* (PP 563 - 576). *Proc. Symp.* September, 8 - 13. 1985. Berlin, Germany. yua 3

✓ Novak, F.J. and Micke, A. (1987) *In vitro* mutants technology for crop improvement in developing countries. *SABRAO.*, **19**.

Narashimulu, S.B. and Chopra, V.Z. (1988) Species specific shoot regeneration response of cotyledonary explants of *Brassicacae*. *Plant Cell Reports.*, **7**: 104 - 106.

- ✓✓ Narayan pratap., Chakaraborthy, S. and SubbaRao, G. (1989) Regeneration of plantlets from the callus of stem segments of mature plants of *Morus alba* L. *Proc. Indian Natl Sci. Acad part B Biol.Sci.*, **55 (5/6)**: 469 - 472.
- ✓ Novak, F.J.; Afza,R.; Van Duren, M. and Omar, M.S. (1990) Mutation induction by gamma irradiation of *in vitro* cultured shoot - tips of banana and plantain (*Musa cvs.*). *Trop. Agric.*, **67(1)** : 21 - 28.
- ✓ Niino,T. (1990) Establishment of the cryopreservation procedure of mulberry about shoot tips from *in vitro* grown shoot. *J.Seric. Sci. Jpn.*, **59** : 135 - 142.
- ✓ Niino,T. and Oka,S. (1990) Plant regeneration from *in vitro* grown mulberry shoot tips frozen in liquid nitrogen. *J.Seric. Sci. Jpn.*, **59** : 111 - 117.
- ✓ Novak, F.J. (1991) *In vitro* mutation system for crop improvement. 327 - 342. In : *Plant Mutation Breeding for Crop Improvement*, Vol.2. IAEA, Vienna.
- ✓ Niino,T.; Yakuwa, H.; Nojiri, K. and Sakai,A. (1991) Improved procedures for the cryopreservation of mulberry using winter buds. *J.Seric. Sci. Jpn.*, **60** : 394 - 399
- ✓ Niino,T.; Sakai, A. and Yakuwa, H. (1992 a.) Cryopreservation of dried shoot tips of mulberry winter buds and subsequent plant regeneration. *Cryo-letters.*, **13**: 51 - 58.
- ✓ Niino,T.; Sakai, A.; Enomoto,S.; Magosi, J. and Kato, S. (1992 b) Cryopreservation of *in vitro* grown shoot tips of mulberry by vitrification. *Cryo-letters.*, **13**: 303 - 312.
- ✓ Narayan pratap., Chakaraborthy, S.P.; Roy, B.N. and Sinha, S.S. (1994) *In vitro* regeneration of plant from internodal callus of *Morus alba* L. and isolation of genetic variant. In: *Plant cytogenetics in India* (eds) S.Ghosh., Calcutta. PP. 187 - 192.
- ✓ Nayeem, K.A.; Devkule,S.N. and Bhagwat. (1999) Seed protein variations in radiation induced mutants of wheat. *Indian J. Genet.*, **59(3)**: 363 - 369.
- ✓ Ohyama,K. (1970) Tissue culture in mulberry tree. *JARQ.*, **5(1)** : 30 - 34.

- ✓ Olimpiyenko, G.A.; Vorobyova, E.A.; Mitrofanou. and Yu. A. (1971) Combined treatment of barley and wheat seeds with ionizing radiations and etheleneimine for the induction of mutations. *Genetics*, **7**: 68 (Abstract).
- ✓ Oka, S. and Ohyama, K. (1973) Induction of callus and effects of constituents of medium on callus formation of mulberry trees. *J. Seric. Sci. Jpn.*, **42**: 317-324.
- ✓ Oka, S. and Ohyama, K. (1974) Studies on *in vitro* culture of excised buds in mulberry tree. I. Effect of growth substance on the development of shoots and organ formation from winter buds. *J. Seric. Sci. Jpn.*, **43**: 230 - 235.
- ✓ Oka, S. and Ohyama, K. (1975) Studies on *in vitro* culture of excised bud in mulberry trees. II. Effect of growth substance on the development of shoots from bud. *J. Seric. Sci. Jpn.*, **44** : 444 - 450.
- ✓ Ohyama, K. and Oka, S. (1976) Regeneration of whole plants from isolated shoot tips of mulberry tree. *J. Seric. Sci. Jpn.*, **45**: 115 - 120.
- ✓ Oka, S. and Ohyama, K. (1982) Sugar utilization in mulberry (*Morus alba* L.) bud culture. *Proc. 5th intl. Cong. Plant Tissue Cell Culture*. PP. 67 - 68.
- ✓ Orton, T.J. (1984) Somaclonal variation - theoretical and practical application. In: *Gene Manipulation in plant improvement* (Gustafson J.P. ed). PP. 427 - 468, Plenum press, New york, London .
- ✓ Orshinky, B.R. and Tomes, D.T. (1984) Comparision of plants derived from cuttings, node cultures and ethylmethane sulphonate treated node cultures of birds foot trefoil (*Lotus corniculatus* L). *Can. J. Bot.*, **62**: 1501 - 1504.
- ✓ Orshinky, B.R. and Tomes, D.T. (1985) Effect of long term culture and low temperature incubation on plant regeneration from a callus line of birdsfoot trefoil (*Lotus corniculatus* L.). *J. Plant physiol.*, **119** : 389 - 397.
- ✓ Oka, S. 1985, *In vitro* culture of isolated buds and organ formation in mulberry. *Bull. Seic. Exp. Stn.*, **29** : 747 - 852.
- ✓ Ogurtsov, K.S.; Atabekova, K.S.; Khalmirzaev, M.M. and Madyarov, S.H.R. (1986) Culturing the meristems of young mulberry leaves on an artificial nutrient medium. *Shelk.*, **1**: 3 (R).

- ✓ Ohinishi, T. and Kiyama, S. (1987 b) Effect of changes of the temperature, pH and ca ion concentration of the solutions used for protoplast fusion on the improvement of the fusion ability of mulberry protoplasts. *J. Seric. Sci. Jpn.*, **55**: 259 - 260.
- ✓ Ohinishi, T. and Tanabe, K. (1989) On the protoplast fusion of mulberry and paper mulberry by electrofusion method. *J. Seric. Sci. Jpn.*, **58**: 353 - 354.
- ✓ Ohinishi, T.; Shibayama, K. and Tanabe, H. (1989) On the protoplast fusion of mulberry and paper mulberry in polyethelene glycol. *J. Seric. Sci. Jpn.*, **58**: 145 - 149.
- ✓ Oshignae, K. (1989 a) On the redifferentiation of callus to different culture in mulberry. *J. Fac. Text. Sci. Tech. Shinshu Univ. E. Agri., Seric.*, **107** : 38.
- ✓ Oshignae, K. (1990 a) On the redifferentiation of shoot callus to different culture mulberry. *J. Fac. Text. Sci. Tech. Shinshu Univ. E. Agri., Seric.*, **0(11)** : 13 - 40.
- ✓ Oshignae, K. and Zhuang, D. (1990) Effect of *in vitro* colchicine - treatment on culture of isolated buds in mulberry. *J. Seric. Sci. Jpn.*, **59(3)**: 187 - 195.
- ✓ Ohnishi, T. and Kobayashi, Y. (1991 a) Separation of free cells from the hypocotyl of mulberry. *J. Seric sci. Jpn.*, **60** : 117 - 124.
- ✓ Ohnishi, T. and Kobayashi, Y. (1991 b) Suspension culture of cells from hypocotyl of mulberry. *J. Seric sci. Jpn.*, **60** : 320 - 323.
- ✓ Ohnishi, T. and Kobayashi, Y. (1991 c) Root formation from suspension cells of mulberry hypocotyl. *J. Seric. Sci. Jpn.*, **60** : 505 - 507.
- ✓ Oka, S. (1995) Micropropagation of mulberry (*Morus alba* L.) by liquid shake culture of multiple bud bodies . In : *Combined proceedings International Plant Propagators Society*, **45**: 661 - 664.
- ✓ Pollard, J.K.; Shantz, E.M. and Steward, F.C. (1961) Hexitols in coconut milk: Their role in nature of dividing cells. *Plant Physiol.*, **36**: 492 - 501.
- ✓ Prasad, M.V.R. (1972) A comparison of mutagenic effectiveness and efficiency of gamma rays., EMS, NMV and NG. *Indian J. Genet and Pl Breed.*, **32 (3)** : 360 - 367.

- ✓ Prabhudesai, V.R. and Narayanaswami, S. (1973) Differentiation of cytokinin induced shoot buds and embryoids on excised petioles of *Nicotiana tabacum*. *Phytomorphology*, **23**: 133 - 137.
- ✓ Panda, B.S. and Singh, M.P. (1977) On the efficacy of pre- and post gamma irradiation treatments in hexaploid wheat (*Triticum aestivum*.L.). *J. Cytol. Genet.*, **12**: 69 - 74.
- ✓ Papachatzki, M.; Hammer, P.A. and Hasegawa, P.M. (1981) *In vitro* propagation of *Hosta decorata* 'Thomas Hogg' using shoot tips. *J. Am. Soci. Hort.*, **106**: 232 - 236.
- ✓ Phillips, V.J. and Padikala, J. (1989) The role of Indoleacetic acid in the conversion of root meristem to shoot meristems in *Vanilla planifolia*. *J. Plant physiol.*, **135** : 233 - 236.
- ✓ Pattanaik, S.; Shao, Y. and Chand, P.K. (1995) Efficient plant retrieval from alginate encapsulated vegetative buds of mature mulberry trees. *Scientia Horticulturae*, **90**: 1 - 13.
- ✓ Qasim, M.D. (1984) Mutagenic effects of combination treatments of EMS with DES, HA and MC in *Capsicum*. **Ph.D. Thesis, Kakatiya univ, Warangal, India.**
- ✓ Qader, M.A. (1987) Importance of mulberry leaf selection for silkworm rearing. *Krishi katha*, Bangladesh krishi information centre, **7** : 347 - 349.
- ✓ Reddy, T.P.; Padma. and Reddy, G.M. (1975) Short culm mutations induced in rice. *Indian. J, Genet and Pl. Breed.*, **35(1)**: 31 - 37.
- ✓ Rao, S.H.K. and Narayaswamy, S. (1975) Effect of gamma irradiation on cell proliferation and regeneration in explanted tissues of pigeon pea (*Cajanus cajan* (L) Mill P). *Rad. Bot.*, **15** : 301 - 305.
- ✓ Ramesh. (1977) Induction of variability for improvement morphoeconomic traits in mulberry. **Ph.D. Thesis, Bangalore university, Bangalore, India.**
- ✓ Roarke, B. and Quisenberry, J.E. (1977) Environmental and genetic component of stomatal behaviour in two genotypes of upland cotton. *Plant Physiol.*, **59**: 354 - 358.

- ✓ Rajahansali, R.; Ramawat, K.G.; Kumar, A. and Arya, H.C. (1978) Callus initiation and organogenesis *in vitro* cultures of *Crotalaria burhia*. *Phytomorphology*, **28(1)**: 98 - 101.
- ✓ Rao, S. (1980) Effect of X-rays, gamma rays and Metosystox on physiological and morphological variabilities in *Ablemoschus eculantus* (L) Moench and *Cynopsis tetragonoloba* (L) Taub. **Ph.D. Thesis**, Kakatiya university.
- ✓ Rajam, M.V. (1982) Mutagenic studies on varieties of Chilli (*Capsicum annuum*). **Ph.D. thesis**, Kakatiya university, Warangal, India.
- ✓ Reddy, C.S. and Smith, J.D. (1984) Mutagenic effectiveness and efficiency of lychazime and EMS in *Sorghum bicolor*. *Indian J. Genet.*, **44 (1)**: 49-54.
- Rao, P.; Rao, J.M.M. and Sarojini, N.L. (1984) Mutation breeding in mulberry *Morus indica* L. *Indian J. Bot.*, **7 (10)**: 106 - 111.
- ✓ Reddy, K.R.K.; Rao, G.P.; Malathi, N. and Bahadur, B. (1987) Effect of gamma of irradiation on growth and phenolic production in castor bean callus cultures. *Curr. Sci.*, **56 (23)**: 1234 - 1235.
- ✓ Rao, P.S.; Bapat, V.A.; Mahetra, M. and Patel, G.K. (1989) Application of plant cell, tissue and organ culture in mulberry improvement. In: K. Sengupta and S.B. Dandin (eds.), *C.S.R&T.T., Genetic Resources of mulberry and utilization*, P. 125 - 131.
- ✓ Rajan, V.Mala. and Basavaiah. (1991) Improvement of rooting ability in selection variety. *Indian silk*, **30(8)**: 26 - 28.
- ✓ Rajakumar, G. and Chandrashekar Rao, K. (1992) Quantitative analysis for marginal decision making. Published by Excel publications B/v and V, 47D, Shalimar Bagh, New Delhi.
- ✓ Raghunath, M.K.; Chakraborty, S.P.; Narayan, P.; Roy, B.N. and Sen, S.K. (1992) Micropropagation of superior hybrids through axillary bud culture in mulberry (*Morus L.*). *Cell and Chromosome Research.*, **15**: 12 - 16.

- ✓ Rao, A.V.; Farooqui, A.M.; Jayasree, T.; Ramana, R.V. and Sadanandam, A. (1993) EMS- induced streptomycin resistance in *Solanum melongena*. *Theor. Appl. Genet.*, **87**: 527 - 530.
- ✓ Rowlett, K.; Hemming, D.; Hoss, S.; Massey, D. and Rostron, A. (1993) Seventeenth International Congress of Genetics : *Genetics and the understanding of life*. *Ag Biotech News and Information*. **5**: 337 N - 360 N.
- ✓ Rao, S. and Raghunath, M.K. (1993) Callus initiation, growth and plant regeneration in mulberry (*Morus alba* L) cultivars. *J. Swamy Bot. Club.*, **10**: 17-21.
- ✓ Raisinghani, G. and Mahana, S. K. (1994) Mutants of *Vigna mungo* L. induced by gamma rays and two alkylating agents. *J. Cytol. Genet.*, **29** : 137 - 141.
- Rawat, M.S. (1996) Radiosensitivity of *Acacia catechu* WILLD. to gamma rays. *Indian Forester.*, **122 (1)** : 90 - 91.
- ✓ Skoog, F. and Miller, C.O. (1957) Chemical regulation of growth and organ formation on plant tissues cultured *in vitro*. *Symp. Soc. Exptl. Biol*, **11**: 118 - 131.
- ✓ Seki, H. and Oshignae, K. (1958) Influence of Radium and x-ray radiation on maturing division in male spike of mulberry tree (summary of lecture). *J. Seri. Sci. Jpn.*, **27**: 138.
- Steward, F.C.; Mapes, M.O. and Mears, K. (1958) Growth and breeding. In : Atherton, J.G. and Rudich, J. (eds.). *The tomato crop*. Chapman Hall; London. Newyork. PP 35 - 109.
- ✓ Sparrow, H.; Sparrow, C.R. and Schairer, L.A. (1960) The use of x-rays to induced somatic mutations in *Saintapaulai*. *African violet Mag*, **13** : 32 - 37.
- ✓ Saric, M.; Curi, R. and Hordzije, P. (1961) Effect of gamma irradiation of some varieties of wheat seed on the morphological and characteristics of the seedlings. Effect of ionizing radiations on seeds. IAEA, Vienna. PP. 503 - 517.
- ✓ Sax, K. (1963) The stimulation of plant growth by ionizing radiations. *Rad. Bot.*, **3** : 179 - 186.

- ✓ Steward, F.C.; Mapes, M.O.; Kent, A.E. and Holsten, R.D. (1964) Growth and development of cultured plant cells. *Science.*, **143**: 20 - 27.
- ✓ Sacristan, M.D. (1967) Auxin autotrophic and chromosomenzahl. *Molec. Gen.*, **99**: 311 - 321.
- ✓ Sathpathy, D. and Arnason, J. (1969) Post treatment temperature effects on mutation frequency in EMS treated barley. *Can. J. Genet.*, **11**, 522 - 530.
- ✓ Schaefer, G.W. and Sharpe, F.T. (1969) Release of axillary bud inhibition with Benzyl adenine in tobacco. *Bot. Gaz.*, **130** : 107 - 110.
- ✓ Schaefer, G.W. and Sharpe, F.T. (1970) Kinetics of Benzyl adenine stimulation of tobacco buds. *Ann. Bot.*, **34**: 707 - 719.
- ✓ Sree Ramalu, K. (1970) Sensitivity and induction of mutation in *Sorghum*. *Cytologia.*, **36**: 229 - 236.
- ✓ Sharma, R.P. (1970) Increase mutation frequency and wider mutation spectrum in barley induced by combining gamma rays with EMS. *Indian J. Genet.*, **30** : 180 - 186.
- ✓ Swaminathan, M.S.; Naik, M.S.; Kaul, A.K. and Austin, A. (1970) Improving plant protein by nuclear techniques. IAEA- SM- 32, 30: 165.
- ✓ Seki, H.; Takeda, M.; Trutrumi, K. and Ushiki, Y. (1971) Studies on the callus culture of the mulberry tree. (1). The effect of concentrations of auxins and kinetin on the callus culture of the mulberry stem. *J. Seric. Sci. Jpn.*, **40** : 81-85.
- ✓ Sacristan, M.D. (1971) Karyotypic changes in callus cultures from haploid and diploid plants of *Crepis capillaris* (L.) . *Chromosoma.*, **33**: 273 - 283.
- ✓ Seki, H.; Takeda, M.; Trutrumi, K. and Ushiki, Y. (1971) Studies on the callus culture of the mulberry tree (1). The effect of concentrations of auxin and kinetin on the callus culture of the mulberry stem. *J. Seric. Sci. Jpn.*, **40**: 81 - 85.
- ✓ Schenk, R.V. and Hiderbrandt, A.C. (1972) Medium and technique for induction and growth of monocotyledon and dicotyledanous cell culture. *Can. J. Bot.*, **50** : 199 - 204.

- Sahib, M.K. and Abraham, A.T. (1973) Biological effects of x- rays on chillies (*Capsicum annuum*) . *Agric. Res. J. (Kerala)*., **15**: 81 - 85.
- ✓ Sinha, S.S.N. and Woodward, M.B.E. (1972) Radiation studies in *Lens culinaris*. *Indian J. Genet.*, **32**: 331 - 339.
- ✓ Smith, S.M. and Street, H.E. (1974) The decline of embryogenic potential as callus and suspension cultures of carrot (*Daucus carota* L.) are serially subcultured. *Ann.Bot.*, **38**: 233 - 241.
- ✓ Street, H.E. (1974) Plant cell cultures: Present and projected applications for studies in genetics. Genetic manipulation with plant material (ed) Ledoux L. Plenum press. New york. 231 - 244.
- ✓ Sastry, C.R.; Venkataramu, C.; Azeekhan. and Krishna Rao, J.V. (1974) Chemical mutagenesis for productive breeding in mulberry. Paper presented at the seminar organised in commemoration of silver jubilee of Central Silk Board, India.
- ✓ Sikirvin, R.M. and Jules Janick. (1976 a) Tissue culture - induced variation in scented *Pelargonium* spp. *J.Amer.Soc. Hort.Sci.*, **101(3)** : 281 - 290.
- ✓ Sibi, M. (1976) Genetic program in higher plants. 2. Experimental aspect. production of variants by *in vitro* tissue culture of *Lactuca sativa*. L. increase in vigor in out - crosses. *Ann. Amelior plant.*, **26**: 523 - 547.
- ✓ Skirvin, R.M. and Janick. (1976) Tissue culture induced variation in scented *Pelargonium* spp. *J.Amer. Soc. Hortic. Sci.*, 281 - 290.
- ✓ Skirvin, R.M. (1978) Natural and induced variation in tissue culture. *Euphytica.*, **27**: 241 - 266.
- ✓ Shepard, J.F. (1980). Mutant selection and plant regeneration from potato mesophyll protoplasts. PP. 185 - 219. In : I. Rubenstein . B. gengenbach, R.L., Phillips, and C.E. Green (eds). *Genetic improvement of crops*. Univ. of Minnesota press. Minneapolis.
- ✓ Secor, G.A. and Shepard, J.F. (1981) Variability of protoplast - derived potao clones. *Crop Sci.*, **21**: 102 - 105.

- ✓ Swartz, H.J.; Galletta, G.J. and Zimmerman, R.H. (1981) Field performance and phenotypic stability of tissue culture propagated straw berries. *J.Amer.Soc.Hortic.Sci.*, **106** : 667 - 673.
- ✓ Swartz, H.J.; Galletta, G.J. and Zimmerman, R.H. (1983) Field performance and phenotypic stability of tissue culture - propagated thornless black berries. *J.Americ.Soc. Hortic . Sci.*, **108** : 285 - 290.
- ✓ Shepard, J.F. (1981) Protoplasts as source of disease resistance in plants. *Ann. Rev. Phytopathol.*, **19** : 145 - 166.
- ✓ Sadanandam, A. (1981) Experimental mutagenesis and karyomorphological studies in *Capsicum annum* L. **Ph.D. Thesis, Kakatiya Univ. Warangal, India.**
- ✓ Sharma, S.G.; Narayana, R.; Lal, S. and Chaturvedi, C. (1983) Role of phenolic compounds in resistance of maize of leaf blight caused by *Drechslera state Cochliobolus hecterostrophus*. *Indian Phytopath.*, **36**: 43 - 46.
- ✓ Sharma, D.R. ; Dawra, S. and Chowdhury, J.B. (1983) Direct and indirect effects of gamma rays on stimulation of morphogenesis in long term tissue culture of rice (*Oryza sativa. L.*) *Curr. Sci.*, **52**: 106-107.
- ✓ Sudhadevi, A. (1984) *In vitro* studies on *Dalbergia latifolia* and *Lencaena lencocephala*.L. **Ph.D. Thesis, Karnataka Univ. Dharwar, India.**
- ✓ Sastry, C.R. (1984) Mulberry varieties, exploitation and pathology. *Sericologia.*, **24**: 333 - 359.
- ✓ Schaeffer, G.W.; Sharpe, F.T. and Creagan, P.B. (1984) Variation for improved protein and yield from rice anther culture. *Theor. Appl. Genet.*, **67**: 383 - 389.
- ✓ Scowcroft, W.R. (1985) Somaclonal variation : the myth of clonal uniformity. In: *Genetic flux in plants* (Hohn, B., Dennis, E.S. eds). PP. 217 - 245, Springer Wien New York.
- ✓ Svab, Z. and Maliga, P. (1986) *Nicotiana tabaccum* mutants with chloroplast encoded streptomycin resistance and pigments deficiency. *Theor Appl Genet.*, **72** : 81 - 86.

- ✓ Sonnino, A.; Ancora, G. and Locardi, C. (1986) *In vitro* mutation breeding of potato. PP. 385 - 394. In : *Nuclear Techniques and In vitro culture for plant improvement*. IAEA. Vienna.
- ✓ Sarkar, A. and Sharma, B. (1987) Induction and screening of polygenic variability for multiple characters in Lentil, (*Leus culinaris*, medik). *Indian J. Genet.*, **47 (2)** : 179 -182.
- ✓ Subhash, K. and Prolaram, B. (1987) Induction of multiple shoots by gamma rays from cotyledon cultures of *Capsicum*. *Curr. Sci.*, 1289 - 1291.
- ✓ Sudhadevi, A.M. and Nataraj, K. (1987) *In vitro* regeneration and establishment of plantlets in stem cultures of *Dalbergia latifolia* Roxb. *The Indian Forester.*, **113(7)**: 501- 506.
- ✓ Swarankar, P.L. and Bhora, S.P. (1989) Regeneration of shoot buds from callus cultures of *Papaver somniferum* curre. *Sci.*, **58 (24)** : 1382 - 1383.
- ✓ Sanjappa, M. (1989) Geographical distribution and exploration of the genus *Morus* L. (Moraceae). Genetic resources of mulberry and utilization . Ed. by Sengupta, K. and Dandin, S.B., C.S.R&T.I., Mysore. 47.
- ✓ Shen, S.X.; Wan, Z.J.; Luo, Y.W. and Ding, L.X. (1990) Preliminary results of using in axillary and adventitious buds in mutation breeding of Chinese gooseberry. *Euphytica.*, **49** : 77 - 82.
- Sharma, S.K.; Arya, S.R. and Chankiyal. (1990) Effect of gamma rays on the growth of Poplar. *Indian Forester.*, **116 (7)** : 572 - 575.
- ✓ Sharma, R.K. (1990) Induction of polygenic variation through mutation breeding in Biul (*Grewia optiva*). *Indian Forester.*, **116 (4)** : 325 - 326.
- ✓ Sikadar, A.K. (1990) Qualitative and quantitative improvement of mulberry (*Morus* Spp) by induction of polyploidy. Ph.D. thesis, University of Mysore, India.
- ✓ Sondahal, M.R. and Bragin, A. (1991) Somaclonal variation as a breeding tool for coffee improvement. ASIC, 14th coooque, Sanfransico, 701 - 710.

- ✓ Susheelamma, B.N.; Mogili, T.; Padama, M.N.; Sengupta, K. and Suryanarayana, N. (1991) Comparative methodology of autotetraploids and crossability studies in mulberry. *Mysore J. Agric. Sci.*, **25** : 469 - 473.
- ✓ Saito, H. (1992) *In vitro* propagation of mulberry through adventitious bud induction system. *J. Seric. Sci. Jpn.*, **61**: 514 - 516.
- ✓ Sethi, M.; Bose, S.; Kapur, A. and Rangaswamy, N.S. (1992) Embryo differentiation in anther cultures of mulberry. *Indian J. Expt. Biol.*, **30**: 1146 - 1148.
- ✓ Sah, J.N.; Rai, V.K. and Varshney, S.K. (1994) Frequency and spectrum of induced mutations following hybridization in Indian mustard. *Indian J. Genet.*, **54(4)** : 430 - 435.
- ✓ Sharief. (1994) Studies on some aromatic and medicinal plants of Karnataka. **Ph.D. Thesis, Univeristy of Mysore, Mysore, India.**
- ✓ Skirvin, R.M.; Mc pheeters, K.D. and Marget norton. (1994) Sources and frequency of somaclonal variation. *Hort. Sci.*, **29 (11)** : 1232 - 1237.
- ✓ Subudhi, P.K. and Panda, P.K. (1995) Mutagen induced stress response and its implication in improvement of rape seed and mustard. *Madras Agric. J.*, **82 (5)** : 357 -360.
- ✓ SubbaRao, I.V. (1995) Strategies for development in cocoon production in India in Global Silk Scenario - 2001. *Proc. International Conference on Sericulture*, PP. 284 - 288.
- ✓ Seharawat, K.D.; Singh, L.N. and Sharma, S.K. (1996) Effect of mutagens on the association between various traits in Sirato (*Maeroptilium artopurpueum* LDC.) V.R.B - 1. *Indian J. Genet.*, **56(1)** : 117 - 120.
- Schaik van C.E.; Posthuma, A.; Oejeu, M.J. and Jacobsen, E. (1996) Plant regeneration through somatic embryogenesis from callus induced on immature embryos of *Alstromeria* SPP. *Plant Cell Report.*, **15**: 377 - 380.
- ✓ Sawaguchi, T.; Yamanouchi, H.; Koyama, A. and Machii, H. (1997) Effect of culture conditions on adventitious - bud formation from cotyledons and primary leaves of mulberry. *J. Seric. Sci. Jpn.*, **68(5)** : 362 - 363.

- ✓ Srinivasa, M.N.; Revanasiddaiah, H.M. and Gayathri, M.C. (1997) *In vitro* shoot multiplication of mulberry through stem callus. Natinal Symposium on Emerging trends in Plant Tissue Culture and Molecular Biology and XX meeting of Plant Tissue Culture Association (India), Osmania University, Hyderabad, India. January 29 - 31. 1997. PP. 41.
- ✓ Susan eapen.; Kale, D.M. and Leela Geroge. (1998) Embryonal shoot tip multiplication in peanut : clonal fidelity and variation in regenerated plants. *Trop. Agri. Res and Exten.*, **1(1)**: 23 - 27.
- ✓ Sareen, S. and Koul, A.K. (1999) Mutation breeding in improvement of *Plantago ovata* Forsk. *Indian J. Genet.*, **59 (3)** : 337 - 344. uf??
- ✓ ✓ Singh, V.P. ; Mansingh. and Pal, J.P. (1999) Muatgenic effects of gamma rays and EMS on frequency and spectrum of chlorophyll and macromutations in Urd bean (*Vigna mungo* . L. Hepper) . *Indian J. Genet.*, **59 (2)** : 203 - 210.
- ✓ ✓ Satyanarayana, (1999) Mutation breeding and tissue culture studies in mulberry (*Morus SPS.*) var. Mysore local and S-54. **Ph.D. Thesis, Univeristy of Mysore, Mysore. India.**
- ✓ ✓ Singh, K.P.; Singh, B.; Raghava, S.P.S. and Kalia, C.S. (2000) Induced flower colour mutations in carnation through *in vitro* application of chemical mutagen. *Indian J. Genet.*, **60 (4)** : 535 - 539.
- ✓ Takeuchi, Y. (1960) Ability of silkworm (*Bombyx mori* L.) to recover from malnutrition. *The silk news letter*, **5(8)**: 6 -7.
- ✓ Tulecke, W.; Weinstein, L.H.; Rutner, A. and Laurencot, H.J. (1961) The biochemical composition of coconut water (cocnut milk) as related to its use in plant tissue culture. *Contrib. Boyie. Thompson. Inst*, **21**: 115 - 128.
- Tarar, J.L. and Dyan sagar, V.R. (1979) Effect of gamma rays and EMS on growth and branching in *Turnara ulmifolia*. *J. Cytol. Genet.*, **14** : 118 - 123.
- ✓ Tomes, D.T., and Swamson, E.B. (1982) Application of *in vitro* selection to plant improvement. In: *Application of plant cell and tissue to Agriculture and Industry.* (eds) (D.T. Tomes, B.E. Ellis, P.M. Harney, K.J. Kasha and R.L. Patterson). The university of Guelph. Guelph. PP. 25 - 43.

- ✓ Tisseret, B. (1987) Embryogenesis, Organogenesis and Plant regeneration in plant cell culture. A practical approach (ed) Dixon, R.A. IRL. Press Oxford.
- ✓ To, K-Y.; Chen, C-C. and Lai, Y-K. (1989) Isolation and characterization of streptomycin - resistant in *Nicotiana plumbaginifolia*. *Theor Appl Genet.*, **78** : 81 - 86.
- ✓ Tewary, P. K.; Gupta, B.K. and Subbarao, G. (1989) *In vitro* studies on the growth rate of callus of mulberry (*Morus alba* L.). *Indian J. Forestry.*, **12**:34-35.
- ✓ Teawry, P.K. and SubbaRao, G. (1990) Multiple shoot formation through shoot apex through *in vitro* culture of nodal explants. *Sciential Horticulturae.*, **80**: 289 - 298.
- ✓ Takayama, S. (1991) Mass propagation of plants through shake and bio reactor culture techniques. P. 495 - 513, In : *Biotechnology in agriculture and forestry*. Vol. **17**. High - tech and micropropagation I, Y.P.S. Bajaj (ed.). Springer-Verlag, Berlin Heidelberg.
- ✓ Tewary, P.K.; Chakraborty, S.P.; Sinha, S.S. and Datta, R.K. (1994) *In vitro* study on pollen culture in mulberry. *Acta Botanica Indica.*, **22**: 186 - 190.
- ✓ Tewary, P.K.; Raghunath, M.K.; Venkateswarlu, M. and Sarkar, A. (1996) Genotypic difference in response to *in vitro* shoot development of mulberry (*Morus* Spp.). *Indian J. Seric.*, **35(2)**: 104 - 106.
- ✓ Tewary, P.K.; Venkateswarlu, M.; Raghunath, M.K. and Sarkar, A. (1996) Application of tissue culture technique in mulberry (*Morus* Spp.) Propagation and breeding. In : *Biotechnological application of plant cell and tissue culture*, Oxford and IBH publications, New Delhi, PP. 28 - 39.
- ✓ Thinh, N.T. and Katagiri, K. (1994) Induction of adventitious buds in mulberry leaves by Thidiazuron. *J. Seric. Jpn.*, **63**: 514 - 516.
- ✓ Tewary, P.K. and Oka, S. (1999) Simplified clonal multiplication of mulberry using liquid shake culture. *Plant Cell, Tissue and Organ Culture.*, **59**: 223 - 226.

- ✓ Vanverbek, J.; Conklin, M.E. and Blakeslee, A.F. (1941) Factors in coconut milk essential for growth and development of very young *Datura* embryos. *Science.*, **94**: 350 - 351.
- ✓ Vargheese, Q. and Swaminathan, M.S. (1968) A comparison of the frequency and spectrum of mutations induced by gamma rays and EMS in wheat. *Indian J. Genet and Pl. Breed.*, **28(2)**: 158 - 165.
- Vanharten, A.M., Bouter, H and Van ommeren, A. (1972) Preventing chimerism in potato (*Solanum tuberosum* L). *Euphytica.*, **21** : 14 - 21.
- ✓ Van staden, J. and Drewes, S.E. (1975 a) Identification of zeatin and zeatin riboside in coconut milk. *Physiol. Plant.*, **34**: 106 - 109.
- Vasil, Y. and Vasil, I.K. (1980) Isolation and culture of cereal protoplasts. *Theor. Appl. Genet.*, **56**: 97 - 99.
- ✓ Venkatarajam, M. and Subash, K. (1980) Meiotic anomalies induced by single and combined treatment by x - rays and EMS in *Capsicum annum*. L. III. All India Botanical Conference University of Lucknow, Lucknow. *J. Ind. Bot. Soc. suppl.* **59** : 104 (Abst).
- Vibha Dhawan. and Sant S. Dhawan. (1987) Hardening of *in vitro* and morpho-physiological changes in the leaves during acclimatization of micropropagated plants of *Leucaena leucophala* (LAM.) DE WIT. *Plant Sci.*, **53**: 65 - 72.
- ✓ Vanden Bulk.; R.W. Loffler, H.J.M.; Lindhout, W.H. and Koorneef, M. (1990) Somaclonal variation in tomato effects of explant source and comparison with chemical mutagenesis. *Theor. Appl. Genet.*, **80**: 817 - 825.
- ✓ Vuylsteke, D. and Swennen, R. (1990) Somaclonal variation in African plantains. *IITA Res*, **1**: 4 - 10.
- ✓ Venkateswarlu, M. and Katagiri, K. (1991) Induction of greenish callus in anther callus of mulberry. *Proc. Japanese Sericulture Association*, Mito, Japan. November 28- 30. P-11.

- ✓ Vuylsteke, D.; Swennen, R. and Delanghe, E. (1991) Somaclonal variation in plantains (*Musa* Spp. AAB group) derived from shoot - tip culture. *Fruits.*, **46(4)**: 429 - 439.
- ✓ Venkatachalam, P.; Subramanian pillai, A. and Jayabalan, N. (1996) *In vitro* callus culture and plant regeneration from different explants of ground nut (*Arachis hypogea* L.). *Breeding Science.*, **46 (4)**: 315 - 320.
- ✓ Venkatachalam, P. and Jayabalan, N. (1997) Mutagenic response of ground nut (*Arachis hypogea* L.) to gamma rays, EMS and SA. *J. Cytol. Genet.*, **32(1)**: 1 - 10.
- ✓ Vijayan, K.; Chakraborty, S.P.; Roy, B.N.; Setua, M. and Qadri, S.M.H. (1998) Cytomorphological characteristics of a colchicine induced chimeric mutant in mulberry. *Cytologia.*, **63** : 27 -31.
- ✓ Vijayachitra, D.S. and Padmaja, G. (1999) Clonal propagation of mulberry (*Morus indica* L. cultivar M-5) through *in vitro* culture of nodal explants. *Scientia Horticulturae.*, **80**: 289 - 298. xx
- ✓ White, P.R. (1937) Vitamin B1, in the nutrition of excised tomato roots. *Plant physiol.*, **12**: 803 - 811.
- Wilis. and Yemm. (1957) The estimation of carbohydrate in plant extracts by Anthrone. *Biochem. J.*, 508- 514.
- ✓*Werry PATHJ. and Stoffelsen, K.M. (1981) *Theor. Appl. Genet.*, **59**: 391.
- Wang, P.J. and Hu, N.Y. (1982) *In vitro* mass tuberization and virus free and potato production in Tiwan. *Am. Potato J.*, **59**: 33 - 39.
- ✓ Wen-L.; Tanzhi-da; Dianyuan-Sheng; Zheng Shu-xing. and Liu Ju-fang. (1995) Studies on the main factors influencing differentiation of adventitious buds from mulberry leaves. *Canye Kexue.*, **21 (2)** : 65 - 71.
- ✓* Yamamoto, A. and Kamata, M. (1971) *Bull Fac Text Sci Kyoto Univ Ind Artl Tex Fibres.*, **6**: 108 - 121.
- ✓ Young- W.; Chen Aiyu. and Niguofu. (1996) Factors influencing the formation of adventitious buds from mulberry cotyledons. *Sci. Seric.*, **22(4)** :213.

- ✓ Yakawa, H. and Oka, S. (1988) Plant regeneration through meristem culture from vegetative buds of mulberry (*Morus bombycis* koidz) stored in liquid nitrogen. *Ann. Bot.*, **62**: 79 - 82.
- ✓ Yadava, V.; Lal, M. and Jaiswal, V.S. (1990) Micropropagation of *Morus nigra* L. from shoot tip and nodal explants of nature trees. *Sci. Hortic* (Amsterdam), **44** (1-2) : 61 - 67.
- ✓ Yasukura, F. and Ohnishi, T. (1990) Effects of refrigeration period of mulberry calluses on their growth after the storage and pseudo dormancy induced by the storage. *J. Seric. Sci. Jpn.*, **59** : 255 - 258.
- ✓ Yamanouchi, H.; Machii, H. and Katagiri, K. (1993) Effect of inorganic nitrogen source on adventitious bud formation from leaf cultures in mulberry. *J. Seric. Sci. Jpn.*, **62**: 145 - 151.
- ✓ Zenk, M.K. and Muller, G. (1963) *In vivo* destruction of exogeneously applied indole - 3- acetic acid as influenced by naturally occurring phenolic acids. *Nature*, **200** : 761 - 763.
- ✓ Zaman, A.; Islam, R.; Joarder, O.I. and Barman, A.C (1992 a) Effects of different sugars on in vitro shoot proliferation of *Morus alba* cv S1. *Bull. Seric. Res.*, **3**: 14 - 17.
- ✓ Zaman, A.; Islam, R.; Hossain, A.B.; Barman, M.B. and Joardar, N. (1992 b) *In vitro* clonal propagation of mulberry (*Morus* cv. S1) Effects of agar and pH on shoot proliferation. *Bull. Seric. Res.*, **3**: 51 - 54.
- ✓ Zaman, M.A.; Islam, R.; Barman, A.C.; Ahad, A.; Qader, M.A. and Joardar, O.I. (1993) Effects of sucrose, pH and temperature on *in vitro* rooting of mulberry microshoots of *Morus alba* cv. S1. *Bull. Seric. Res.*, **4**: 10-13.

* Originals are not seen.