

References

- Afza, R., Van Duren, M., Morpurgo, R. and Novak, F.J.** 1996. Banana tissue culture and its prospective use in the developing countries. In: Islam, A.S. (Ed.) *Plant Tissue Culture*. Science Publishers, Lebanon, New Hampshire, pp. 58-70.
- Ahiabu, R.K., Lokko, Y., Danso, K. and Klu, G.Y.P.** 1997. Mutagenesis for ACMV resistance in Ghanaian cassava cultivar 'Bosom Asia'. In: Proceedings of a final research Co-ordination meeting of a FAO/IAEA Co-coordinated Research Programme on Improvement of Basic Food Crops in Africa through Plant Breeding, including the use of Mutations, held in Naples, Italy, 30 Oct- 3 Nov, 1995, IAEA-TECDOC-951, pp. 1-18.
- Ahloowalia, B.** 1995. *In vitro* mutagenesis for the improvement of vegetatively propagated plants. In: Proceedings of IEAE/FAO symposium on the use of induced mutations and molecular techniques for crop improvement, held at Vienna, 19-23 June, pp. 531-541.
- Ahloowalia, B.S.** 2000. Hi-tech propagation of horticultural plants. In: Chadha, K.L., Ravindran, P.N., Shahijram, L. (Ed.) *Biotechnology in horticultural and plantation crops*, Malhotra Publishing House, New Delhi, pp. 26-37.
- Airy Shaw, H.K.** 1973. *A dictionary of flowering plants and ferns*. 8th Edition, Cambridge University Press, Cambridge.
- Allard, R.W.** 1960. *Principles of Plant Breeding*. John Wiley and Sons, Inc., New York, pp. 1-485
- Al-Safadi, B., Zouheer, A., Jawdat, D.** 2000. The effect of gamma irradiation on potato micro tuber production *in vitro*. *Plant Cell Tissue Organ Culture* 32: 55-60.
- Anonymous.** 1977. *Manual on Mutation Breeding*, 2nd Edition. IEAE, Vienna, Austria. STI/DOC/10/119 pp. 1-288.
- Anonymous.** 1992. *FAO Report, Committee on Commodity Problems BA 91/6*.
- Antonetti, P.L.E. and Pinon, J.** 1993. Somaclonal variation within poplar. *Plant Cell Tissue and Organ Culture* 35: 99-106.
- Arias, O.** 1992. Commercial micropropagation of banana. Proceedings of the workshop on Biotechnology applications for banana and plantain improvement. San hose, Costa Rica, pp. 139-142.
- Arias, O.** 1993. Commercial micropropagation of banana, pp.. 139-142. In: *Biotechnology Applications for Banana and Plantain Improvement*. INIBAP Publication, Montpellier, France.

- Arlorio, M., Ludwig, A., Boller, T., and Bonfante, P. 1992. Inhibition of fungal growth by plant chitinases and β -1, 3-glucanases. A morphological study. *Protoplasma* 171: 34-43.
- Arntzen, C.J. and Lam, D. M.K. 1992. Biotechnology for the improvement of banana and plantains. In: Advanced Technology Assessment System, Issue 9, Biotechnology and Development. United Nations Publication E.92.II.A. 15, New York, pp. 313-320.
- Asad, S., Iqbal, M.J., Saif ur Rashid, M., Zafar, Y., Mallik, K.A. 1997. Development of salt tolerant potato and sugarcane through *in vitro* techniques. In: Report of second FAO/IAEA Research Co-ordination meeting of a FAO/IAEA Coordinated research programme on *in vitro* techniques for selection of radiation-induced mutants adapted to adverse environmental conditions, held at Cairo, Egypt, 15-19 April 1996, IAEA 312.D2.RC. 545, pp. 13-21.
- Bajaj, Y.P.S. 1990. Somaclonal variation – origin, induction, cryopreservation and implications in plant breeding. In: Bajaj, Y.P.S. (Ed.), Biotechnology in Agriculture and Forestry, vol.11, Springer-Verlag, Berlin Heidelberg, pp. 3-48.
- Baker, C.J. and Orlandi, E.W. 1995. Active oxygen in plant pathogenesis. *Annual Review of Phytopathology* 33: 299-321.
- Banana Compendium, Kerala Agricultural University, Kerala, India 1996.
- Beckman, C.H., Halmos, S. and Mace, M.E. 1962. The interaction of host, pathogen and soil temperature in relation to susceptibility to *Fusarium* wilt of bananas. *Phytopathology* 52: 134-140.
- Beckman, C.H. 1987. The nature of wilt diseases of plants. St. Paul, MN, USA: APS Press p. 175.
- Bentley, S., Pegg, K.G., Moore, N.Y., Davis, R.D. and Buddenhagen, I.W. 1998. Genetic variation among vegetative compatibility groups of *Fusarium oxysporum* f. sp. *cubense* analyzed by DNA fingerprinting. *The American Phytopathological Society* 88(12): 1283-1293.
- Bestwick, C.S., Brown, I.R. and Mansfield, J.W. 1998. Localized changes in peroxidase activity accompany hydrogen peroxidase generation during the development of a nonhost hypersensitive reaction in lettuce. *Plant Physiology* 118: 1067-1078.
- Bhat, K.V. and Jarret, R.L. 1995. Random amplified polymorphic DNA and genetic diversity in Indian *Musa* germplasm. *Genetic Resources and Crop Evolution* 42: 107-118.

- Bhat, K.V., Bhat, S.R., Chandel, K.P.S., Lakhanpaul, S. and Ali, S.** 1995a. DNA fingerprinting of *Musa* cultivars with oligodeoxyribonucleotide probes specific for simple sequence repeat motifs. *Genetic Analysis Biomedical Engineering* 12: 45-51.
- Bhat, K.V., Jarret, R.L. and Rana, R.S.** 1995b. *Electrophoresis* 16: 17360-1745.
- Bonner, J.E., Warner, R.M. and Brewbaker, J.L.** 1974. A chemosystematic study of *Musa* cultivars. *Horticulture Science* 9: 325-328.
- Bradford, M.M.** 1976. A rapid and sensitive method for quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* 72: 248-254.
- Brar, D.S. and Jain, S.M.** 1998. Somaclonal variation: Mechanism and application in crop improvement. In: Jain, S.M., Brar, D.S. (Eds.), Somaclonal variation and induced mutations in crop improvement, Kluwer Academic Publishers, pp. 15-37.
- Broekaert, W.F., Marien, W., Terras, F.R.G., De Bolle, M.F.C., Proost, P., Van Damme, J., Dillen, L., Claeys, M., Rees, S.B., Vanderleyden, J. and Cammue, B.P.A.** 1992. Antimicrobial peptides from *Amaranthus caudatus* seeds with sequence homology to the cysteine/glycine rich domain of chitin-binding proteins. *Biochemistry* 31: 4308-4314.
- Broekaert, W.F., Cammue, B.P.A., De Bolle, M.F.C., Thevissen, K., De Samblanx, G.W. and Osborn, R.W.** 1997. Antimicrobial peptides from plants. *Critical Reviews in Plant Sciences* 16(3): 297-323.
- Broertjes, C.** 1977. In: Manual on Mutation Breeding, IInd edition, IAEA, Vienna. Technical Report Series no. 119. pp 159.
- Buiatti, M. and Scala, A.** 1984. *In vitro* analysis of plant pathogen interactions and selection procedures. In: F.J. Novak and J. Dolezel (Eds.), Plant Tissue and Cell Culture, Application to Crop Improvement. Czechoslovak Academy of Science, Prague.
- Cammue, B.P.A., De Bolle, Terras, F.R.G. and Broekaert, W.F.** 1993. Fungal disease control in *Musa*: Application of new antifungal proteins. In: Breeding Banana and Plantain for Resistance to Diseases and Pests. Ganry, J. (Ed.). CIRAD, Montpellier, France, pp.221-225.
- Cammue, B.P.A., De Bolle, M.F.C., Schoofs, H.M.E., Terras, F.R.G., Thevissen, K., Osborn, R.W., Rees, S.B. and Broekaert, W.F.** 1994. Gene-encoded antimicrobial peptides from plants. Wiley Chichester (Ciba Foundation Symposium 186), pp. 91-106.

- Cassells, A.C., Walsh, C. and Periappuram, C.** 1993. Diplontic selection as a positive factor in determining the fitness of mutants of 'Dianthus Mystere' derived from X-irradiation of nodes in *in vitro* culture. *Euphytica* 70: 167-174.
- Chadha, K.L., Ravindran, P.N. and Shahijram, L.** 2000. Biotechnology in horticulture. In: Chadha, K.L., Ravindran, P.N. and Shahijram, L. (Eds.), *Biotechnology in Horticulture and Plantain Crops*. Malhotra Publishing House, New Delhi, pp. 1-25.
- Charbaji, T. and Nabulsi, I.** 1999. Effect of low doses of gamma irradiation on *in vitro* growth of grapevine. *Plant Cell Tissue and Organ Culture* 57: 129-132.
- Chernin, L.S., De la Fuente, L., Sobolev, V., Haran, S., Vorgias, C.E., Oppenheim, A.B. and Chet, I.** 1997. Molecular cloning, structural analysis and expression in *Escherichia coli* of a chitinase gene from *Enterobacter agglomerans*. *Applied Environmental Microbiology* 63: 834-839.
- Chevreau, E., Brisset, M.N., Paulin, J.P. and James, D.J.** 1998. Fire blight resistance and genetic trueness-to-type of four somaclonal variants from the apple cultivar Greensleeves. *Euphytica* 104: 199-205.
- Cote, F.X., Perrier, X. and Teisson, C.** 1992. Somaclonal variation in *Musa* spp. Theoretical risks, risk management, future research prospects. Proceedings of the workshop on Biotechnology Applications for Banana and Plantain Improvement. San Jose, Costa Rica, pp. 192-199.
- Cote, F.X., Perrier, X. and Teisson, C.** 1993. In: *Biotechnology Applications for Banana and Plantain Improvement*. INIBAP, pp. 192-199.
- Cristofani, M., Machado, M.A. and Gratapaglia, D.** 1999. Genetic linkage maps of *Citrus sunki* Hort. Ex. Tan. and *Poncirus trifoliata* (L.) Raf. and mapping of citrus Tristeza virus resistance gene. *Euphytica* 109: 25-32.
- Cronauer, S. and Krikorian, A.D.** 1983. Somatic embryos from cultured tissues of triploid plantains *Musa* (ABB). *Plant Cell Report* 2: 289-291.
- Cronauer, S. and Krikorian, A.D.** 1986. In: *Biotechnology in Agriculture and Forestry*, Vol. 1 (Bajaj Y.P.S. Ed.), Springer-Verlag, Berlin, pp. 233-252.
- Cronauer, S.S. and Krikorian, A.D.** 1988. Plant regeneration via somatic embryogenesis in seeded diploid banana *Musa ornata* Rox b. *Plant Cell Report* 7: 23-25.
- Crouch, J.H., Vuylsteke, D. and Ortiz, R.** 1998. Perspectives on the application of biotechnology to assist the genetic enhancement of plantain and banana (*Musa* spp.) *Electronic Journal of Biotechnology* 1: 1-12.

- Damasco, O., Graham, G.C., Henry, R.J., Adkins, S.W., Smith, M.K. and Godwin, I.D. 1996. Random amplified polymorphic DNA (RAPD) detection of dwarf off-types in micropropagated Cavendish (*Musa* spp. AAA) bananas. *Plant Cell Report* 16: 118-123.
- DeJaegher, G., Boyer, N. and Gasper, T. 1985. Thigmomorphogenesis in *Bryonia dioica*: changes in soluble and wall peroxidases, phenylalanine ammonia lyase activity, cellulose, lignin content and monomeric constituents. *Plant Growth Regulation* 3: 133-148.
- Demeke, T., Adams, R.P. and Chibbar, R. 1996. Potential taxonomic use of random amplified polymorphic DNA (RAPD): A case study in Brassica. *Theoretical and Applied Genetics* 84: 990-994.
- Dhed' A, D., Damortier, F., Panis, B., Vuylsteke, D. and De Langne, E. 1991. Plant regeneration in cell suspension cultures of the cooking banana cv. 'Bluggoe' (*Musa* spp., ABB group). *Fruits* 46: 125-135.
- Divaret, L., Margale, E. and Thomas, G. 1999. RAPD markers on seed bulks efficiently assess the genetic diversity of a *Brassica oleracea* L. collection. *Theoretical and Applied Genetics* 98: 1029-1035.
- Drew, R.A. and Smith, M.K. 1990. Field Evaluation of tissue-cultured bananas in southeastern Queensland. *Australian Journal of Experimental Agriculture* 30: 569-574.
- Drew, R.A. 1992. Improved techniques for *in vitro* propagation and germplasm storage of papaya. *Horticulture Science* 27: 1122-1124.
- Duncan, R.R. 1997. Tissue-cultured-induced variation and crop improvement. *Adv. Agron.* 58: 201-240.
- Elisiaro, P.J., Justo, E.M. and Leitao, J.M. 1999. Identification of mandarian hybrids by isozymes and RAPD analysis. *Scientia Horticulture* 81: 287-299.
- Ellsworth, D.L., Rittenhouse, K.D. and Honeycutt, R.L. 1993. Artifactual variation in randomly amplified polymorphic DNA banding patterns. *Biotechniques* 14: 214-216.
- Escalant, J.V. and Teisson, C. 1989. Somatic embryogenesis and plants from immature zygotic embryos of the species *Musa acuminata* and *Musa balbisiana*. *Plant Cell Reports* 7: 665-668.
- Escalant, J.V. and Teisson, C. 1993. In: *Biotechnology Applications for Banana and Plantain Improvement*, INIBAP, Montpellier, pp. 177-180.

- Escalant, J.V., Teisson, C. and Cote, F. 1994a. Amplified somatic embryogenesis from male flowers of triploid banana and plantain cultivars (*Musa* spp.). *In vitro Plant Cellular and Development Biology* 30: 181-186.
- Escalant, J.V., Cote, F., Grapin, A. and Teisson, C. 1994b. Somatic embryogenesis of banana and plantain from young flowers. *Infomusa* 3: 5-6.
- Escalona, M., Lorenzo, J.C., Gonzalez, B., Daquinta, M., Gonzalez, J.L., Desjardins, Y. and Borroto, C.G. 1999. Pineapple (*Ananas comosus* L. Merr) micropropagation in temporary immersion systems. *Plant Cell Reports* 18: 743-748.
- Espino, R.C. and Pimentel, R.B. 1990. In: Identification of genetic diversity in the genus *Musa* (Jarret, R.L. Ed) INIBAP, Montpellier, pp. 36-40.
- Everdeen, D., Kiefer, S., Willard, J., Muldoon, E., Dey, P., Li, X. and Lamport, D. 1988. Enzymic cross-linkage of monomeric extension precursors *in vitro*. *Plant Physiology* 87: 616-621.
- FAO (1998). <http://app.s.fao.org/lim500/mph-wrap.pl?Production.Crops.Primary&Domain=USA>.
- Faure, S., Noyer, J.L., Horrey, J.P., Bakry, F., Lanand, C. and Gonzales de Leon, D. 1993. A molecular marker-based linkage map of diploid bananas (*Musa acuminata*). *Theoretical and Applied Genetics* 83: 517-526.
- Finnegan, E.J.R.I.S., Brettell and Dennis, E.S. 1993. The role of DNA methylation in the regulation of plant gene expression. In J.P. Jost and H.P. Saluz (Eds.), DNA methylation: molecular biology and biological significance, Birkhauser Verlag, Basel, Switzerland, pp. 218-261.
- Ford-Lloyd, B.V., Kammer, D., Kahl, G. and Lagoda, P.J.L. 1997. Molecular marker assisted analysis of the *Musa* genome complex. INIBAP Annual Report, 1996, IPGRI, Rome, Italy, pp. 24-28.
- Frison, E., Orjeda, G. and Sharrock, S. 1998. INIBAP Annual Report 1997, INIBAP, Montpellier, pp. 6-8.
- Fry, S.C. 1986. In: Greppin, H., Penel, C. and Gaspar. The molecular and physiological aspects of plant peroxidases, diversity of Geneva, 1986, pp. 169-182.
- Galderisi, U., Cipollaro, M., Di Bernardo, G., De Masi, L., Galano, G. and Cascino, A. 1999. Identification of hazelnut (*Corylus avellana*) cultivars by RAPD analysis. *Plant Cell Reports* 18: 652-655.

- Galzy, R. 1964. Technique de thermotherapie des virus de la vigne. *Ann. Epiphyt* 15: 245-256.
- Ganapathi, T.R., Suprassana, P., Bapat, V.A., Kulkarni, V.M. and Rao, P.S. 1999. Somatic embryogenesis and plant regeneration from male flower buds in banana. *Current Science* 76: 1228-123. 1
- Gaspar, Th., Penel, C., Thorpe, T. and Greppin, H. 1980. Peroxidases 1970-1980: A survey of their biochemical and physiological roles in higher plants. Geneve: Universite de Geneve – Centre de Botanique.
- Gawel, N.J. and Jarret, R.L. 1991. A modified CTAB DNA extraction procedure for *Musa* and *Ipomea*. *Plant Molecular Biology Reporter* 9: 262-266.
- Gomes, V.M., Oliveira, A.E.A. and Xavier-Filho, J. 1996. A chitinase and a β -1, 3-glucanase isolated from the seeds of cowpea (*Vigna unguiculata* L Walp) inhibit the growth of fungi and insect pests of the seed. *Journal of Science Food and Agriculture* 72: 86-90.
- Goo, D.H., Yae, B.W., Han, B.H., Lee, S.Y. Song, H.S., Shin, S.K. and Ko, J.Y. 1999. Gamma-ray sensitivity of *Chrysanthemum* cultured *in vitro*. *Journal of Korean Society of Horticulture Science* 40: 595-597.
- Goodwin, P.H. and Annis, S.L. 1991. Rapid identification of genetic variation and pathotype of *Leptosphaeria maculans* by random amplified polymorphic DNA assay. *Applied Environmental Microbiology* 57: 2482-2486.
- Goto, S., Thakur, R.C. and Ishii, K. 1998. Determination of genetic stability in long-term micropropagated shoots of *Pinus thunbergii* Parl. using RAPD markers. *Plant Cell Reports* 18: 193-197.
- Graham, M.Y. and Graham, T.L. 1991. Rapid accumulation of anionic peroxidase and phenolic polymers in soybean cotyledon tissues following treatment with *Phytophthora megasperma* f. sp. *glycinea* wall glucan. *Plant Physiology* 97: 1445-1455.
- Grapin, A., Ortiz, J.L., Domergue, R., Babeau, J., Monmarson, S., Escalant, J.V., Teisson, C. and Cote, F. 1998. Establishment of embryogenic callus and initiation and regeneration of embryogenic cell suspensions from female and male immature flowers of *Musa*. *Infomusa* 7: 13-15.
- Hammerschmidt, R., Nuckles, E.M. and Kuc, J.A. 1982. Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiological Molecular Plant Pathology* 20: 73-82.
- Harlow, E. and Lane, D. 1988. Antibodies. A Laboratory Manual. Cold Spring Laboratory, Cold Spring Harbor, New York, pp. 62.

- Hartman, R.D.** 1999. Commercial micropropagation in the United States, 1965-1998. In: Altman, A., Ziv, M., Izhar S (Eds.), Plant Biotechnology and *in vitro* Biology in the 21st century, Kluwer Academic Publishers, The Netherlands, pp. 699-707.
- Hemadri, K. and Swahari, S.** 1982. *Urgenia nagarjunae* Hemadri et Swahari – a new species of liliaceae from India Ancient Scientific Life. 2: 105-110.
- Hirimburegama, K. and Gamage, N.** 1997. Cultivar specificity with respect to *in vitro* micropropagation of *Musa* spp. (banana and plantain). *Journal of Horticulture Science* 72: 205-211.
- Horry, J.P.** 1993. In: Breeding banana and plantain for resistance to diseases and pests (Ganry, J. Ed.) INIBAP, Montpellier, pp. 35-42.
- Howell, E.C., Newbury, H.J., Swennen, R.L., Withers, L.A. and Ford-Lloyd, B.V.** 1994. The use of RAPD for identifying and classifying *Musa* germplasm. *Genome* 37: 328-332.
- Huynh, Q.K., Hironaka, C.M., Levine, E.B., Smith, C.E., Borgmeyer, J.R. and Shah, D.M.** 1992. Antifungal proteins from plants: purification, molecular cloning and antifungal properties of chitinases from maize. *Journal of Biological Chemistry* 267: 6635-6640.
- Hwang, H.C. and Ko, W.H.** 1987. Somaclonal variation and banana screening for resistance to *Fusarium* wilt. In: G.J. Persley & De Langhe, E.A. (Eds.) Banana and plantain breeding strategies. ACIAR Proceeding No. 21, Canberra, pp. 182-185.
- Hwang, S.C.** 1990. Somaclonal resistance in Cavendish banana to *Fusarium* wilt. In *Fusarium* wilt of banana (Ploetz R.C. Ed.) St Paul, MN, USA: APS Press/American Phytopathological Society, pp. 121-125.
- Ibrahim, R., Mondelaers, W. and Debergh, P.C.** 1998. Effects of X-ray irradiation on adventitious bud regeneration from *in vitro* leaf explants of *Rosa hybrida*. *Plant Cell Tissue and Organ Culture* 54: 37-44.
- Israeli, Y., Reuveni, O. and Lahav, E.** 1991. Qualitative aspects of somaclonal variations in banana propagated by *in vitro* techniques. *Scientia Horticulture* 48: 71-88.
- Israeli, Y., Lahav, E. and Reuveni, O.** 1995. In: Bananas and Plantains (Gowen, S. Ed.) Chapman and Hall pp. 147-178.
- Israeli, Y., Ben-Bassay, D. and Reuveni, O.** 1996. Selection of stable banana clones which do not produce *in vitro* culture. *Scientia Horticulture* 67: 197-205.

- Iiyama, K., Lam, T. B-T. and Stone, B.A. 1994. Covalent cross-links in the cell wall. *Plant Physiology* 104: 315-320.
- Jach, G., Gornhardt, B., Mundy, J., Longemann, J., Pinsdorf, E., Leah, R., Schell, . and Mass, C. 1995. Enhanced quantitative resistance against fungi disease by combinatorial expression of different barley antifungal proteins in transgenic tobacco. *Plant Journal* 81: 97-109.
- Jayashankar, S., Gray, D.J. and Litz, R.E. 1999. High-efficiency somatic embryogenesis and plant regeneration from suspension cultures of grapevine. *Plant Cell Reports* 18: 533-537.
- Jarret, R.L. and Litz, R.E. 1986a. Isozymes as genetic markers in bananas and plantains *Euphytica* 35: 539-547.
- Jarret, R.L. and Litz, R.E. 1986b. Enzyme polymorphism in *Musa acuminata* colla. *Journal of Heredity* 77: 183-188.
- Jarret, R.L. 1990. In: Identification of genetic diversity in Genus *Musa*, INIBAP, Montpellier , pp. 55-66.
- Jarret, R.L., Vuylsteke, D.R., Gawel, N.J., Pimentel, R.B. and Dunbar, L.J. 1993. Detecting genetic diversity in diploid bananas using PCR and primers from a highly repetitive DNA sequence. *Euphytica* 68: 69-76.
- Jarret, R.L. and Gawel, N. 1995. In: Bananas and Plantains (Gowen, S. Ed.) Chapman and Hall, London pp. 66-83.
- Ji, C. and Kuc, J. 1996. Antifungal activity of cucumber β -1, 3-glucanase and chitinase. *Physiological Molecular Plant Pathology* 49: 257-265.
- Jobin, D.M.P., Graham, G.C., Henry, R.J., Drew, R.A. 1997. RAPD and isozymes analysis of genetic relationships between *Carica papaya* and wild relatives. *Genetic Resources and Crop Evolution* 44: 471-477.
- Jones, O.P. 1976. Effect of phloridzin and phlorogucinol on apple shoots. *Nature* 262: 392-393.
- Kaemmer, D., Afza, R., Weising, K., Kahl, G. and Novak, F.J. 1992. Oligonucleotide and amplification fingerprinting of wild species and cultures of banana (*Musa* spp.). *Bio-Technology* 10: 1030-1035.
- Kaepler, S. and Phillips, R. 1993. DNA methylation and tissue culture-induced variation in plants. *In vitro Cell and Development Biology* 29: 125-130.

- Kaeppeler, S., Kaeppeler, H.F. and Rhee, Y. 2000. Epigenetic aspects of somaclonal variation in plants. *Plant Molecular Biology* 43: 179-188.
- Kang, S.C., Park, S. and Lee, D.G. 1999. Purification and characterization of a novel chitinase from the entomopathogenic fungus, *Metarhizium anisopliae*. *Journal of Invertebrate Pathology* 73: 276-281
- Karmarkar, V.M., Kulkarni, V.M., Suprassana, P., Bapat, V.A. and Rao, P.S. 2001. Radio-sensitivity of the *in vivo* and *in vitro* cultures of banana cv. Basrai (AAA). *Fruits* 56(2): 67-74.
- Karp, A. 1994. Origins, causes and uses of variation in plant tissue cultures. In: Vasil, I.K., Thorpe, T.A. (Eds.), *Plant cell and tissue culture*, Kluwer Academic Publishers, Netherlands, pp. 139-151.
- King, G.J., Alston, F.H., Batlle, I., Chevreau, E., Gessler, C., Janse, J., Lindhout, P., Manganaris, A.G., Sansavini, S., Schmidt, H. and Tobutt, K. 1991. The European apple genome mapping project – developing a strategy for mapping gene coding for agronomic characters in tree species. *Euphytica* 56: 89-94.
- Kitto, S.L. and Young, M.J. 1981. *In vitro* propagation of Carrizo Citrange. *Horticulture Science* 16: 305-306.
- Koeller, B., Lehmann, A., McDermott, J.M. and Gessler, C. 1993. Identification of apple cultivars using RAPD markers. *Theoretical and Applied Genetics* 85: 901-904.
- Koo, J.C., Lee, S.Y., Chun, S.J., Cheong, Y.H., Choi, J.S., Kawabata, S., Miyagi, M., Tsunasawa, S., Ha, K.S., Bae, D.W., Han, C., Lee, B.L. and Cho, M.J. 1998. Two hevein homologs isolated from the seed of *Pharbitis nil* L. exhibit potent antifungal activity. *Biochemistry and Biophysics Acta* 1382: 80-90.
- Krikorian, A.D. and Cronauer, S.S. 1984a. Banana. In: W.R. Sharp, D.A. Evans, P.V. Ammirato and Y. Yamada (Eds.) *Handbook of Plant Cell Culture* Macmillan, New York, Vol. 2 pp. 327-348.
- Krikorian, A.D. 1987. Callus and cell culture, somatic embryogenesis, androgenesis and related techniques for *Musa* improvement. In: G.J. Persley and E.A. De Langhe (Eds.) *Banana and Plantain Breeding Strategies: Proceedings of an international workshop held at Cairns, Australia. 13-17 October 1986. ACIAR Proceedings No. 21 (1987) ISBN 0 949 51136 6*, pp. 128-135.
- Krikorian, A.D. 1990. Baseline tissue and cell culture studies for use in banana improvement schemes. In: R.C. Ploetz (Ed.) *Fusarium wilt of Banana*. American Phytopathological Society Press, St. Paul, Minnesota, pp. 127-133.

- Krul, W.R. and Mowbray, G.H. 1984. Grapes. In: Handbook of plant cell culture, vol. 2 crop species, Macmillan Publishing Company, New York, pp. 396-434.
- Kuksova, V.B., Piven, N.M. and Gleba, Y.Y. 1997. Somaclonal variation and *in vitro* induced mutagenesis in grapevine. *Plant Cell Tissue and Organ Culture* 49: 17-27.
- Kulkarni, V.M., Ganapathi, T.R., Suprassana, P., Bapat, V.A. and Rao, P.S. 1997a. Effect of gamma irradiation on *in vitro* multiple shoot cultures of banana (*Musa* species). *Journal of Nuclear Agriculture Biology* 26: 232-240.
- Kulkarni, V.M., Ranade, S.A., Ganapathi, T.R., Suprasanna, P., Bapat, V.A., Ussuf, K.K. and Rao, P.S. 1999. RAPD-profile variation amongst cultivated, wild and irradiation-derived variants of banana. *Asia Pacific Journal of Molecular Biology and Biotechnology* 7(2): 159-166.
- Kulkarni, V.M., Karmarkar, V.M., Ganapathi, T.R., Bapat, V.A. 2000. Radio-sensitivity of callus and cell cultures and RAPD characterization of variants in banana (*Musa* spp.). In: Department of Atomic energy – Board of Research in Nuclear Sciences (DEA-BRNS) symposium on the use of nuclear and molecular techniques in crop improvement, 6-8 December 2000, held at Bhabha Atomic Research Center, Mumbai, India, pp. 315-321.
- Kumari, S.R. and Chandrashekar, A. 1994. Antifungal proteins from sorghum endosperm and their effect on fungal mycelium. *Journal of Cereal science* 66: 121-127.
- Kumari, S.R., Chandrashekar, A. and Shetty, H.S. 1994. Relationships between grain hardness and the content of prolamine and three antifungal proteins from sorghum. *Cereal Science* 20: 93-99.
- Lagnimini, M., Vaughn, J., Erb, W.A. and Miller, S.A. 1993. Peroxidase overproduction in tomato: wound-induced polyphenol deposition and disease resistance. *Horticulture Science* 28: 218-221.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Larkin, P.J. and Scowcroft, W.R. 1981. Somaclonal variation - A novel source of variability from cell cultures for plant improvement. *Theoretical and Applied Genetics* 60: 197-214.
- Lee, K.S., van Duren, M. and Morpurgo, R. 1997. Somatic embryogenesis in cassava. A tool for mutation breeding. In: proceedings of a final research Co-ordination meeting of a FAO/IAEA coordinated research programme on improvement of basic food crops in Africa through plant breeding, including the use of induced mutations, held in Naples, Italy, 30 Oct-3 Nov, 1995, IAEA/TECDOC-951, pp. 55-60.

- Li, W., Sun, Z.H., Zhang, W.C. and Liu, D.H. 1998. Studies on screening freezing-resistant regenerated plants from X-ray irradiated *Citrus* protoplasts. *Acta Botanica Sinica*, 40: 729-733.
- Lin, W., Anuratha, C.S., Datta, K., Potrykus, I., Muthukrishnan, S. and Datta, S.K. 1995. Genetic engineering of rice for resistance to sheath blight. *Biotechnology* 13: 686-691.
- Lodhi, M.A., Weeden, N.F. and Reisch, B.I. 1997. Characterization of RAPD markers in *Vitis*. *Vitis* 36: 133-140.
- Lopez, V.J.A., Martinez, O. and Paredes, L.O. 1997. Geographic differentiation and embryo type identification in *Magnifera indica* L cultivars using RAPD markers. *Horticulture Science* 32: 1105-1108.
- Lorz, H., Gobel, E. and Brown, P. 1988. Advances in tissue culture and progress towards genetic transformation of cereals. *Plant Breeding* 100: 1-25.
- Lin, D.B., Yan, Q.S. and Shen, D.X. 1999. Selection of cold tolerant somaclonal variant from *Citrus sinensis* cv. Jincheng and genetic stability of its cold tolerance. *Acta Botanica Sinica*. 41: 136-141.
- Litz, R.E. and Conover, R.A. 1978. *In vitro* propagation of papaya. *Horticulture Science* 13: 241-242.
- Lopez Torres, J. 1996. In: Cellular Biology and Biotechnology including Mutation Techniques for creation of new useful banana genotypes IAEA Vienna (Abstract) pp. 23-26.
- Mace, M.E. and Wilson, E.M. 1964. Phenol oxidases and their relation to vascular browning in *Fusarium*-infected banana roots. *Phytopathology* 54: 840-842
- Mace, M.E., Veech, J.A. and Beckman, C.H. 1972. *Fusarium* wilt of susceptible and resistant tomato isolines: histochemistry of vascular browning. *Phytopathology* 62: 651-654.
- MacHardy, W.E. and Beckman, C.H. 1981. Vascular wilt *Fusaria*: Infection and Pathogenesis. In *Fusarium: Diseases, Biology and Taxonomy* (Nelson, P.E., Tousson, T.A., Cook, R.J. Eds.) Pennsylvania State University Press p. 365-390.
- Magdalita, P.M., Drew, R.A., Adkins, S.W., Godwin, I.D. 1997. Morphological, molecular and cytological analyses of *Carica papaya* x *C. cauliflora* interspecific hybrids. *Theoretical and Applied Genetics* 95: 224-229.

- Majeau, N., Trudel, J. and Asselin, A. 1990. Diversity of cucumber chitinase isoforms and characterization of one seed basic chitinase with lysozymes activity. *Plant Science* 250: 1002-1004.
- Mak, C., Ho, Y.W. and Jan, Y.P. 1996. Novaria – A new banana mutant induced by gamma irradiation. *Infomusa* 5: 35-36
- Maluszynski, M., Ahloowalia, B.S. and Sigurbjornsson, B. 1995a. Application of *in vivo* and *in vitro* mutation techniques for crop improvement. *Euphytica* 85: 303-315.
- Maluszynski, M., van Zanten, L., Ashri, A., Brunner, H., Ahloowalia, B., Zapata, F.J. and Week, E. 1995b. Mutation techniques in plant breeding. In: Proceedings of a FAO/IAEA symposium on the use of induced mutations and molecular techniques for crop improvement, 19-23 June, 1995, Vienna, Austria, IEAE-SM-340/29, pp. 489-504.
- Mallick, C.P. and Singh, M.B. 1980. In: *Plant Enzymology and Histo Enzymology*, Kalyani Publishers, New Delhi, p 286.
- Mandal, A.K.A., Chakrabarty, D. and Datta, S.K. 2000. Application of *in vitro* techniques in mutation breeding of chrysanthemum. *Plant Cell Tissue and Organ Culture* 60: 33-38.
- Maniatis, T., Fritsch, E. and Sambrook, T. 1982. *Molecular Cloning. A Laboratory Manual*. Cold Spring Harbor laboratory Press, Cold Spring Harbor, New York.
- Marois, J.J. 1990. Biological control of diseases caused by *Fusarium oxysporum*. In: R.C. Ploetz (Ed.) *Fusarium wilt of banana*. APS press, St. Paul, Minnesota, pp. 77-82.
- Martinez, M.C., Boursiquot, J.M., Grenan, S. and Boidron, R. 1997. Ampelometric study of adult leaves of Grenache N cultivar somaclones (*Vitis vinifera* L.). *Canadian Journal of Botany* 75: 333-345.
- Mathews, V.H. and Rangan, T.S. 1979. Multiple plantlets in lateral bud and leaf explant in *in vitro* culture of pineapple. *Scientia Horticulture* 11: 319-328.
- Mathivanan, N., Kabilan, V. and Murugesan, K. 1998. Purification, characterization, and antifungal activity of chitinase from *Fusarium chlamydosporum*, a mycoparasite to ground nut rust, *Puccinia arachidis*. *Canadian Journal of Microbiology* 44: 646-651.
- Mauch, F.B., Mauch-Mani, and Boller, T. 1988b. Antifungal hydrolases in pea tissue, II: inhibition of fungal growth by combinations of chitinases and β -1.3-glucanases. *Plant Physiology* 88: 936-942.
- May, G.D., Afza, R., Mason, H.S., Wiecko, A., Novak, F.J. and Arntzen, C.J. 1995. Generation of transgenic banana (*Musa acuminata*) plants via *Agrobacterium*-mediated transformation. *Biotechnology* 13: 486-492.

- Melchers, L.S., Apotheker-de Groot, M., van der Knaap, J.A., Ponstein, A.S., Sela-Buurlage, M.B., Bol, J.F., Cornellisen, B.J., van den Elzen, P.J. and Linthorst, H.J.** 1994. A new class of tobacco chitinases homologous to bacterial exo-chitinases displays antifungal activity. *Plant Journal* 5: 469-480.
- Mendes, B.M.J., Mendes, F.J., Tulmann Neto, A., Demetrio, C.G.B. and Pieske, O.R.** 1996. Efficacy of banana plantlet production by micropropagation. *Pesqui Agropecu Bras* 31: 863-867.
- Mendes, B.M.J., Filippi, S.B., Demetrio, C.G.B. and Rodriguez, A.M.** 1999. A statistical approach to study the dynamics of micropropagation rates, using banana (*Musa* spp.) as an example. *Plant Cell Reports* 18: 967-971.
- Meuller, W.C. and Beckman, C.H.** 1978. Ultrastructural localisation of polyphenoloxidase and peroxidase in roots and hypocotyls of cotton seedlings. *Canadian Journal of Botany* 56: 1579-1587.
- Micheli, M.R., Bova, R., Pascale, E. and D' Ambrosio, E.** 1994. Reproducible DNA fingerprinting with the random amplified polymorphic DNA (RAPD) method. *Nucleic Acids Research* 22: 1921-1922.
- Micheli, M.R. and Bova, R.** 1997. Fingerprinting methods based on arbitrarily primed PCR. Springer, Berlin Heidelberg, New York.
- Miyazawa, J., Kawabata, T. and Ogasawara, N.** 1998. Induction of acidic isozymes of peroxidase and acquired resistance to wilt disease in response to treatment of tomato with 2-furoic acid, 4-hydroxybenzoic hydrazide or salicylic hydrazide. *Physiological and Molecular Plant Pathology* 52: 115-126.
- Moerschbacher, B.M.** 1992. Plant peroxidases: Involvement in response to pathogens. In: Plant peroxidases. 1980-1990. Topica and detailed literature on Molecular, Biochemical and physiological aspects, (Eds. Penel, C., Gasper, T. and Greppin, H.), University of Geneva, Geneva, pp. 91-99.
- Mohan Ram, H.Y. and Steward, F.C.** 1964. The induction of growth in explanted tissue of the banana fruit. *Canadian Journal of Botany* 42: 1559-1579.
- Mohanty, S., Deka, P.C. and Bhattacharya, S.** 1998. Micropropagation of *Citrus sinensis* cultivar Musambi. *Indian Journal of Agricultural Science* 68: 114-116.
- Molano, J., Polacheck, I., Duran, A. and Cabib, E.** 1979. An endochitinase from wheat germ. *Journal of Biological Chemistry* 254: 4901-4907.
- Morel, G.** 1948. Recherches sur la culture associee de parasites obligatoires et de tissus vegetaux. *Ann. Epiphyti* 14: 123-124.

- Morel, G. 1960. Producing virus free cymbidiums. *American Orchid Society Bulletin* 29: 495-497.
- Morpurgo, R., Lopato, S.V., Afza, R. and Novak, F. J. 1994. Selection parameters for resistance to *Fusarium oxysporum* f. sp. *cabense* race 1 and race 4 on diploid banana (*Musa acuminata* colla). *Euphytica* 75: 121-129.
- Morroquin, C.G., Paduscheck, C. and Escalant, J.V. 1993. Somatic embryogenesis and plant regeneration through cell suspensions in *Musa acuminata*. *In vitro Cell Development Biology* 29: 43-46.
- Mukhopadhyay, S., Raj, J., Sharma, B.C., Gyiring, A., Sengupta, R.K. and Nath, P.S. 1997. Micropropagation of Darjeeling orange (*Citrus reticulata* Blanco) by shoot tip grafting. *Journal of Horticulture Science* 72: 493-499.
- Navarro, C., Rosa Ma, E. and Mayo, A. 1997. *In vitro* plant regeneration from embryogenic cultures of a diploid and triploid Cavendish banana. *Plant Cell Tissue and Organ Culture* 51: 17-25.
- Nehra, N.S. and Kartha, K.K. 1994. Meristem and shoot tip culture: requirements and applications. In: Vasil, .K., Thorpe, T.A. (Ed.), *Plant Cell and Tissue Culture*, Kluwer, Dordrecht, pp 37-70.
- Novak, F.J. 1987. Mutation breeding and *in vitro* techniques for crop improvement in developing countries. In: Gene manipulation for Plant Improvement in Developing countries, Kaula Lumpur, SABRAO Proceedings, 63-86.
- Novak, F.J., Afza, R., Van Duren, M., Perea-Dallos. M., conger, B.V. and Xiaolong, T. 1989. Somatic embryogenesis and plant regeneration in suspension cultures of desert (AA and AAA) and cooking (ABB) bananas (*Musa* spp.). *Biotechnology* 7: 154-159.
- Novak, F.J. 1990. *Musa* (Bananas and Plantains). In: F.A. Hammerschalag and R.E. Litz (Eds.) *Biotechnology of Perennial Fruit Crops* CAB International Wallingford, UK pp. 449-488.
- Novak, F.J., Afza, R., Van Duren, M. and Omar, M.S. 1990. Mutation induction by gamma irradiation of *in vitro* cultured shoot tips of banana and plantain (*Musa* cvs). *Tropical Agriculture* 67: 21-28.
- Novak, F.J. 1992. *Musa* (Banana and Plantains), In: *Biotechnology of Perennial Fruit Crops*. Hammerschlag, F.A. and Litz, R.E. (Eds.). CAB International, Wallingford, Oxon, UK, pp. 449-488.
- Ortiz, R., Ferris, R.S.B. and Vuylsteke, D.R. 1995. In: *Bananas and Plantains* (Gowen, S. Ed.) Chapman and Hall, London, pp. 110-146.

- Ortiz, R.** 1998. Critical role of plant biotechnology for the genetic improvement of food crops: Perspectives for the next millennium. *Electronic Journal of Biotechnology* 1: December 15 issue.
- Osei-Kofi, F., Amoatey, H.M. and Lokko, Y.** 1997. Improvement of pineapple (*Ananas cosmosus* (L.) Merr) using biotechnology and mutation breeding techniques. In: Report of second FAO/IAEA Research Coordination meeting of a FAO/IAEA coordinated research programme on *in vitro* techniques for selection of radiation-induced mutants adapted to adverse environmental conditions, held at Cairo, Egypt, 15-19 April 1996, IAEA 312. D2.RC.545 pp. 23-27.
- Paran, I. and Michelmore, R.W.** 1993. Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. *Theoretical and Applied Genetics* 85: 985-993.
- Parrott, W.** 1993. In: *Biotechnology Applications for Banana and plantain improvement*, INIBAP Montpellier, pp. 183-191.
- Pascual-Villalobos, M.J. and Fernandez, M.** 1999. Insecticidal activity of ethanolic extracts of *Urgenia maritima*. *Indus trial, crops and products* 10(2): 115-120
- Peng, M. and Kuc, J.A.** 1992. Peroxidase-generated hydrogen peroxidase as a source of antifungal activity *in vitro* and on tobacco leaf discs. *Phytopathology* 82: 696-699.
- Persley, G.J. and De Langhe, E.A.** (Eds.) 1987. Banana and plantain breeding strategies. Proceedings of an international workshop held at Cairns, Australia, 13-17 Oct. 1986. ACIAR Proceedings No. 21. Canberra Australia, ACIAR.
- Peyrano, G., Taleisnik, E., Quiroga, M., de Forchetti, S.M. and Tigier, H.** 1997. Salinity effects on hydraulic conductance, lignin content and peroxidase activity in tomato roots. *Plant Physiology and Biochemistry* 35: 387-393.
- Phillips, R., Kaeppler, S. and Olhoft, P.** 1994. Genetic instability of plant tissue cultures: breakdown of normal controls. *Proceedings of National Academy of Sciences, USA* 91: 5222-5226.
- Predieri, S. and Zimmerman, R.H.** 2001. Pear Mutagenesis: *In vitro* treatment with gamma rays and field selection for productivity and fruit traits. *Euphytica* 117: 217-228.
- Quiroga, M., Guerrero, C., Botella, M.A., Barcelo, A., Amaya, I., Medina, M.I., Alonso, F.J., de Forchetti, S.M., Tigier, H. and Valpuesta, V.** 2000. A tomato peroxidase involved in the synthesis of lignin and suberin. *Plant Physiology* 122: 1119-1128.

- Ranade, R., Vaidya, U.J., Kotwal, S.A., Bhagwat, A. and Gopalkrishna, T.** 2000. Hybrid seed genotyping and plant varietal identification using DNA markers. In: Department of Atomic Energy – Board of Research in Nuclear Sciences (DEAE-BRNS) symposium on the use of nuclear and molecular techniques in crop improvement, 6-9 December 2000, held at Bhaba Atomic Research Center, Mumbai, India, pp. 338-345.
- Rao, P.S. and Suprasanna, P.** 1999b. Agricultural Biotechnology: Integrated approaches to crop improvement. *Bulletin of Indian Association of Nuclear Chemists and Allied Scientists* 15: 2-11.
- Ray, H., Douches, D.S. and Hammerschmidt, R.** 1998. Transformation of potato with cucumber peroxidase: expression and disease response. *Physiological and Molecular Plant Pathology* 53: 93-103.
- Reisfeld, R.A., Lewis, U.J. and Williams, D.E.** 1962. Disk electrophoresis of basic proteins and peptides on polyacrylamide gels. *Nature* 195: 281-283.
- Remy, S., Francois, L., Schoofs, H., Panis, B., Cammue, B.P.A., Swennen, R. and Sagi, L.** 1998. Genetic transformation as a technology to create disease resistance in banana. *Acta Horticulturae*. In press.
- Reuveni, R., Shimoni, M., Karchi, Z. and Kuc, J.** 1992. Peroxidase activity as a biochemical marker for resistance of Muskmelon (*Cucumis melo*) to *Pseudomonas cubensis*. *Phytopathology* 82: 749-753.
- Rivera, R.N.** 1983. Protein and isozyme banding patterns among Philippine cooking bananas and their wild parents (*Musa* spp.). *Paradisica* 6: 7-12.
- Roberts, W.K. and Selitrennikoff, C.P.** 1986. Isolation and partial characterization of two antifungal proteins from barley. *Biochemistry Biophysics Acta* 880: 161-170.
- Roberts, W.K. and Selitrennikoff, C.P.** 1988. Plant and bacterial chitinases differ in antifungal activity. *Journal of General Microbiology* 134: 169-176.
- Roberts, W.K. and Selitrennikoff, C.P.** 1990. Zeamatin, an antifungal protein from maize with membrane-permeabilizing activity. *Journal of General Microbiology* 136: 1771-1778.
- Robinson, J.C., Fraser, C. and Eckstein, K.** 1993. A field comparison of conventional suckers with tissue culture banana planting material over three crop cycles. *Journal of Horticulture Science* 68: 831-836.
- Robinson, J.C.** 1996. In: Bananas and plantains, CAB international, Wallingford, U.K., pp. 238.

- Rodriguez, T., Nunez, M. and Vento, H. 1998. *Cultivos Tropicales* 19: 19-22.
- Rout, G.R., Samantaray, S. and Das, P. 1998. *In vitro* propagation of woody ornamentals. A review. Proceedings of National Academy of Sciences, India, Section B Biological Science, 68: 91-106.
- Rowe, P. and Rosales, F. E. 1996. Bananas and Plantains. In: Fruit Breeding. Vol 1: Tree and Tropical Fruits. J. Janick and J. Moore, John Wiley, New York, pp. 176-211.
- Sagi, L., Panis, B., Remy, S., Schoofs, H., De Smet, K., Swennen, R. and Cammue, B.P.A. 1995. Genetic transformation of banana and plantain (*Musa* spp.) via particle bombardment. *Biotechnology* 13: 481-485.
- Sagi, L., Remi, S. and Swennen, R. 1997. INIBAP Annual Report. pp. 33-36.
- Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Muller, K.B. and Erlich, H.A. 1988. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239: 487-491.
- Saieed, N.T., Doughlas, G.C. and Fry, D.J. 1994. Somaclonal variation in growth, leaf phenotype and gas exchange characteristics of poplar: utilization of leaf morphotype analysis as a basis for selection. *Tree Physiology* 14: 17-26.
- Sato, Y., Sugiyama, M., Komamine, A. and Fukuda, H. 1995. Separation and characterization of the isozymes of wall bound peroxidase from cultured Zinna cells during tracheary element differentiation. *Planta* 196: 141-147.
- Schlumbaum, A.F., Mauch, U.V. and Boller, T. 1986. Plant chitinases are potent inhibitors of fungal growth. *Nature* 324: 356-367.
- Schoofs, H. 1998. Ph.D. The origin of embryogenic cells in *Musa*. Thesis Katholie Ke Universiteit, Leuven pp. 257.
- Scott-Craig, J.S., Kerby, K.B., Stein, B.D. and Somerville, S.C. 1995. Expression of an extracellular peroxidase that is induced in Barley (*Hordeum vulgare*) by the powdery mildew pathogen (*Erysiphe graminis* f. sp. *Hordei*). *Physiological and Molecular Plant Pathology* 47: 407-418.
- SeEVERS, P.M., DALY, J.M. and CATEDRAL, F.F. 1971. The role of peroxidase isozymes in resistance to wheat stem rust disease. *Plant Physiology* 48: 353-360.
- Sela-Buurlage, M.B., Ponstein, A.S., Bres-Vloemane, S.A., Melchers, L.S., van der Elzen, P.J.M. and Cornelissen, B.J.C. 1993. Only specific tobacco (*Nicotiana tabacum*) chitinases and β -1,3-glucanases exhibit antifungal activity. *Plant Physiology* 101: 857-863.

- Selitrennikoff, C.P. 2001. Antifungal Proteins. *Applied and Environmental Microbiology*. July 2001 2883-2894.
- Sharrock, S. and Frison, E. 1999. *Musa* production around the world-trends, varieties and regional importance. In: Networking Banana and Plantain: INIBAP Annual Report 1998, pp. 42-47.
- Simmonds, N.W. and Shepherd, K. 1955. The taxonomy and origins of the cultivated bananas. *Journal of the Linnean Society of Botany* 55: 302-312.
- Singhal, V. 1999. Indian Agriculture 1999. Indian Economic Data Research center, New Delhi. pp. 150-152.
- Skirvin, R.M., McPheeters, K.D. and Norton, M. 1994. Sources and frequency of somaclonal variation. *Horticulture Science* 29: 1232-1237.
- Smith, L.W., Aitken, E.A. and Godwin, I.D. 1998. *Acta Horticulture* 461: 149-155.
- Smith, M.K. 1988. A review of factors influencing the genetic stability of micropropagated bananas. *Fruits* 43: 219-223.
- Smith, M.K. and Drew, R.A. 1990. Current applications of tissue culture in plant propagation and improvement. *Australian Journal of Plant Physiology* 17: 267-290.
- Smith, M.K., Hamil, S.D., Langdon, P.W. and Pegg, K.G. 1995. The improvement and testing of *Musa*: A global partnership (Jones, D.R. Ed.), INIBAP, Montpellier, pp. 233-242.
- Sokal, R.R. and Sneath, P.H.A. 1963. Principles of numerical taxonomy. Freeman press, San Francisco.
- Stadler, L.J. 1928a. Genetic effects of X rays in maize. *Proceedings of the National Academy of Sciences USA* 14: 69-75.
- Stadler, L.J. 1928b. Mutations in barley induced by X-rays and radium. *Science* 68: 186-187.
- Stover, R.H. and Buddenhagen, I.W. 1986. Banana Breeding: Polyploidy, disease resistance and productivity. *Fruits d Outre Mer (Paris)* 41: 175-191.
- Stover, R.H. and Simmonds, N.W. 1987. *Bananas* 3rd ed. Longman, John Wiley and sons, New York London.
- Sun, G.L., Fahima, T., Korol, A.B., Turpeinen, T., Grama, A., Ronin, Y.I. and Nevo, E. 1997. Identification of molecular markers linked to the *Yr 15* stripe rust resistance

gene of wheat originated in wild emmer wheat, *Triticum dicoccoides*. *Theoretical and Applied Genetics* 95: 622-628.

Swennen, R. and Rosales, F.E. 1994. Bananas, *In: Encyclopedia of Agricultural Sciences*, Vol 1. Arntzen, C.J. (Ed.). Academic Press, Inc., New York, pp. 215-232.

Taylor, R.H., Acland, D.P., Attenborough, S., Cammue, B.P.A., Evans, I.J., Osborn, R.W., Ray, J.A., Rees, S.B. and Broekaert, W.F. 1997. A novel family of cysteine rich antimicrobial peptides from seed of *Impatiens balsamina* is derived from a single precursor protein. *Journal of Biological Chemistry* 272: 24480-24487.

Terras, F.R.G., Schoofs, H.M.E., De Bolle, M.F.C., Van Leuven, F., Rees, S.B., Vanderleyden, J., Cammue, B.P.A. and Broekaert, W.F. 1992. Analysis of two novel classes of plant antifungal proteins from radish (*Raphanus sativus* L.) seeds. *Journal of Biological Chemistry* 267: 15301-15309.

Terras, F.R.G., Schoofs, H.M.E., Thevissen, K., Osborn, R.W., Vanderleyden, J., Cammue, B.P.A. and Broekaert, W.F. 1993. Synergistic enhancement of the antifungal activity of wheat and barley thionins by radish and oilseed rape 2s albumins and by barley trypsin inhibitors. *Plant Physiology* 103: 1311-1319.

Terras, F.R.G., Eggermont, K., Kovaleva, V., Raikhel, N.V., Osborn, R.W., Kester, A., Rees, S.B., Torrekens, S., Van Leuven, F., Vanderleyden, J., Cammue, B.P.A. and Broekaert, W.F. 1995. Small cysteine-rich antifungal proteins from radish: their role in host defense. *Plant Cell* 7: 573-588.

Thomas, P. and Ravindra, M.B. 1997. Shoot tip culture in mango. Influence of medium, genotype explant factors, season and decontamination treatments on phenolic exudation, explant survival and axenic culture establishment. *Journal of Horticulture Science* 72: 713-722.

Trujillo, I. and Garcia, E. 1996. Strategies for obtaining somaclonal variants resistant to yellow Sigatoka (*Mycosphaerella musicola*). *Infomusa* 5: 12-13.

Turkey, H.B. 1934. Artificial culture methods for isolated embryos of deciduous fruits. *Journal of American Society of Horticulture Science* 31: 313-322.

van der Westhuizen, A.J., Quian, x-m. and Botha, A.M. 1998. Differential induction of apoplastic peroxidase and chitinase activities in susceptible and resistant wheat cultivars by Russian wheat aphid infestation. *Plant Cell Reports* 26: 132-137.

van Harten, A.M. 1998. *Mutation Breeding: Theory and practical applications*. Cambridge University press, Cambridge, UK pp. 1-353.

- Veilleux, R.E. and Johnson, A.A.T.** 1998. Somaclonal variation: molecular analysis, transformation interaction, and utilization. *Plant Breeding Reviews* 16: 229-268.
- Vera-Estrella, R., Blumwald, E. and Higgins, V.** 1992. Effect of specific elicitors of *Cladosporium fulvum* on tomato suspension cells. *Plant Physiology* 99: 1208-1215.
- Vidal, R.J., Coarer, M. and Defontaine, A.** 1999. Genetic relationships among grapevine varieties grown in different French and Spanish regions based on RAPD markers. *Euphytica* 109: 161-172.
- Vigers, A.J., Roberts, W.K. and Selitrennikoff, C.P.** 1991. A new family of plant antifungal proteins. *Molecular Plant Microbe Interactions* 4: 315-323.
- Vuylsteke, D., Swennen, R. and De Langhe, E.** 1991. Somaclonal variation in plantains (*Musa* spp., AAB group) derived from shoot tip culture. *Fruits* 46: 429-439.
- Vuylsteke, D. and Swennen, R.** 1992. Biotechnological approaches to plantain and banana improvement at IITA, In: *Biotechnology: Enhancing Research on Tropical Crops in Africa*. International Institute of Tropical Agriculture (IITA). Ibadan, Nigeria. pp. 142-150.
- Vuylsteke, D., Swennen, R. and De Langhe, F.A.** 1996. Field performance of somaclonal variants of plantain (*Musa* spp., AAB group). *Journal of American Society of Horticulture Science* 121: 42-46.
- Vuylsteke, D. and Ortiz, R.** 1996. Field performance of conventional vs. *in vitro* propagules of plantain (*Musa* spp., ABB group). *Horticulture Science* 31: 862-865.
- Vuylsteke, D., Ortiz, R., Shaun, R., Ferris, B. and Crouch, J.H.** 1997. Plantain Improvement. *Plant Breeding Reviews* 14: 267-320.
- Vuylsteke, D.** 1998. Field performance of banana micropropagules and somaclones. In: *Somaclonal variation and Induced mutation in crop improvement*. S.M. Jain, D.S. Brar and B.S. Ahloowalia. Dordrecht, Kluwer Academic Publishers, pp. 219-231.
- Wang, W.C. and Liu, Z.H.** 1999. Harpin_{PSS} - induced peroxides and lignin accumulation in tobacco during the hypersensitive response. *Australian Journal of Plant Pathology* 26: 265-272.
- Welsh, J. and McClelland, M.** 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research* 18: 7213-7218.
- Welsh, J., Petersen, C. and McClelland, M.** 1991. Polymorphisms generated by arbitrarily primed PCR in the mouse: application to strain identification and genetic mapping. *Nucleic Acids Research* 19: 303-306.

Williams, J.G.K., Kuheik, A. R., Livak, K.J., Rafalski, J.A. and Tingsey, S.V. 1990. DNA polymorphisms amplified by arbitrary primers useful as genetic markers. *Nucleic Acids Research* 18: 6531-6535.

Williams, R.R. and Taji, A.M. 1991. Effect of temperature, gel concentration and cytokinins on vitrification of *Olearia microdisca* (J.M. Black) *in vitro* shoot cultures. *Plant Cell Tissue and Organ Culture* 26: 1-6.

Withers, L.A. 1993. In: **Biotechnology Applications for Banana and Plantain Improvement**, INIBAP, Montpellier, pp. 200-208.

Wolfe, M.S. and Gessler, C. 1992. Resistance genes in breeding: epidemiological considerations. In: **Genes involved in plant defense**, (Eds. Boller, T. and Meins, F.), Springer-Verlag, Wien, New York, *Plant Gene Research* 18: 3-23.

Yamamoto, T., Nishikawa, A. and Oeda, K. 1994. DNA polymorphisms in *Oryza sativa* L. and *Lactuca sativa* L. amplified by arbitrary primed PCR. *Euphytica* 78: 143-148.

Yamamoto, M., Matsuo, Y., Kuniga, T., Matsumoto, R. and Yamada, Y. 1998. Isozyme and RAPD analyses of Shiikuwashas (*Citrus depressa* Hayata). *Bulletin of National Institute of Fruit Tree Science*. 30-31: 39-51.

Yang, H. and Schmidt, H. 1994. Selection of a mutant from adventitious shoots formed in X-ray treated cherry leaves and differentiation of standard and mutant with RAPDs. *Euphytica* 77: 89-92.

Ye, X.Y., Wang, H.X. and Ng, T.B. 2000. Mungin, a novel cyclophilin-like antifungal protein from the mung bean. *Biochemistry Biophysics Research communication* 273: 11111-11115.