



BIBLIOGRAPHY

// :

1. Abee, T., Krockel, L. and Hill, C. (1995). Bacteriocins: modes of action and potentials in food preservation and control of food poisoning. *Int. J. Food Microbiol.* 28: 169-185.
2. Altschul, S. F., Madden, T. L., Schäffer, A. A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D. J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* 25:3389-3402.
3. Anderson, D. G. and McKay, L.L. (1983). Simple and rapid method for isolating large plasmid DNA from lactic streptococci. *Appl. Environ. Microbiol.* 46:549-52.
4. Axelsson, L.T. (1993). Lactic acid bacteria: classification and physiology. In *Lactic Acid Bacteria*. Microbiological and functional aspects. Salminen, S. and von Wright, A. (eds.) Marcel Dekker, Inc. New York, pp 1-63.
5. Axelsson, L., Katla, T., Bjornslett, M., Eijsink, V. G. H. and Holck, A. (1998). A system for heterologous expression of bacteriocins in *Lactobacillus sake*. *FEMS Microbiol. Lett.* 168: 137-143.
6. Aymerich, T., Holo, H., Havarstein, L. S., Hugas, M., Garriga, M. and Nes, I. F. (1996). Biochemical and genetic characterization of enterocin A from *Enterococcus faecium*, a new anti-listerial bacteriocin in the pediocin family of bacteriocins. *Appl. Environ. Microbiol.* 62: 1676-1682.
7. Barnes, E. M. (1979). The intestinal microflora of poultry and game birds during life and after storage. *J. Appl. Bacteriol.* 46: 407-419.
8. Bennik, M. H. J., Smid, E. J. and Gorris, L. G. M. (1997a). Vegetable-associated *Pedococcus parvulus* produces pediocin PA-1. *Appl. Environ. Microbiol.* 63: 2074-2076.
9. Bennik, M. H. J., Verheul, A., Abee, T., Naaktgeborne-Stoffels, G. Gorris, L. G. M. and Smid, E. J. (1997b). Interaction of Nisin and Pediocin PA-I with closely related lactic acid bacteria that manifest over 100-fold differences in bacteriocin sensitivity. *Appl. Environ. Microbiol.* 63: 3628-3636.

10. Bennik, M. H. J., Vanloo, B., Brasseur, R., Gorris, L. G. M. and Smid, E. J. (1998). A novel bacteriocin with a YGNGV motif from vegetable-associated *Enterococcus mundtii*: full characterization and interaction with target organisms. *Biochem. Biophys. Acta* 1373: 47-58.
11. Bennik, M. H. J., van Overbeek, W., Smid, E. J. and Gorris, L. G. M. (1999). Biopreservation for the control of *Listeria monocytogenes* on minimally processed, modified atmosphere stored vegetables. *Lett. Appl. Microbiol.* 28: 226-232.
12. Berg van den Dick, J. C., Smits, A., Pot, B., Lederboer, A. M., Kersters, K., Verbarkel, J. M. A. and Verrrips, C. T. (1993). Isolation, screening and identification of lactic acid bacteria from traditional food fermentation processes and culture collections. *Food Biotechnol.* 7: 89-205.
13. Bhowmik, T., Johnson, M.C. and Ray, B. (1987). Factors influencing synthesis and activity of β -galactosidase in *Lactobacillus acidophilus*. *J Indust Microbiol.* 2:1-7.
14. Bhowmik, T. and Marth, E. H. (1990). β -galactosidase of *Pediococcus* species: induction, purification and partial characterization. *Appl. Microbiol. Biotechnol.* 33:317-323.
15. Bhunia, A. K., Bhowmik, T. K. and Johnson, M. G. (1994). Determination of bacteriocin-encoding plasmids of *Pediococcus acidilactici* strains by Southern hybridization. *Lett. Appl. Microbiol.* 18: 168-170.
16. Bhunia, A. K. and Johnson, M. G. (1992). Monoclonal antibody-colony immunoblot method specific for isolation of *Pediococcus acidilactici* from foods and correlation with pediocin (Bacteriocin) production. *Appl. Environ. Microbiol.* 58: 2315-2320.
17. Bhunia, A. K., Johnson, M. C. and Ray, B. (1987). Direct detection of an antimicrobial peptide of *Pediococcus acidilactici* in sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *J. Indust. Microbiol.* 2: 319-322.
18. Bhunia, A. K., Johnson, M. C. and Ray, B. (1988). Purification, characterization and antimicrobial spectrum of a bacteriocin produced by *Pediococcus acidilactici*. *J. Appl. Bacteriol.* 65: 261-268.

19. Birnboim, H. C. and Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* 7: 1513-1523.
20. Biswas, S. R., Ray, P., Johnson, M. C. and Ray, B. (1991). Influence of growth conditions on the production of a bacteriocin pediocin ACh, by *Pediococcus acidilactici* H. *Appl. Environ. Microbiol.* 57: 1265-1267.
21. Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72: 248-54.
22. Bukhtiyarova, M., Yang, R. and Ray, B. (1994). Analysis of the pediocin ACh gene cluster from plasmid pSMB74 and its expression in a pediocin-negative *Pediococcus acidilactici* strain. *Appl. Environ. Microbiol.* 60: 3405-3408.
23. Buyong, N., Kok, J. and Luchansky, J. B. (1998). Use of a genetically enhanced, pediocin-producing starter culture. *Lactococcus lactis* subsp. *lactis* MM217, to control *Listeria monocytogenes* in cheddar cheese. *Appl. Environ. Microbiol.* 64: 4842-4845.
24. Cebeci, A. and Guerakan, C. (2003). Properties of potential probiotic *Lactobacillus plantarum* strains. *Food Microbiol.* 20: 511-518.
25. Champ, M., Szylit, O., Rainbaud, P. and Aid-Abdelkader, N. (1983). Amylase production by three *Lactobacillus* strains isolated from chicken crop. *J. Appl. Bacteriol.* 55: 487-493.
26. Chen, Y., Ludescher, R. D. and Montville, T. J. (1997). Electrostatic interactions, but not YGNGV consensus motif, govern the binding of pediocin PA-1 and its fragments to phospholipid vesicles. *Appl. Environ. Microbiol.* 63: 4770-4777.
27. Chikindas, M. L., Venema, K., Ledebøer, A. M., Venema, G. and Kok, J. (1995). Expression of lactococcin A and pediocin PA-1 in heterologous hosts. *Lett. Appl. Microbiol.* 21: 183-189.
28. Choi, S. Y. and Beuchat, L. R. (1994). Growth inhibition of *Listeria monocytogenes* by a bacteriocin of *Pediococcus acidilactici* M during fermentation of kimchi. *Food Microbiol.* 11: 301-307.

29. Cintas, L. M., Casaus, P., Havarstein, L. S., Hernandez, P. E. and Nes, I. F. (1997). Biochemical and genetic characterization of enterocin P, a novel *sec*-dependent bacteriocin from *Enterococcus faecium* P13, with a broad antimicrobial spectrum. *Appl. Environ. Microbiol.* 63: 4321-4330.
30. Cintas, L. M., Rodriguez, J. M., Fernandez, M. F., Sletten, K., Nes, I. F., Hernandez, P. E. and Holo, H. (1995). Isolation and characterization of pediocin L50, a new bacteriocin from *Pediococcus acidilactici* with a broad inhibitory spectrum. *Appl. Environ. Microbiol.* 61: 2643-2648.
31. Cleveland, J., Montville, T. J., Nes, I. F. and Chikindas, M. L. (2001). Bacteriocins: safe, natural antimicrobials for food preservation. *Int. J. Food Microbiol.* 71: 1-20.
32. Cocconcelli, P. S., Triban, E., Basso, M. and Bottazzi, V. (1991). Use of DNA probes in the study of silage colonization by *Lactobacillus* and *Pediococcus* strains. *J. Appl. Bacteriol.* 71: 296-301.
33. Coderee, P. E. and Somkuti, G. A. (1999). Cloning and expression of the pediocin operon in *Streptococcus thermophilus* and other lactic fermentation bacteria. *Curr. Microbiol.* 39: 295-301.
34. Coombs, J. M. and Brenchley, J. E. (1999). Biochemical and phylogenetic analysis of a cold-active β -galactosidase from the lactic acid bacterium *Carnobacterium piscicola* BA. *Appl. Environ. Microbiol.* 65: 5443-5450.
35. Corpet, F. (1988). Multiple sequence alignment with hierarchical clustering. *Nucleic acids Res.* 16: 10881-10890.
36. Curragh, H. J. and Collins, M. A. (1992). High levels of spontaneous drug resistance in *Lactobacillus*. *J. Appl. Bacteriol.* 73: 31-36.
37. Daba, H., Lacroix, C., Huang, J. and Simard, R. E. (1993). Influence of growth conditions on production and activity of mesenterocin 5 by a strain of *Leuconostoc mesenteroides*. *Appl. Microbiol. Biotechnol.* 39: 66-173.
38. Daba, H., Lacroix, C., Huang J., Simard R. E., and Lemieux, L. (1994). Simple method of purification and sequencing of a bacteriocin produced by *Pediococcus acidilactici* UL5. *J. Appl. Bacteriol.* 77: 682-688.

39. Daeschel, M. A. and Klaenhammer, T. R. (1985). Association of a 13.6 megadalton plasmid in *Pediococcus pentosaceus* with bacteriocin activity. *Appl. Environ. Microbiol.* 50: 1538-1541.
40. Danielsen, M. (2002). Characterization of the tetracycline resistance plasmid pMD5057 from *Lactobacillus plantarum* 5057 reveals a composite structure. *Plasmid.* 48: 98-103.
41. David, S., Stevens, H., van Riel, M., Simons, G. and de Vos, W. M. (1992). *Leuconostoc lactis* β -galactosidase is encoded by two overlapping genes. *J. Bacteriol.* 174: 4475-4481.
42. Davies, F. L., Underwood, H. M. and Gasson, M. J. (1981). The value of plasmid profiles for strain identification in lactic streptococci and the relationship between *Streptococcus lactis* 712, ML3 and C2. *J. Appl. Bacteriol.* 51: 325-337.
43. Dayem, M. A., Fleury, Y., Devilliers, G., Chaboisseau, E., Girard, R., Nicolas, P. and Delfour, A. (1996). The putative immunity protein of the Gram-positive bacteria *Leuconostoc mesenteroides* is preferentially located in the cytoplasm compartment. *FEMS Microbiol. Lett.* 138: 251-259.
44. De Bernardez Clark, E. (1998). Refolding of recombinant proteins. *Curr. Opinion Biotechnol.* 9: 157-163.
45. De Bernardez Clark E. (2001). Protein refolding for industrial processes. *Curr. Opin. Biotechnol.* 12: 202-207.
46. de Man J.C.A., Rogosa, M. and Sharpe, M.E. (1960). A medium for the cultivation of lactobacilli. *J Appl. Bacteriol.* 23:130-135.
47. de Vos, W. M. (1999). Gene expression systems for lactic acid bacteria. *Curr. Opin. Microbiol.* 2: 289-295.
48. De Vuyst, L., Moreno, M. R. F. and Revets, H. (2003). Screening for enterocins and detection of hemolysin and vancomycin resistance in enterococci of different origins. *Int. J. Food Microbiol.* 84: 299-318.
49. Delves-Broughton, J., Blackburn, P., Evans, R. J. and Hugenholtz, J. (1996). Applications of the bacteriocin, nisin. *Antonie Van Leeuwenhoek.* 69: 193-202.

50. Eisenmesser, E. Z., Kapust, R. B., Nawrocki, J. P., Mazzulla, M. J., Pannell, L. K., Waugh, D. S., and Byrd, R. A. (2000). Expression, purification, refolding, and characterization of recombinant human interleukin-13: utilization of intracellular processing. *Protein Expr. Purif.* 20: 186-195.
51. Elegado, F. B. Kim, W. J., and Kwon, D. Y. (1997). Rapid purification, partial characterization, and antimicrobial spectrum of the bacteriocin, pediocin AcM, from *Pediococcus acidilactici* M. *Int. J. Food Microbiol.* 37: 1-11.
52. Ennahar, S., Aoude-Werner, D., Sorokine, O., Van Dorsselaer, A., Bringel, F., Hubert, J. C. and Hasselmann, C. (1996). Production of pediocin AcH by *Lactobacillus plantarum* WHE 92 isolated from cheese. *Appl. Environ. Microbiol.* 62: 4381-4387.
53. Ennahar, S., Assobhei, O. and Hasselmann, C. (1998). Inhibition of *Listeria monocytogenes* in a smear-surface soft cheese by *Lactobacillus plantarum* WHE 92, a pediocin AcH producer. *J. Food Protect.* 61: 186-191.
54. Ennahar, S., Sashihara, T., Sonomoto, K. and Ishizaki, A. (2000). Class IIa bacteriocins: biosynthesis, structure and activity. *FEMS Microbiol. Rev.* 24: 85-106.
55. Ennahar, S., Sonomoto, K. and Ishizaki, A. (1999). Class IIa bacteriocins from lactic acid bacteria: antimicrobial activity and food preservation. *J. Biosci. Bioeng.* 87: 705-716.
56. Fernandez, M., Margolles, A., Suarez, J.E. and Mayo, B. (1999). Duplication of the β -galactosidase gene in some *Lactobacillus plantarum* strains. *Int. J Food Microbiol.* 48:113-23.
57. Fimland, G., Eijsink, V. G. H. and Nissen-Meyer, J. (2002a). Comparative studies of immunity proteins of pediocin-like bacteriocins. *Microbiol.* 148: 3661-3670.
58. Fimland, G., Johnsen, L., Axelsson, L., Brugberg, M. B., Nes, I. F., Eijsink, V. G. H. and Nissen-Meyer, J. (2000). A C-terminal disulfide bridge in pediocin-like bacteriocins renders bacteriocin activity less temperature dependent and is a major determinant of the antimicrobial spectrum. *J. bacterial.* 182: 2643-2648.

59. Fimland, G., Sletten, K. and Nissen-Meyer, J. (2002b). The complete amino acid sequence of the pediocin-like antimicrobial peptide leucocin C. *Biochem. Biophys. Res. Commun.* 295: 826-827.
60. Fleury, Y., Abdel Dayem, M., Montagne, J. J., Chaboisseau, E., Le Caer, J. P., Nicolas, P. and Delfour, A. (1996). Covalent structure, synthesis and structure-function studies of mesentericin Y105, a defensive peptide from gram-positive bacteria *Leuconostoc mesenteroides*. *J. Biol. Chem.* 271: 14421-14429.
61. Franz C.M.A. P., Stiles M. E. Schleifer, K. H. and Holzapfel, W. H. (2003). Enterococci in foods-a conundrum for food safety, Review article. *Int. J. Food Microbiol.* 88: 105-122.
62. Garvie, E. I. (1986). Genus *Pediococcus*. In *Bergey's Manual of Systematic Bacteriology*, vol.2 (Eds. Sneath, P.H. A., Mair, N. S., Sharpe, M.E. and Holt, J. G.) pp. 1075-1079. Baltimore, The Williams and Wilkins Co.
63. Geis, A., Singh, J. and Teuber, M. (1983). Potential of lactic streptococci to produce bacteriocin. *Appl. Environ. Microbiol.* 45: 205-211.
64. Geisen, R. and Holzapfel, W. H. (1996). Genetically modified starter and protective cultures. *Int. J. Food Microbiol.* 30: 315-324.
65. Gevers, D., Huys, G. and Swings, J. (2003). In vitro conjugal transfer of tetracycline resistance from *Lactobacillus* isolates to other Gram-positive bacteria. *FEMS Microbiol. Lett.* 225: 125-130.
66. Gilarova, R., Voldrich, M., Demnerova, K., Cerovsky, M. and Dobias, J. (1994). Cellular fatty acid analysis in the identification of lactic acid bacteria. *Int. J. Food Microbiol.* 24: 315-319.
67. Gonzalez, C. F. and Kunka, B. S. (1983). Plasmid transfer in *Pediococcus* spp. Intergeneric and intrageneric transfer of pIP501. *Appl. Environ. Microbiol.* 46: 81-89.
68. Gonzalez, C. F. and Kunka, B. S. (1986). Evidence for plasmid linkage of raffinose utilization and associated α -galactosidase and sucrose hydrolase activity in *Pediococcus pentosaceus*. *Appl. Environ. Microbiol.* 51: 105-109.

69. Gonzalez, C. F. and Kunka, B.S. (1987). Plasmid associated bacteriocin production and sucrose fermentation in *Pediococcus acidilactici*. *Appl. Environ. Microbiol.* 53: 337-341.
70. Goulhen, F., Meghrous, J and Lacroix, C. (1999). Production of nisin Z/pediocin by pH-controlled mixed-strain batch cultures supplemented whey permeate. *J. Appl. Microbiol.* 86: 399-06.
71. Graham, D.C. and McKay, L. L. (1985). Plasmid DNA in strains of *Pediococcus cerevisiae* and *Pediococcus pentosaceus*. *Appl. Environ. Microbiol.* 50: 532-534.
72. Green, G., Dicks, L. M. T., Bruggeman, G., Vandamme, E., J. and Chikindas, M. L. (1997). Pediocin PD-1, a bactericidal antimicrobial peptide from *Pediococcus damnosus* NCFB 1832. *J. Appl. Microbiol.* 83: 127-132.
73. Griffin, H.G., MacCormick, C. A. and Gasson, M. J. (1996). Cloning, DNA sequence, and regulation of expression of a gene encoding β -galactosidase from *Lactococcus lactis*. *DNA sequ-The J Sequenc. Mapp.* 6: 337-46.
74. Gupta, R.K. and Batish, V.K. (1992). Protoplast-induced curing of bacteriocin plasmid in *Lactococcus lactis* subsp. *lactis* 484. *J. Appl. Bacteriol.* 73: 337-341.
75. Hanahan, D. (1983). High frequency transformation of *E. coli* by plasmid DNA. *J. Mol. Biol.* 166: 557-580.
76. Hansen, E. B. (2002). Commercial bacterial starter cultures for fermented foods of the future. *Int. J. Food Microbiol.* 78: 119-131.
77. Hastings, J. W., Sailer, M., Johnson, K., Roy, K. L., Vederas, J. C. and Stiles, M. E. (1991). Characterization of leucocin A-UAL 187 and cloning of the bacteriocin gene from *Leuconostoc gelidum*. *J. Bacteriol.* 173: 7491-7500.
78. Hechard, Y. and Sahl, H.G. (2002). Mode of action of modified and unmodified bacteriocins from Gram-positive bacteria. *Biochem.* 84: 545-557.
79. Helander, I. M., von Wright, A. and Matilla-Sandholm, T-M. (1997). Potential of lactic acid bacteria and novel antimicrobials against Gram-negative bacteria. *Tr. Food Sci. Technol.* 8: 146-150.

80. Holck, A. L., Axelsson, L., Birkeland, S.-E., Aukrust, T. and Blom, H. (1992). Purification and amino acid sequence of sakacin A, a bacteriocin produced from *Lactobacillus sake* Lb706. *J. Gen. Microbiol.* 138: 2715-2720.
81. Hoover, D. G., Walsh, P. M., Kolaetis, K. M. and Daly, M. M. (1988). A bacteriocin produced by *Pediococcus* species associated with 5.5 megadalton plasmid. *J. Food Protect.* 51: 29-31.
82. Horn, N., Martinez, M. I., Martinez, J. M., Hernandez, P. E., Gasson, M. J., Rodriguez, J. M. and Dodd, H. M. (1998). Production of pediocin PA-1 by *Lactococcus lactis* using the lactococcin A secretory apparatus. *Appl. Environ. Microbiol.* 64: 818-823.
83. Horn, N., Martinez, M. I., Martinez, J. M., Hernandez, P. E., Gasson, M. J., Rodriguez, J. M. and Dodd, H. M. (1999). Enhanced production of pediocin PA-1 and coproduction of nisin and pediocin PA-1 by *Lactococcus lactis*. *Appl. Environ. Microbiol.* 65: 4443-4450.
84. Huang, J., Lacroix, C., Daba, H. and Simard, R. E. (1996). Pediocin 5 production and plasmid stability during continuous free and immobilized cell cultures of *Pediococcus acidilactici* UL5. *J. Appl. Bacteriol.* 80: 635-644.
85. Hung, M. N. and Lee, B. H. (1998). Cloning and expression of β -galactosidase gene from *Bifidobacterium infantis* into *Escherichia coli*. *Biotechnol Lett.* 20:659-662.
86. Hurst, A. (1981). Nisin. *Advanc. Appl. Microbiol.* 27: 85-123.
87. Jack, R. W., Tagg, J. R. and Ray, B. (1995). Bacteriocins of Gram-positive bacteria. *Microbiol. Rev.* 59: 171-200.
88. Jacob, F. and Monod, F. (1961). On the regulation of gene activity. *Cold Spring Harbor Symp. Quant. Biol.* 26: 193-211.
89. Jager, K. and Harlander, S. (1992). Characterization of a bacteriocin from *Pediococcus acidilactici* PC and comparison of bacteriocin producing strains using molecular typing procedures. *Appl. Microbiol. Biotechnol.* 37: 631-637.
90. Jimenez-diaz, R., Rios-sanchez, R. M., Desmazeaud, M., Ruiz-Barba, J. L. and Piard, J.-C. (1993). Plantaricin S and T, two new

- bacteriocins produced by *Lactobacillus plantarum* LPC010 isolated from a green olive fermentation. *Appl. Environ. Microbiol.* 59: 1416-1424.
91. Jin, L. Z., Ho, Y. W., Abdullah, N. and Jalaludins, S. (1998). Acid and bile tolerance of *Lactobacillus* isolated from chicken intestine. *Lett. Appl. Microbiol.* 27: 183-185.
 92. Joerger, M. C. and Klaenhammer, T. R. (1986). Characterization and purification of helveticin J and evidence for a chromosomally determined bacteriocin produced by *Lactobacillus helveticus* 481. *J. Bacteriol.* 167: 439-446.
 93. Johnsen, L., Fimland, G., Mantzilas, D. and Nissen-Meyer, J. (2004). Structure-function analysis of immunity proteins of pediocin-like bacteriocins: C-terminal parts of immunity proteins are involved in specific recognition of cognate bacteriocins. *Appl. Environ. Microbiol.* 70: 2647-2652.
 94. Juven, B. J., Meinersmann, R. J. and Stern, N. J. (1991). Antagonistic effects of lactobacilli and pediococci to control intestinal colonization by human enteropathogens in live poultry. *J. Appl. Bacteriol.* 70: 95-103.
 95. Katla, A.N., Kruse, H., Johnsen, G. and Herikstad, H. (2001). Antimicrobial susceptibility of starter culture bacteria used in Norwegian dairy products. *Int. J. Food Microbiol.* 67: 147-152.
 96. Ke, D., Boissinot, M., Huletsky, A., Picard, F. J., Frenette, J., Ouellette, M., Roy, P. H. and Bergeron, M. G. (2000). Evidence for horizontal gene transfer in evolution of elongation factor Tu in enterococci. *J. Bacteriol.* 182: 6913-6920.
 97. Ke, D., Picard, F. J., Martineau, F., Menard, C., Roy, P. H., Ouillette, M. and Bergeron, M.G. (1999). Development of a PCR assay for rapid detection of enterococci. *J. Clin. Microbiol.* 37: 3497-3503.
 98. Kim, C-H., Ji, G-E. and Ahn, C. (2000). Purification and molecular characterization of a bacteriocin from *Pediococcus* sp. KCA 1303 -10 isolated from fermented flatfish. *Food Sci. Biotechnol.* 9: 270-276.
 99. Kim, W. J., Ray, B. and Johnson, M. C. (1992). Plasmid transfers by conjugation and electroporation in *Pediococcus acidilactici*. *J. Appl. Bacteriol.* 72: 201-207.

100. Klaenhammer, T. R. (1993). Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiol. Rev.* 12: 39-86.
101. Konings, W. N., Kok, J., Kuipers, O. P. and Poolman, B. (2000). Lactic acid bacteria: The bugs of the new millennium. *Curr. Opin. Microbiol.* 3: 276-282.
102. Kornberg, A. (1980). *DNA Replication*: W.H.Freeman & Company, San Fransisco, USA.
103. Kozak, J., Balmer, T., Byrne, R. and Fisher, K. (1996). Prevalence of *Listeria monocytogenes* in foods: Incidence in dairy products. *Food Control.* 7: 215-221.
104. Kuipers, O. P., de Ruyter, P. G.G. A., Kleerebezem, M and de Vos, W. M. (1998). Quorum sensing controlled gene expression in lactic acid bacteria. *J. Biotechnol.* 64: 12-5-21.
105. Kuipers, O. P., Rollema, H. S., de Vos, W. M. and Seizen, J. (1993). Biosynthesis and secretion of a precursor of nisin Z by *Lactococcus lactis*, directed by the leader peptide of the leader peptide of the homologous lantibiotic subtilin from *Bacillus subtilis*. *FEBS lett.* 330: 23-27.
106. Kyte, J and Doolittle, R. F. (1982). A simple method for displaying the hydrophatic character of a protein. *J. Mol Biol.* 157: 105-132.
107. Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T₄. *Nature.* 227: 680-685.
108. Le Marrec, C., Hyronimus, B., Bressollier, P., Verneuil, B. and Urdaci, M. C. (2000). Biochemical and genetic characterization of coagulin, a new antilisterial bacteriocin in the pediocin family of bacteriocins, produced by *Bacillus coagulans* 14. *Appl. Environ. Microbiol.* 66: 5213-5220.
109. Leisner, J. J., Pot, B., Christensen, H., Rusul, G., Olsen, J. E., Wee, B. W., Muhamad, K. and Ghazali, H. M. (1999). Identification of lactic acid bacteria from chilli Bo, a Malaysian food ingredient. *Appl. Environ. Microbiol.* 65: 599-605.
110. Leroy, F. and De Vuyst, L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends Food Sci. Technol.* 15: 67-78.

111. Leroy, F., Moreno, F. and De Vuyst, L. (2003). *Enterococcus faecium* RZS C5, an interesting bacteriocin producer to be used as a co-culture in food fermentation, Mini-review. *Int. J. food Microbiol.* 88: 235-240.
112. Lewington, J., Greenaway, S. D. and Spillane, B. J. (1987). Rapid small scale preparation of bacterial genomic DNA suitable for cloning and hybridization analysis. *Lett. Appl. Microbiol.* 5: 51-53.
113. Liao, C. C., Yousef, A. E., Richter, E. R. and Chism, G. W. (1993). *Pediococcus acidilactici* PO2 bacteriocin production in whey permeate and inhibition of *Listeria monocytogenes* in foods. *J. Food Sci.* 58: 430-34.
114. Lillie, H., Schwarz, E. and Rudolph, R. (1998). Advances in refolding of proteins produced in *E. coli*. *Curr. Opinion Biotechnol.* 9: 497-501.
115. Litopoulou-Tzanetaki, E., Graham, D. C. and Beyatli, Y. (1989). Detection of pediococci and other nonstarter organisms in American cheddar cheese. *J. Dairy Sci.* 72: 854-858.
116. Maftah, A., Renault, D., Vignoles, C., Hechard, Y., Bressojlier, P., Ratinaud, M. H., Cenatiempo, Y. and Julien, R. (1993). Membrane permeabilization of *Listeria monocytogenes* and mitochondria by mesentericin Y 105. *J. Bacteriol.* 175: 3232-3235.
117. Makrides, S. C. (1996). Strategies for achieving high-level expression of genes in *Escherichia coli*. *Microbiol. Rev.* 60: 512-538.
118. Manca de Nadra M. C., Sandino de Lamelas, D and Strasser de Saad A. M. (1998). Pediocin N5p from *Pediococcus pentosaceus*: adsorption on bacterial strains. *Int. J. Food Microbiol.* 39: 79-85.
119. Manome, A., Okada, S., Uchimura, T. and Komagata, K. (1998). The ratio of L-form to D-form of lactic acid as a criteria for the identification of lactic acid bacteria. *J. Gen. Appl. Microbiol.* 44: 371-374.
120. Martinez, B., Fernandez, M., Suarez, J. E. and Rodriguez, A. (1999). Synthesis of lactococcin 972, a bacteriocin produced by *Lactococcus lactis* IPLA 972, depends on the expression of a plasmid-encoded bicistronic operon. *Microbiol.* 145: 3155-3161.

121. Martinez, J. M., Kok, J., Sanders, J. W. and Hernandez, P. E. (2000). Heterologous co-production of enterocin A and pediocin PA-1 by *Lactococcus lactis*: detection by specific peptide-directed antibodies. *Appl. Environ. Microbiol.* 66: 3543-3549.
122. Martinez, M. I., Rodriguez, E., Medina, M., Hernandez, P. E. and Rodriguez, J.M. (1998). Detection of specific bacteriocin-producing lactic acid bacteria by colony hybridization. *J. Appl. Microbiol.* 84: 1099-1103.
123. Marugg, J. D., Gonzalez, C. F., Kunka, B. F., Ledebouer, A. M., Pucci, M. J., Toonen, M. Y., Walker, S. A., Zoetmulder, L. C. M. and Vandenberg, P. A. (1992). Cloning, expression and nucleotide sequence of genes involved in production of pediocin PA-1, a bacteriocin produced from *Pediococcus acidilactici* PAC 1.0. *Appl. Environ. Microbiol.* 58: 2360-2367.
124. Mauguin, S. and Novel, G. (1994). Characterization of lactic acid bacteria isolated from seafood. *J. Appl. Bacteriol.* 76: 616-625.
125. Mayo, B., Gonzalez, B., Arca, P. and Suarez, J. E. (1994). Cloning and expression of the plasmid encoded β -D-galactosidase gene from a *Lactobacillus plantarum* strain of dairy origin. *FEMS Microbiol. Lett.* 122: 145-52.
126. McAuliffe, O., Hill, C. and Ross, R. P. (2000). Identification and overexpression of *ltnI*, a novel gene which confers immunity to the two-component lantibiotic lactacin 3147. *Microbiol.* 146: 129-138.
127. McDougall, L. A., Holzapfel, W. H., Schillinger, U., Feely, D. E. and Rupnow, J. H. (1994). Scanning electron microscopy of target cells and molecular weight determination of a bacteriocin produced by *Lactococcus lactis* D53. *Int. J. Food Microbiol.* 24: 295-308.
128. Miller, K. W., Schamber, R., Chen, Y. and Ray, B. (1998). Production of active chimeric pediocin AcH in *Escherichia coli* in the absence of processing and secretion genes from the *Pediococcus pap* Operon. *Appl. Environ. Microbiol.* 64: 14-20.
129. Montville, T. J. and Bruno, E. M. C. (1994). Evidence that dissipation of proton motive force is a common mechanism of action for bacteriocins and other antimicrobial proteins. *Int. J. Food Microbiol.* 24: 53-74.

130. Mora, D., Fortina, M. G., Parini, C. and Manachini, P. L. (1997). Identification of *Pediococcus acidilactici* and *Pediococcus pentosaceus* based on 16S rRNA and *ldhD* gene-targeted multiplex PCR analysis. *FEMS Microbiol. Lett.* 151: 231-236.
131. Mora, D., Fortina, MG. Parini, C., Daffonchio, D and Manachini, P. L. (2000a). Genomic subpopulations within the species *Pediococcus acidilactici* detected by multilocus typing analysis: relationships between pediocin Ach/PA-1 producing and non-producing strains. *Microbiol.* 146: 2027-2038.
132. Mora, D., Fortina, M. G., Parini, C. and Manachini, P.L. (2000b). PCR-mediated site-directed mutagenesis on *PedB* gene and *HaeIII* restriction as a rapid tool for discrimination among pediocin Ach/PA-1 producer strains. *Food Microbiol.* 17: 415-420.
133. Morgenstern, B. (1999). DIALIGN 2: improvement of the segment-to-segment approach to multiple sequence alignment. *Bioinformatics* 15: 211- 218.
134. Motlagh, A. M., Bhunia, A. K., Szostek, F., Hansen, T. R., Johnson, M.G. and Ray, B. (1992). Nucleotide and amino acid sequence of pap-gene (pediocin Ach production) in *Pediococcus acidilactici* H. *Lett. Appl. Microbiol.* 15: 45-48.
135. Motlagh, A. M., Bukhtiyarova, M. and Ray, B. (1994). Complete nucleotide sequence of pSMB74, a plasmid encoding the production of pediocin Ach in *Pediococcus acidilactici*. *Lett. Appl. Microbiol.* 18: 305-312.
136. Mundt, J. O. (1986). Genus *Enterococcus*. In *Bergey's Manual of Systematic Bacteriology*, vol. 2 (Eds. Sneath, P. H. A., Mair, N.S., Sharpe, M. E. and Holt, J. G.) pp. 1063-1065. Baltimore, The Williams and Wilkins Co.
137. Nes, I. F., Holo, H., Fimland, G., Hauge, H. H. and Nissen-Meyer, J. (2002). Unmodified peptide-bacteriocins (class II) produced by lactic acid bacteria. In *Peptide Antibiotics, Discovery, Modes of Action and Application*. Edited by C. J. Dutton, M. A. Haxell, H. A. I. McArthur & R. G. Wax. New York: Marcel Decker.
138. Neu, H. C. (1992). The crisis in antibiotic resistance. *Science* 257: 1064-1078.

139. Nielsen, J. W., Dickson, J. S. and Crouse, J. D. (1990). Use of a bacteriocin produced by *Pediococcus acidilactici* to inhibit *Listeria monocytogenes* associated with fresh meat. *Appl. Environ. Microbiol.* 56: 2142-2145.
140. O'Keeffe, T., Hill, C. and Ross, R. P. (1999). Characterization and heterologous expression of the genes encoding enterocin A production, immunity and regulation in *Ent. faecium* DPC 1146. *Appl. Environ. Microbiol.* 65: 1506-1515.
141. O'Sullivan D. J. and Klaenhammer, T. R. (1993). Rapid mini-prep isolation of high quality plasmid DNA from *Lactococcus* and *Lactobacillus* spp. *Appl. Environ. Microbiol.* 59: 2730-2733.
142. O'Sullivan, M. G., Thornton, G., O'Sullivan, G. C. and Collins, J. K. (1992). Probiotic bacteria myth or reality? *Trends Food Sci. Technol.* 3: 309-314.
143. Obst, M., Meding, E.R., Vogel, R.F. and Hammes, W.P. (1995). Two genes encoding the β -galactosidase of *Lactobacillus sake*. *Microbiol.* 141: 3059-66.
144. Orberg, P. K. and Sandine, W. E. (1985). Survey of antimicrobial resistance in lactic streptococci. *Appl. Environ. Microbiol.* 49: 538-542.
145. Pag, U., Heidrich, C., Bierbaum, G. and Sahl, H.-G. (1999). Molecular analysis of expression of the lantibiotic Pep5 immunity phenotype. *Appl. Environ. Microbiol.* 65: 591-598.
146. Patra, A. K., Mukhopadhyay, R., Mukhija, R., Krishnan, A., Garg, L. C. and Panda, A. K. (2000). Optimization of inclusion body solubilization and renaturation of recombinant human growth hormone from *Escherichia coli*. *Prot. Expr. Purif.* 18: 182-192.
147. Platteeuw, C., van Alen-Boerrigter, I., van Schalkwijk, S. and de Vos, W. (1996). Food-grade cloning and expression system for *Lactococcus lactis*. *Appl. Environ. Microbiol.* 62: 1008-1013.
148. Pucci, M. J., Vedamuthu, E. R., Kunka, B. S. and Vandenberg, P. A. (1988). Inhibition of *Listeria monocytogenes* by using bacteriocin PA-1 produced by *Pediococcus acidilactici* PAC 1.0. *Appl. Environ. Microbiol.* 54: 2349-2353.

149. Quadri, L. E. N., Sailer, M., Roy, K. L., Vederas, J. C. and Stiles, M. E. (1994). Chemical and genetic characterization of bacteriocins produced by *Carnobacterium piscicola* LV17B. *J. Biol. Chem.* 269: 12204-12211.
150. Quesada, A. A., Canedo, A., Movenno, M. A. and Fernandez, P.J.L. (1996). A microtitre plate-based assay for the screening of β -lactams. *Lett. Appl. Microbiol.* 22: 303-306.
151. Quintilioni, Jr. R. and Courvalin, P. (1994). Conjugal transfer of the vancomycin resistance determinant *vanB* between enterococci involves the movement of large genetic elements from chromosome to chromosome. *FEMS Microbiol. Lett.* 119: 359-364.
152. Ramesh, A. (2000). Isolation and characterization of bacteriocin from lactic acid bacteria. A PhD thesis, University of Mysore, Mysore; India.
153. Ray, B. (1996). Characterization and application of pediocin (s) of *Pediococcus acidilactici*; Pediocin PA-1/AcH. In lactic acid bacteria. Current advances in Metabolism, Genetics and Application, pp.155-203. Edited by T. F. Bozoglu and B. ray. Berlin and Heidelberg:Springer.
154. Ray, B., Schamber, R and Miller, K. W. (1999). The pediocin AcH precursor is biologically active. *Appl. Environ. Microbiol.* 65: 2281-2286.
155. Ray, S. K., Johnson, M. C. and Ray, B. (1989). Bacteriocin plasmid of *Pediococcus acidilactici*. *J. Indust. Microbiol.* 4: 163-171.
156. Reinbold, G. W. and Reddy, M.S. (1974). Sensitivity or resistance of dairy starter and associated microorganisms to selected antibiotics. *J. Milk Food Technol.* 37: 517-521.
157. Renault, P. (2002). Genetically modified lactic acid bacteria: applications to food or health and risk assessment. *Biochem.* 84: 1073-1087.
158. Richter, K. S., Mustapha, A., Liewen, M. B. and Hutkins R. W. (1989). Properties of a bacteriocin produced by a *Pediococcus* sp. Active against *Listeria monocytogenes*. In Abstract Book, 89th Annual Meeting of the American Society for Microbiol. P8 New Orleans.

159. Rodriguez, E., Martinez, M. I., Medina, M., Hernandez, P. E. and Rodriguez, J. M. (1998). Detection of enterocin AS-48-producing dairy enterococci by dot-blot and colony hybridization. *J. Dairy Res.* 65: 143-148.
160. Rodriguez, J. M., Cintas, L. M., Casaus, P., Martinez, M. I., Suarez, A. and Hernandez, P. E. (1997). Detection of pediocin PA-1 producing pediococci by rapid molecular biology techniques. *Food Microbiol.* 14: 363-371.
161. Rodriguez, J. M., Cintas, L. M., Casaus, P., Suarez, A. and Hernandez, P. E. (1995). PCR detection of the lactocin S structural gene in bacteriocin-producing Lactobacilli from meat. *Appl. Environ. Microbiol.* 61: 2802-2805.
162. Rodriguez, J. M., Martinez, M. I., Horn, H. and Dodd, H. M. (2002a). Heterologous production of bacteriocins by lactic acid bacteria, a review. *Int. J. Food Microbiol.* 80: 101-116.
163. Rodriguez, J. M., Martinez, M. I. and Kok, J. (2002b). Pediocin PA-1, a wide-spectrum bacteriocin from lactic acid bacteria. *Critic. Rev. Food Sci. Nutr.* 42: 91-121.
164. Rogers, A. M. and Montville, T. J. (1991). Improved agar diffusion assay for nisin quantification. *Food Biotechnol.* 5: 161-168.
165. Rogl, H., Kosemund, K., Kuehlbrandt, W., and Collinson, I. (1998). Refolding of *Escherichia coli* produced membrane protein inclusion bodies immobilized by nickel chelating chromatography. *FEBS Lett.* 432: 21-26.
166. Ross, R. P. and Hill, S. M. (2002). Preservation and fermentation: past, present and future. *Int. J. Food Microbiol.* 79: 3-16.
167. Rossi, M., Altomare, L., Gonzalez, Vara-y, Rodriguez, A., Brigidi, P. and Matteuzzi, D. (2000). Nucleotide sequence, expression and transcriptional analysis of the *Bifidobacterium longum* MB 219 *lacZ* gene. *Arch. Microbiol.* 174: 74-80.
168. Ruiz-Barba, J. L., Piard, J. C. and Jimenez-Diaz, R. (1991). Plasmid profiles and curing of plasmids in *Lactobacillus plantarum* strains isolated from green olive fermentation. *J. Appl. Bacteriol.* 71: 417-421.

169. Sambrook, J. and Russell, D.W. (2001). *Molecular cloning: A laboratory manual*, 3rd edition Cold spring Harbor Laboratory, Cold Spring Harbor, NY.
170. Sanders, J. W., Venema, G., Kok, J. and Leenhouts, K. (1998). Identification of a sodium chloride-regulated promoter in *Lactococcus lactis* by single-copy chromosomal fusion with a reporter gene. *Mol. Gen. Genet.* 257: 681-685.
171. Sanger, F., Nicklen, S. and Coulson, A. R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. U.S.A.* 74: 5463-5467.
172. Sarkar, S. and Misra, A. K. (2002). Yoghurt: Nutritional and therapeutic aspects. *Ind. J. Microbiol.* 42: 275-287.
173. Schagger, H. and von Jagow, W. (1987). Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal. Biochem.* 166: 368-379.
174. Schillinger, U., Geisen, R. and Holzappel, W. H. (1996). Potential of antagonistic microorganisms and bacteriocins for the biological preservation of foods. *Tre. Food Sci. Technol.* 7: 158-164.
175. Schleifer, K-H., Ehrmann, M., Beimfohr, C., Brockmann, E., Ludwig, W. and Amann, R. (1995). Application of molecular methods for the classification and identification of lactic acid bacteria. *Int. Dairy J.* 5: 1081-1094.
176. Schmidt, B. F., Adams, R. M., Requadt, C., Power, S. and Mainzer, S. E. (1989). Expression and nucleotide sequence of the *Lactobacillus bulgaricus* β -galactosidase gene cloned in *Escherichia coli*. *J. Bacteriol.* 171: 625-635.
177. Schoeman, H., Vivier, M. A., Du toit, M., Dicks, L. M. and Pretorius, I. S. (1999). The development of bactericidal yeast strains by expressing the *Pediococcus acidilactici* pediocin gene (*ped A*) in *Saccharomyces cerevisiae*. *J. Appl. Microbiol.* 15: 647-656.
178. Schved, F., Lalazar, A., Henis, Y. and Juven, B. J. (1993). Purification, partial characterization and plasmid-linkage of pediocin SJ-1, a bacteriocin produced by *Pediococcus acidilactici*. *J. Appl. Bacteriol.* 74: 67-77.

179. Sharpe, M. E., Fryer, T. F. and Smith D. G. (1966). Identification of the lactic acid bacteria. In *Identification Methods for Microbiologists*, 2nd ed. Gibbs, G. M. and Skinner, F. A. (eds). Academic Press, Inc., London, pp. 246-255.
180. Shimadzu-Kadota, M., Shibahara-Sone, H. and Ishiwa, H. (1991). Shuttle plasmid vectors for *Lactobacillus casei* and *Escherichia coli* with a minus origin. *Appl. Environ. Microbiol.* 57: 3292-3300.
181. Sneath, P.H. A., Mair, N. S., Sharpe, M. E. and Holt, J. G. (1986). Bergey's Manual of Systematic Bacteriol. Vol. 2. Williams and Wilkins. Baltimore. Pp. 1075-1079, 1208-1234.
182. Somkuti, G. A. and Steinberg, D. H. (2003). Pediocin production by recombinant lactic acid bacteria. *Biotechnol. Lett.* 25: 473-477.
183. Southern, E. M. (1975). Detection of specific sequence among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.* 98: 503-517.
184. Sozzi, T. and Smiley, M.B. (1980). Antibiotic resistance of yoghurt starter cultures *Streptococcus thermophilus* and *Lactobacillus bulgaricus*. *Appl. Environ. Microbiol.* 40: 862-865.
185. Stein, T., Heinzmann, S., Solovieva, I. and Entian, K-D. (2003). Function of *Lactococcus lactis* nisin immunity genes *nisl* and *nisFEG* after coordinated expression in the surrogate host *Bacillus subtilis*. *J. Biol. Chem.* 278: 89-94.
186. Stiles, M. E. and Holzapfel, W. H. (1997). Lactic acid bacteria in foods and their current taxonomy. *Int. J. Food Microbiol.* 36: 1-29.
187. Stoffels, G., Nes, I. F. and Guomundsdottir, A. (1992). Isolation and properties of a bacteriocin-producing *Carnobacterium piscicola* isolated from fish. *J. Appl. Bacteriol.* 73: 309-316.
188. Strasser de Saad, A. M. and Manca de Nadra, M. C. (1993). Characterization of bacteriocin produced by *Pediococcus pentosaceus* from wine. *J. Appl. Bacteriol.* 74: 406-410.
189. Strasser de Saad, A. M., Pasteris, S.E. and Manca de Nadra, M. C. (1995). Production and stability of pediocin N5p in grape juice medium. *J. Appl. Bacteriol.* 78: 473-476.

190. Tagg, J. R., Dajani, A. S. and Wannamaker, L. W. (1976). Bacteriocins of gram-positive bacteria. *Bacteriol. Rev.* 40: 722-756.
191. Tamang, J. P. (1998). Role of microorganisms in traditional fermented foods. *Indian Food Indust.* 17: 162-167.
192. ten Brink, B., Minekus, M., van der Vossen, J. M. B. M., Leer, R. J. and Huis In't Veld, J. H. J. (1994). Antimicrobial activity of lactobacilli: preliminary characterization and optimization of production of acidocin B, a novel bacteriocin produced by *Lactobacillus acidophilus* M46. *J. Appl. Bacteriol.* 77: 140-148.
193. Tichaczek, P. S., Vogel, R. F. and Hammes, W. P. (1992). Cloning and sequencing of *sakP* encoding, the bacteriocin produced by *Lactobacillus sake* LTH 673. *Microbiol.* 140: 361-367.
194. Torriani, S., Felis, G. E. and Dellaglio F. (2001). Differentiation of *Lactobacillus plantarum*, *L. pentosaceus*, and *L. paraplantarum* by *recA* gene sequence analysis and multiplex PCR assay with *recA* gene derived primers. *Appl. Environ. Microbiol.* 67: 3450-3454.
195. Towbin, H., Staehelin, T. and Gordon, J. (1979). Electrophoretic transfer of proteins from polyacrylamide gel to nitrocellulose sheets: Procedure and some applications. *Proc. Natl. Acad. Sci. USA.* 76: 4350-4354.
196. Tynkkynen, S., Singh, K. V. and Varmanen, P. (1998). Vancomycin resistance factor of *Lactobacillus rhamnosus* GG in relation to enterococcal vancomycin resistance (*van*) genes. *Int. J. Food Microbiol.* 41: 195-204.
197. Tyoepponen, S., Petaaja, E. and Mattila-sandholm, T. (2003). Bioprotective and probiotics for dry sausages. *Int. J. Food Microbiol.* 83: 233-244.
198. van Belkum, M. J., Worobo, R. W. and Stiles, M. E. (1997). Double glycine-type leader peptides direct secretion of bacteriocins by ABC transporters: Colicin V secretion in *Lactococcus lactis*. *Mol. Microbiol.* 23: 1293-1301.
199. Vandenberg, P.A., Pucci, M.J., Kunka, B.S. and Vedamuthu, E.R. (1990). Method for inhibiting *Listeria monocytogenes* using a bacteriocin United States Patent 4, 929,445.

200. Varadaraj, M. C., Nirmala Devi, Keshava, N. and Manjrekar, S. P. (1993). Antimicrobial activity of neutralized extracellular culture filtrates of lactic acid bacteria isolated from a cultured Indian milk product ('dahi'). *Int. J. Food Microbiol.* 20: 259-267.
201. Vasiljevic, T. and Jelen, P. (2001). Production of b-galactosidase for lactose hydrolysis in milk and dairy products using thermophilic lactic acid bacteria. *Innov. Food Sci. Energy Technol.* 2: 75: 85.
202. Vedamuthu, E. R. (1995). Method of producing a yogurt product containing bacteriocin PA-1 United States Patent. 5,445,835.
203. Venema, F., Abee, T., Haandrikman, A. J., Leenhout, K. J., Kok, J., Konings, W. N., and Venema, G. (1993). Mode of action of lactococcin B, a thiol-activated bacteriocin from *Lactococcus lactis*. *Appl. Environ. Microbiol.* 59: 1041-1048.
204. Venema, K., Kok, J., Marugg, J. D., Toonen, M. Y., Ledebøer, A. M., Venema, G. and Chikindas, M. L. (1995). Functional analysis of the pediocin operon of *Pediococcus acidilactici* PAC 1.0: PedB is the immunity protein and PedD is the precursor processing enzyme. *Mol. Microbiol.* 17: 515-522.
205. Ventura, M., Canchaya, C., Meylan, V., Klaenhammer, T. R. and Zink, R. (2003). Analysis, characterization, and loci of the *tuf* genes in *Lactobacillus* and *Bifidobacterium* species and their direct application for species identification. *Appl. Environ. Microbiol.* 69: 6908-6922.
206. Vescovo, M., Morelli, L. and Bottazzi, V. (1982). Drug resistance plasmids in *Lactobacillus acidophilus* and *Lactobacillus reuteri*. *Appl. Environ. Microbiol.* 43: 50-56.
207. Vescovo, M., Orsi, C., Scolari, G. and Torriani, S. (1995). Inhibitory effect of selected lactic acid bacteria on microflora associated with ready-to-use vegetables. *Lett. Appl. Microbiol.* 21: 121-125.
208. Wan, J., Hickey, M. W. and Coventry, M. J. (1995). Continuous production of bacteriocins, brevicin, nisin and pediocin, using calcium alginate-immobilized bacteria. *J. Appl. Bacteriol.* 79: 671-676.
209. Weimer, B. and Mills, D. (2002). Enhancing food with functional genomics. *Food Tech.* 56: 184-189.

210. Winter, J., Lilje, H. and Rudolph, R. (2002). Renaturation of human proinsulin- a study on refolding and conversion to insulin. *Anal. Biochem.* 310: 148-155.
211. Xie, Y., Lashuel, H. A., Miroy, G. J., Dikler, S. and Kelly, J. W. (1998). Recombinant human retinal-binding protein refolding, native disulfide formation, and characterization. *Prot. Expr. Purif.* 14: 31-37.
212. Yang, R., Johnson, M. C. and Ray, B. (1992). Novel method to extract large quantities of bacteriocins from lactic acid bacteria. *Appl. Environ. Microbiol.* 58: 3355-3359.
213. Yang, R. and Ray, B. (1994). Factors influencing production of bacteriocins by lactic acid bacteria. *Food Microbiol.* 11: 281-291.
214. Zang H-j., Sheng, X-r., Pan, X-m., and Zhou, J-m. (1998). Refolding of urea-denatured adenylate kinase. *Biochem. J.* 333: 401-405.

Papers published in peer-reviewed journals

- 1) Prakash M. Halami, Arun Chandrashekar and Richard Joseph (1999) Characterization of bacteriocinogenic strains of lactic acid bacteria in fowl and fish intestine and mushroom, *Food Biotechnol.* 13: 121-136.
- 2) Prakash M. Halami, Arun Chandrashekar and Krishna Nand (2000) *Lactobacillus farciminis* MD, a newer strain with potential for bacteriocin and antibiotic assay, *Lett. Appl. Microbiol.* 30:197-202
- 3) Prakash M. Halami, A. Ramesh and A. Chandrashekar (2000) Megaplasmid encoding novel sugar utilizing phenotypes, pediocin production and immunity in *Pediococcus acidilactici* C20. *Food Microbiol.* 17: 475-483.
- 4) Ramesh, A. Prakash M. Halami and Chandrashekar, A. (2000) Ascorbic acid-induced loss of pediocin-encoding plasmid in *Pediococcus acidilactici* CFRK7. *World J. Microbiol. & Biotechnol.* 16: 69-697.
- 5) Prakash M. Halami and Chandrashekar A (2004) Enhanced Production of pediocin C20 in lactose-based medium by a β -galactosidase producing strain of *Pediococcus acidilactici* C20" *Process Biochem.* In press.

Papers presented in Symposia/ Conference:

- 1) **Prakash M. Halami.** and Joseph, R. Identification of antimicrobial property of dairy lactics against common food-borne pathogens, Abstract DM2 of the "37th AMI annual conference" IIT Madras, India Dec. 4-6, 1996
- 2) Ravi, R. M., **Prakash M. Halami.** and Joseph, R. Isolation and characterization of neutral pH acting bacteriocin from the strain of *Pediococcus dextrinicus* CFR-I, Abstract of the "ICFoST-97" BARC, Mumbai, India Sept. 25 -26, 1997
- 3) Ramesh, A., Joshi, S. J., **Prakash M. Halami.** and Chandrashekar, A. Detection of pediocin producers by polymerase chain reaction (PCR). Abstract F11 of the "4th International Food Convention" Mysore, India Nov. 23-27, 1998
- 4) **Prakash M. Halami,** Ramesh, A. and Chandrashekar, A. Production of pediocin, an anti-listerial bacteriocin in whey permeate. Abstract POS 08 of the "International workshop on lactic acid bacteria" CFTRI, Mysore; India 15-17th Nov. 1999
- 5) Ramesh, A., **Prakash M. Halami** and Chandrashekar, A. "Use of DNA probe for screening bacteriocinogenic lactic acid bacteria". Abstract POS 03 of the "International workshop on lactic acid bacteria" CFTRI, Mysore; India 15-17th Nov. 1999
- 6) **Prakash M. Halami.** (2001) "Molecular analysis of Spa I, a putative lipoprotein involved in lantibiotic immunity" an Oral presentation in the conference 'DAAD Bioforum-Berlin, Research without limits" Berlin 7-10 June 2001
- 7) Entian, K.-D., Heinzmann, S., Stein, T., Borchert, S. and **Prakash M. Halami.** (2001) "Regulation and functional characterization of subtilin immunity in *Bacillus subtilis*" an Oral presentation in the conference Functional Genomics of Gram-positive microorganisms, San Diego, California, 24-28 June 2001.

- 8) **Prakash M. Halami.** and Chandrashekar, A. Molecular cloning and expression of biologically active recombinant pediocin. Abstract M-38 of the "15th Indian Convention of Food Scientist & Technologists; ICFOST 2002, CFTRI, Mysore India. 2002
- 9) **Prakash M. Halami** and A. Chandrashekar. Molecular cloning and expression of pediocin-immunity gene (*pedB*) in *E. coli* Abstract FM45 of the 5th Int. Food Convention, IFCON 2003, CFTRI Mysore Dec. 5-8, 2003
- 10) **Renu Agrawal** and **Prakash M. Halami.** Preliminary studies on the potential probiotic culture NO. L14.1 Abstract FM 06 of the 5th Int. Food Convention, IFCON 2003, CFTRI Mysore Dec. 5-8, 2003
- 11) **Supriya, R, Prakash M. Halami** and A. Chandrashekar 2003 Isolation and characterization of trypsin resistant bacteriocinogenic strains of lactic acid bacteria. Abstract FM 43 of the 5th Int. Food Convention, IFCON 2003, CFTRI Mysore Dec. 5-8, 2003
- 12) **Prakash M. Halami** and A. Chandrashekar. *Enterococcus faecium* PH-1: a novel bacteriocin producer with probiotic applications. Poster to be presented in ICFOST-04, 9-10, Dec. 2004, DFRL, Mysore, 2004.
- 13) **Kiran Kumar, P. M. and Prakash M. Halami.** *Pediococcus damnosus* B produces pediocin PA-1 type bacteriocin. Poster to be presented in ICFOST-04, 9-10 Dec. 2004, DFRL, Mysore, 2004.