

BIBLIOGRAPHY

Anderson, A. B., Jardim, M. A. G., 1989. Costs and benefits of floodplain forest management by rural inhabitants in the Amazon estuary: a case study of Acai palm production. In: Browder, J.O. (Ed.), *Fragile Lands of Latin America: Strategies for Sustainable Development*. Westview Press, Boulder, CO. Pages 114-129.

Anonnyous., LATEQ., 1998. Non-wood tropical forest products: processing, collection and trade. Laboratório de Tecnologia Química, Universidade de Brasília, Brasília, D.F. Brasil.

Anonnyous., NSCHE (National Center for Human Settlements and Environment) 1987. Documentation on forest protection committee (June 21-22, 1989). West Bengal State Forest Department, Calcutta.

Anonnyous., World Resource Institute 1990.. The World Bank in the forest Sector: A global policy paper. Washington DC.

Appanah, S., and F. E. Putz., 1984. Climber abundance in virgin Dipterocarp forest and the effect of pre-felling climber cutting on logging damage. *Malaysian Forester* 47:335-342.

Aravind, N. A., and Dinesh Rao., 2004. On the Butterfly Assemblages of Biligiri Ranganswamy Temple Wildlife Sanctuary, Western Ghats, India. Manuscript submitted to *Lepidoptera news* at Florida (in press).

Aravind, N. A., Dinesh Rao, and P. S. Madhusudan., 2001. Additions to the birds of Biligiri Ranganswamy Temple Wildlife Sanctuary, Western Ghats, India. *Zoos Print* 27 (7): 541-547.

Arora, R. K., and Nayar, E. R., 1987. Wild relatives of crop plants in India, NBPGR *Science Monograph* 7: 90-90.

Balick, M. J., and R. Mendelsohn., 1991. Assessing the economic value of traditional medicines from tropical rain forests. *Conservation Biology* 6: 128-130.

Barnes, E., 1944. Notes on the flowering plants of Biligirirangan Hills. *J. Bombay Natural History Society* 44: 436-459.

Bawa, K. S., 1983. Patterns of flowering in tropical plants. In: C. E. Jones and R.J. Little (eds.). *Handbook of experimental pollination biology*. Scientific and Academic Editions, New York. Pages.394-410.

Bawa, K. S., and R. Godoy., 1993. Introduction to case studies from South Asia. *Economic Botany* 47(3): 248-250.

Bernal, R., 1998. Demography of the Vegetable Ivory palm *Phytelephas seemannii* in Colombia, and the impact of seed harvesting. *Journal of Applied Ecology* 35(1): 64-74.

Bhandare, S. S. and J. K. Mukhopadhyay., 1998. *Statistical Outline of India*. Tata Services Limited, Bombay.

Bhat, P. R., K. S. Murali, G. T. Hegde, C. M. Shastri, D. M. Bhat, Indu K. Murthy and N. H. Ravindranath., 2003. Annual variation in non-timber forest product yield in the Western Ghats, Karnataka, India *Current Science* 85(9): 1350-1355.

Blatter, E., 1908. Contributions of the flora of North Coimbatore. *J. Bombay Natural History Society* 18:390-429.

Borchert, R., 1994. Soil stem water storage determine phenology and distribution of tropical dry forest trees. *Ecology*: 1437-1449. *Ecology. Management* 111: 249-264.

Brien, O. T., and Kinnaird, M., 1996. Effect of harvest on leaf development of the Asian palm *Livistona rotundifolia*. *Conservation Biology* 10(1): 99-109.

Browder, J. O., 1992. Social and economic constraints on the development of market-oriented extractive reserves in Amazon rain forests. In: Nepstad, D.C., Schwartzman, S. (Eds.), *Non-timber Products from Tropical Forests: Evaluation of a Conservation and Development Strategy*. The New York Botanical Garden, Bronx, USA. Pages 33-42.

Buchy, M., 1996. *Teak and Arecanut: colonial state, forest, and people in the Western Ghats (South India)*, Institut Français de Pondicherry- Indira Gandhi National Center for the Arts, Pondicherry. Pages 1800-1947.

Caldecott, J., 1988b. *Hunting and wildlife Management in Sarawak*. IUCN, Gland and Cambridge.

Caldecott, J., 1988d. Rattan in Sarawak: at the crossroads. *Rattan Information Center Bulletin* 7 (1/2): 11-12.

Caprio, J. M., 1967. *Phenological, patterns and their use as climatic indicators in ground level climatology*, ed. R. H. Shaw, Washington, D.C. *AAAS Publication* 86: 17-43

Chambers, R. C., N. C. Saxena, and T. Shah., 1989. *To the hands of the poor: Water and trees*. Westview Press, Boulder Co. Pages 273.

Chopra, R. N., Nayar, S. L. and Chopra, I.C., 1956. *Glossary of Indian Medicinal Plants*, Council for Scientific and Industrial Research, New Delhi.

Chuntanaparb, L., Sri-Aran, and Hoamuangkaew., 1985. *Non-wood forest products in Thailand*. FAO, Bangkok.

Clay, J. W., 1997. The impact of palm heart harvesting in the Amazon estuary. In: Freese, C.H. (Ed.), *Harvesting Wild Species: Implications for Biodiversity Conservation*. Johns Hopkins University Press, Baltimore, MD Pages 283-314.

Condit, R., S. Loo de Lao, E. G. Leigh, R. B. Foster, R. Sukumar, N. Manokaran and S. P. Hubbell., 1998. 'Assessing forest diversity from small plots: Calibration using species individual curves from 50 ha plots', in F. Dallmeier and J.A. Comisky (eds), *Forest Diversity Research, Monitoring and Modeling: Conceptual background and old world case studies, Man and the Biosphere (MAB) Series*, Paris: UNESCO 20, 247-268.

Cornelius, L., 1984. *Bamboo and rattan: restoring the "most neglected" resources of Southeast Asia*. Council for the International Development Research Centre, Ottawa.

Dastur, J. F., 1952. *Medicinal plants of India and Pakistan*, D. B. Taraporevala and Sons, Bombay.

De Beer, J. H., and M. J. Mc Dermott., 1989. *Economic value of non-timber forest products in Southeast Asia*. Council for the International Union of the Conservation of Nature, The Netherlands.

Dunham, M. Kevin., 1990. Fruit production by *Acacia albida* trees in Zambezi riverine woodlands. *Journal of Tropical Ecology* 6: 445-457.

Enright, N. J., and A. D. Watson., 1991. A matrix model analysis for the tropical tree, *Araucaria cunninghamii*. *Australian Journal of Ecology* 16: 507-520.

Falconer, J., 1988. The impotence of non-timber forest products in rural economies: a review of the literature. Report preparation for policy and planning service, Forestry Department, FAO, Rome. (Unpublished manuscripts)

FAO., 1995. Forest research assessment 1990: Global synthesis, *FAO forestry paper* FAO, Rome. 124.

Firminger, T. A., 1947. *Firminger Manual of Gardening for India*. Thacker Soink and Co., Calcutta.

Forest Survey of India., 1995. Report on inventory of forest resources of Mysore district (Karnataka). Forest Survey of India, Southern Zone, Bangalore.

FRA., 2000. Non-wood forest products study for Mexico, Cuba and South America Rome, October 1999 Forest Resources Assessment Program.

Francis, C. M., 1987. The Management of edible Bird's Nest Caves in Sabah. Wildlife Section, Sabah Forest Department, Kota Kinabalu.

Frankie, G. W., H. G. Baker, and P. A. Opler., 1974. Comparative phenological studies on trees in tropical lowland wet and dry forest sites of Costa Rica. *Journal of Ecology* 62: 881-919.

Frankie, G.W., W.A. Haber, P. A. Opler, and K. S. Bawa., 1983. Characteristics and organization of the large bee pollination system in the Costa Rican dry forest. *Handbook of experimental pollination biology*, ed. C.E. Jones and R. J. Little. New York: Van Nostrand Reinhold. Pages 411-444.

Gamble, J. S., 1935. Flora of Madras Presidency. Hard and Sons, London.

Ganesan, B., 1993. Extraction of non-timber forest products, including fodder and fuelwood, in Mudumalai, India. *Economic Botany* 47: 268-274.

Ganesan, R., 2003. Identification, distribution and conservation of *Phyllanthus indofischeri*, another of Indian goosberry. *Current Science* 84: 1515-1518.

Gentry, A. H, and L. H. Emmons., 1987. Geographical variation in fertility, phenology and composition of the understory of Neotropical Forests. *Biotropica* 19 (3): 216-227.

Godoy, R. A., and K. S. Bawa., 1993. The economic value of sustainable harvest of plants and animals from the tropical forest: assumptions, hypotheses, and methods. *Economic Botany* 47: 215-219.

Godoy, R., D. Wilkie, H. Overman, A. Cubas, G. Cubas, J. Demmer, K. McSweeney, and N. Brokaw., 2000. Valuation of consumption and sale of forest goods from a Central American rain forest. *Nature* 406: 62-63.

Godoy, R., R. Lubowski, and A. Markandaya., 1993. A method for the economic valuation of non-timber forest products. *Economic Botany* 47: 220-233.

Godoy, R., 1993. Non-timber Forest Products: Where to go from Here? *Conservation Biology* 7(4): 965-966.

Grimes, A., S. Loomis, P. Jahnige, M. Burnham, K. Onthank, R. Alarcon, W. Palacios Cuenca, C. Ceron Martínez, D. Neill, M. Balick, B. Bennett, and R. Mendelsohn., 1994. Valuing rain forest. *Anbio* 23: 405-410.

Gunatilake, H. M., A. H. Senaratne, and P. Abey-gunawardena., 1993. Role of non-timber forest products in the economy of peripheral communities of Knuckles National Wilderness Area of Sri Lanka: a farming systems approach. *Economic Botany* 47: 275-281.

Gupta, R., P. Vanerji, and Guleria., 1982. Tribal unrest and forest management in Bihar. CMA Monograph No.98. Indian Institute of Management, Ahmedabad.

Hall, P., and K. S. Bawa., 1993. Methods to assess the impact of extraction of non-timber tropical forest products on plant populations. *Economic Botany* 47: 234-247.

Hall, P., P. S. Ashton, R. Condit, N. Manokaran, and S. P. Hubbell., 1998. Signal and noise in sampling tropical forest structure and dynamics', in F. Dallmeier and J.A. Comisky (eds). *Forest Biodiversity Research, Monitoring and Modeling: Conceptual Background and Old World Case Studies, Man and the Biosphere Series*, Paris, France: Parthenon Publishing 20: 63-78.

Hareesh, T. S., R. Vasudeva, A. M. Chandrasekharaiah and B. Shivanna gowda., 1999. The status and regeneration of *Ougeinia oojeinensis* in Uttara Kannada. *My forest* 35(2): 115-123.

Hartshorn, G. S., 1972. The ecological life history and population dynamics of *Pentaclethra maculoba*, a tropical wet forest dominant and *Stryphnodendron excelsum*. Dissertation, University of Washington, WA.

Hegde, P. Hegde, B. and Hegde, N. R., 2000. Non Timber Forest Products in Uttara Kannada district. Report submitted to International Union for the Conservation of Nature and Natural Resources, Gland, Switzerland.

Hegde, R, S. Suryaprakash, L. Achoth, and K. S. Bawa. 1996. Extration of non-timber forest products in the forest of Biligirirangan Hills, India. 1. Contribution to rural Income. *Economic Botany* 50: 243-251.

Hladik, C. M. A., Linares, O. F., Pagezy, H., Semple, A. and Hadley, M. (eds), 1993 *Tropical Forests, People and Food. Biocultural Interactions and Applications to Development*, UNESCO, Paris.

Homma, A. K. O., 1992. The dynamics of extraction in Amazonia: a historical perspective. In Nepstad, D. C. and Schwartzman S. (eds) *Non-timber forest: evaluation of a conservation and development strategy. Advances in Economic Botany* The New York Botanical Garden. Bronx. NY 9: 23-31.

Janzen, D. H., 1978. Seedling patterns of tropical trees. In P. B. Tomlinson and M. H. Zimmermann, editors. *Tropical Trees as Living Systems*. Cambridge University Press, New York. Pages 83-128.

Janzen, D.H., 1971. Seed predation by animals. *Annual Review of Ecology and Systematics* 2: 465-492.

Janzen, D. H., 1974. Tropical black water rivers, animals and mast fruiting by the Dipetrocarpaceae. *Biotropica* 6: 69-103.

Kahn, F., 1988. Ecology of economically important palms in Peruvian Amazonia. *Advanced Econnomic Botany* 6: 42-49.

- Kamathy, R.V. *et al.*, 1967. A contribution to the flora of Biligirirangan Hills, Mysore State. *Bulleten, Botanical Survey of India* 9: 206-234.
- Kauffman, J. B., 1991. Survival by sprouting following fire in tropical forests of the eastern Amazon. *Biotropica* 23:219-224.
- Knight, D. H., 1975. A phytosociological analysis of species-rich tropical forest on Barro Colorado Island, Panama. *Ecological Monographs* 45: 259-284.
- Kodandapani Narendran, Indu K Murthy, H. S. Suresh, H. S. Dattaraja, N. H. Ravindranath, and R. Sukumar., 2001. Non-timber forest product extraction, utilization and valuation: A case study from the Nilgiri Biosphere Reserve, Southern India *Economic Botany* 55(4): 528-538.
- Koliyal, A., 1997. Extraction of Non timber forest produce from selected tree species in Betul forest division and its impact on the population structure of these species. Dissertation submitted to Saurashtra University, Rajkot, in partial fulfilment of the Masters Degree in wildlife science.
- La Frankie, J. V., 1994. Population dynamics of some tropical trees that yield non-timber forest products. *Economic Botany* 48: 301-309.
- Laurance, W. F. D., Perez-Salicrup, P. Delamonica, P. M. Fearnside, S. D. Angelo, A. Jerozolinski, L. Pohl, and T. E. Lovejoy., 2001. Rain forest fragmentation and the structure of Amazonian liana communities. *Ecology* 82(1): 105-116.
- Levey, D.J., 1987a. Facultative ripening in *Hamelia patens* (Rubiaceae): Effect of removal and rotting. *Oecologia* 74: 203-208.
- Lieberman, D., 1996. Demography of tropical tree seedlings: A review in M. D. Swaine (ed.), *The ecology of tropical forest tree seedlings*, MAB. Paris, *UNESCO and Parthenon Publication Group* 17: 131-138.
- Lieth, H., 1974. Introduction of phenology and the modeling of seasonality. Pages 3-19 in *Phenology and seasonality modeling*, ed. H. Lieth. New York: Springer-Verlag.
- Lowe, R. G., and P. Walker., 1977. Classification of canopy, stem crown status and climber infestation in natural tropical forest in Nilgeria. *Journal of Applied Ecology* 14:897-903.
- Marsh, C., and B. Gait., 1988. Effect of logging on rural communities: a comparative study of two villages in the Ulu Kinabatangan. Yayasan Sabah Forestry Division, Information Paper No. 20.
- Mathew, K. M., 1983. The flora of the Tamil Nadu Carnatic Part 2, Gamopetalae and Monochlamydeae, The Rapinat Herbarium, St. Joseph's College, Tiruchinapalli.

Miller, C. J., 1997. Population dynamics of an economically important palm tree (*Oenocarpus ba-taua*) in the Ecuadorian Amazon. Ph.D. dissertation, University of Georgia, Athens, GA, USA.

Murali, K. S., and M. V. Srinivasulu., 2000. Sustainable harvest levels in six species of medicinal plants, Khan, M. L. and Arunachalam A (Editors) *Sustainable Management of Forests - India*, International Book Distributors. Pages 169-188.

Murali, K. S., and R. Hegde., 1996. Sustainable use of non-timber forest products and forest management. In M. P. Shiva and R. B. Mathur (Eds). *Sustainable use of minor forest products*. Pages 219-222. Oxford and IBH, New Delhi.

Murali, K. S., and R. Sukumar., 1994. Reproductive phenology of a tropical dry forest in Mudumalai, southern India. *Journal of Ecology* 82:759-767.

Murali, K. S., D. M. Bhat and N. H. Ravindranath., 2004. Biomass equations for tropical deciduous and evergreen forests, *International Journal of Agricultural Resources, Governance and Ecology* (In press).

Murali, K. S., U. S. Uma Shanker, R Uma Shaanker, K. N. Ganeshiah and K. S. Bawa., 1996. Extraction of non-timber forest products in the forest of BiligiriRangan Hills, India. 2. Impact of NTFP extraction on regeneration, population structure, and species composition. *Economic Botany* 50:252-269.

Murali. K. S., R. Siddappa Setty, K. N. Ganeshiah, and R. Uma Shaaker., 1998. Does forest type classification reflects spatial dynamics of vegetation? An analysis using GIS techniques. *Current Science* 75: 220-227.

Murali. K. S., and Siddappa Setty. R., 2001. Effect of weeds *Lantana camara* and *Chromelina odorata* growth on the species diversity, regeneration and stem density of tree and shrub layer in BRT sanctuary. *Current Science* 80(5): 675-678

Murthy, K. R., & S. N. Yoganarasimhan., 1990. *Flora of Coorg (Kodagu)*, Karnataka, India. Vimsat publishers, Bangalore.

Murthy, K. T., 1993. *Minor Forest Products of India* by, Oxford and IBH Publishing Co. Pvt LTD. New Delhi, Bombay and Calcutta.

Nadkarni, K. M., 1976. *Indian Materia Medica*. Popular Prakashan, Bombay, Vols 1 and 2.

Nagaraj, N., and Chandrakanth M. G., 1994. Soapnut tree as a supplementary income generating enterprise - A case study in Karnataka. *Journal of Non-timber forest products* 1 (1/2): 54-55.

Nakazono, E. M, Bruna E. M and Rita C. G. Mesquita., 2004. Experimental harvesting of the non-timber forest product *Ischnosiphon polyphyllus* in central Amazonia. *Forest Ecology and Management* 190: 219-225.

Nepstad, D. C., I. F. Brown, L. Luz., A. Alechandra and V. Viana., 1992. Biotic impoverishment of Amazonian forests by tappers, loggers and cattle ranchers. In Nepstad, D. C. and Schwartzman S. (eds) *Non-timber forest: evaluation of a conservation and development strategy. Advances in Economic Botany*. The New York Botanical Garden. Bronx. NY 9:1-14.

Nepstad, D. C., and Schwartzman, S., 1992 *Non-timber Forest Products: Where to go from Here? Advances in Economic Botany, Non-Timber Forests: Evaluation of a Conservation and Development Strategy*. New York Botanical Gardens, Bronx, N.Y. 9:164.

Olmsted, I., and E. Alvarez-Buylla., 1995. Sustainable harvesting of tropical trees: Demography and matrix models of two palm species in Mexico. *Ecological Applications* 5: 484-500.

Padoch, C., and W. de Jong., 1989. Production and profit in agroforestry: an example from the Peruvian Amazon. Pages 102-113 in J. G. Browder. *Fragile lands of Latin America: strategies for sustainable development*. Westview Press, Boulder Colorado, USA.

Panayotou, T., and P. S. Ashton., 1992. *Not by timber alone: economics and ecology for sustaining tropical forests*. Island Press, Washington D.C.

Pathak, R. K., and Pathak, R. A., 1993. In *Advances in Horticulture* (eds Chadha, K. L. and Pareek, O. P.), Malhotra Publishing House, New Delhi, 1: 407-421.

Perez-Salicrup, D. R., 1998. Effect of liana cutting on trees and tree seedlings in a tropical forest in Bolivia. Dissertation. University of Missouri. St. Louis. Missouri, USA.

Peters, C. M., 1990b. Population ecology and management of forest fruit trees in Peruvian Amazonia. A. B. Anderson, *Alternatives to deforestation: steps towards sustainable use of the Amazon rain forest*. Columbia University Press, New York. Pages 86-98.

Peters, C. M., M. J. Balik, F. Kaln, and A. B. Anderson., 1989b. Oligarchic forests of economic plants in Amazonia: utilization and conservation of an important tropical resource. *Conservation Biology* 3:341-349.

Peters, C., Gentry, A. H. and Mendelsohn, R. O., 1989 Valuation of Amazon rainforest. *Nature* 339: 655-656.

Peters, C. M., 1990. Population ecology and management of forest fruit trees in Peruvian Amazonia. In: Anderson, A.B. (Ed.), *Alternatives to Deforestation: Steps Towards Sustainable Use of the Amazon Rain Forest*. Columbia University Press, New York. Pages 86-90.

Peters, C. M., Balik, M. J., Kahn, F., Anderson, A. B., 1989a. Oligarchic forests of economic plants in Amazonia: utilization and conservation of an important tropical resource. *Conservation Biology* 3:341-349.

Phillips, O. L., 1998. Increasing tree turnover in tropical forests as measured in permanent plots. *Forest Biodiversity Research, Monitoring and Modeling: Conceptual Background and Old World Case Studies*, MAB series. ed. by F. Dallmeier, and J. A. Comiskey MAB series UNESCO, Paris and The Parthenon Publishing group Inc. New York, USA. 20: 221-46.

Pinard, M., 1993. Impacts of stem harvesting on populations of *Iriartea deltoidea* (Palmae) in an extractive reserve in Acre, Brazil. *Biotropica* 25: 2-14.

Pinedo-vasquez, M., D. Zarin, and P. Jipp., 1992. Community forest and lake reserves in the Peruvian Amazon: a local alternative for sustainable use of tropical forests. *Advances in Economic Botany* 9:79-86.

Pinero, D., M. Martinez-Ramos, and J. Sarukhan., 1984. A population model of *Astrocaryum mexicanum* and a sensitivity analysis of its finite rate of increase. *Journal of Ecology* 72:977-991.

Prasad, S., 2001. 'Fruit removal, seed dispersal and demography of *Emblica officinalis* at Rajaji National Park, Uttranchal', M.Sc. Dissertation. India: Wildlife Institute of India, Dehra Dun.

Primack, R., 1985b. Pattern of flowering phenology in communities, populations, individuals and single flowers. *The population structure of vegetation*, ed. J. White. Dordrecht: W. Junk. Pages 571-93

Putz, F. E., and N. V. L. Brokaw., 1989. Sprouting of broken trees on Barro Colorado Island, Panama. *Ecology* 70:508-512.

Putz, F. E., 1980. Lianas verses trees. *Biotropica* 12: 224-224.

Putz, F. E., 1984. The natural history of lianas on Barro Colorado Island, Panama. *Ecology* 65:1713-1724.

Rai, N. D., 2003. Human use, reproductive ecology, and life history of *Garcinia gummigatta*, a non-timber forest product, in the western ghats, India, Ph.D. Thesis. The Pennsylvania State University, USA.

Ramakrishna Mission Lokashiksha Parishad., 1992. Role of NTFPs in Forest Fringe Dwellers' Economy and Current Status of Forest Flora: A Case Study at Raigarh Forest Protection Committee under Bankura South Division. Ford Foundation, New Delhi, India.

Ramesh, B. R., Menon, S., and Bawa. K. S., 1999. BCN project report Explanatory booklet to accompany the vegetation map of the Biligiri Rangaswamy Temple Wild Life Sanctuary, Karnataka, India.

Ramesh, B. R., 1989. Evergreen forests of the Biligiri Rangan Hills, South India. Doctorate Dissertation. French Institute, Pondicherry, India.

Rao, R. R., and Razi, B. A., 1981. A synoptic flora of Mysore district. Today and tomorrow's printers and publishers, New Delhi.

Rathcke, B. J., and E. P. Lacey., 1985. Phenological patterns of terrestrial plants. *Annual Review of Ecology and Systematics* 16:179-214.

Rawat, G. S., 1997. Conservation status of forests and wildlife in the Eastern Ghats, India. *Environmental Conservation* 24:307-315.

Reining, C. C., Heinzman, R. M., Madrid, M. C., Lopez, S., Solorzano, A., 1991. The non-timber forest product industries of the Maya biosphere reserve, Guatemala: results of ecological and socio-economic surveys. Unpublished Report. Conservation International Foundation, Washington, DC.

Rene, G. A., Boot and R. E. Gullison., 1995. Approaches to developing sustainable extraction systems for tropical forest products. *Ecological Applications* 5 (4): 896-903.

Ruddle, K., D. Johnson., P. K. Townsend, J. D. Rees., 1978. Palm Sago: A Tropical Starch from Marginal Lands. Honolulu: East-West Center.

Runk, J. V., 1998. Productivity and sustainability of a vegetable ivory palm (*Phytelephas aequatorialis*, Areacaceae) under three management regimes in Northwestern Ecuador. *Economic Botany* 52:168-182.

Safalsky, N., B. L. Dugelby, and J. W. Terborgh., 1992. Can extractive reserves save the rain forest? An economic and socioeconomic comparison of timber forest product extraction systems in Peten, Guatemala, and West Kalimantan, Indonesia. *Conservation Biology* 7 (1): 39-51.

Salafsky, N., Dugelby, B. L., Terborgh, J. W., 1993. Can extractive reserves save the rain forest? An ecological and socioeconomic comparison of non-timber forest product extraction systems in Peten, Guatemala, and west Kalimantan, Indonesia. *Conservation Biology* 7: 39-52.

Saldanha, C. J., 1984. Flora of Karnataka Volume 1. Magnoliaceae to Fabaceae, Oxford and IBH Publishing company, New Delhi

Salleh, M. N., 1987. The Potential of Minor Forest Products. Paper prepared for the Asian Development Bank.

Sarmiento, G., and Monasterio., 1983. Life forms and phenology. In *Ecosystems of the world. Tropical savannas*, ed. F. Bouliere. Amsterdam: *Elsevier Scientific* 13: 79-108

Sayer, M. A., 1990. Using non-timber products in the sustainable development of tropical forests. Proceedings of the International Seminar, Japan.

Sergio, W., 1988. A natural food, the Malabar Tamarind, may be effective in the treatment of obesity. *Medical Hypotheses* 27(1): 39-40.

Silvertown, J., M. Franco, I. Pisanty, and A. Mendoza., 1993. Comparative plant demography-relative importance of life-cycle components to the finite rate of increase in woody and herbaceous perennials. *Journal of Ecology* 81:465-476.

Sinha, A., 2000. Sustainability of fruit extractions from two nontimber forest product tree species, *Phyllanthus emblica* and *P. indofischeri*, in the forests of South India. Ph.D. Thesis. University of Massachusetts, Boston.

Sinha. A., and K. S. Bawa., 2002. Harvesting techniques, hemiparasites and fruit production in two non-timber forest tree species in south India. *Forest Ecology and Management* 168:289-300.

Smiet, A. C., 1990. Forest ecology on Java: conservation and usage in a historic perspective. *Journal of Tropical Forest Science* 2:286-302.

Solomon, A. J., and Purnachandra Rao. S., 2002. Pollination ecology and fruiting behaviour in *Acacia sinuata* (Lour.) Merr. (Mimosaceae), a valuable non-timber forest species. *Current Science* 82(12): 1466-1474.

State of India's Environment: The Citizens' Fifth Report., 1999. A. Agarwal, S. Narain, S. Sen. (eds.) 1999. Center for Science and Environment. New Delhi, India. Pages 109-130.

Stearns, F. W., 1974. Phenology and environmental education in Phenology and seasonality modeling, ed. H. Lieth. New York: Springer-Verlag. Pages 425-29.

Stephenson, A. G., 1981. Flower and fruit abortion: proximate causes and ultimate functions. *Annual Review of Ecology and Systematics* 12:253-279.

Stevens, G. C., 1987. Lianas as structural parasites: the *Bursera simaruba* example. *Ecology* 68:77-81.

Sukumar, R., H. S. Dattaraja, H. S. Suresh, J. Radhakrishnan, R. Vasudeva, S. Nirmala and N. V. Joshi., 1992. Long-term monitoring of vegetation in a tropical deciduous forest in Mudumalai, southern India, *Current Science* 62: 608-16.

Tania, M., Sanaiotti and William, E., 1995. Effect of annual fires on the production of fleshy fruits eaten by birds in a Brazilian Amazonian savanna. *Magnusson Journal of Tropical Ecology* 11:53-65.

Tewari, D. D., 1994. Developing and sustaining non timber forest products: policy issues and concerns with special reference to India. *Journal of World Forest Resource Management* 7:151-178.

The wealth of India., 1985. *Raw materials*. Publications and Information Directorate, Council of Scientific and Industrial Research. Ed. Y.R.Chadha. New Delhi 1:A page 45.

The non-timber forest product industries of the Maya biosphere reserve, Guatemala: *Results of ecological and socio-economic surveys*. Unpublished Report. Conservation International Foundation, Washington, DC.

Timothy, G. O. Brien., Margaret, F. Kinnaird., 1996. Effect of harvest on leaf development of the Asian Palm *Livistona rotundifolia*. *Conservation Biology* 10(1): 53-58.

Uhl, C., K. Clark, H. C. Clark, and P. Murphy., 1981. Early plant succession after cutting and burning in the upper Rio Negro region of the Amazon basin. *Journal of Ecology* 69:631-649.

Uma Shaanker, R, and Ganeshaiyah, K. N., 1993. Fruit and seed set in tropical trees: evolutionary constraints and proximate mechanisms. In *Genetics and Breeding of Tropical Trees*. Ed. Gibson and Mandal, Oxford University Press.

Uma Shaanker, R, and Ganeshaiyah K. N., 1997. Mapping genetic diversity of *Phyllanthus emblica*: Forest gene banks as a new approach for in situ conservation of genetic resources. *Current Science* 73(2): 163-168.

Uma Shankar, K. S. Murali, R. Uma Shaanker, K. N. Ganeshaiyah and K. S. Bawa., 1996. Extraction of Non-Timber Forest Products in the Forests of Biligiri Rangan Hills, India. 1. Contribution to Rural Income. *Economic Botany* 50(3): 270-279

Uma Shankar, K. S. Murali, R. Uma Shaanker, K. N. Ganeshaiyah, and K. S. Bawa., 1998, Extraction of Non-Timber Forest Products in the forests of Biligiri Rangan Hills, India. 4. Impact on floristic diversity and population structure in a thorn scrub forest, *Economic Botany*, 52: 302-15.

Uma Shankar, Murali, K. S., Uma Shaanker, R., Ganeshaiyah, K. N., and Bawa, K. S., 1996. Extraction of non-timber forest products in the forests of Biligiri Rangan Hills, India. 3. Productivity, extraction and prospects of sustainable harvest of Nelli (*Embilica officinalis*). *Economic Botany* 50: 270-279.

Vasquez, R., and A. H. Gentry., 1989. Use and misuse of forest-harvested fruits in the Iquitos area. *Conservation Biology* 3:350-361.

Webb, L. J., 1958. Cyclones as an ecological factor in tropical lowland rain forest, North Queensland. *Australian Journal of Botany* 6:220-228.

West, C. J., 1995. Sustainability of *Beilschmiedia tawa* - dominated forest in New Zealand: population predictions based on transition matrix model analysis. *Australian Journal of Ecology* 43:51-71

Wheelwright, N. T., 1985. Competition for dispersers, and the timing of flowering and fruiting in a guild of tropical trees. *Oikos* 44:465-477.

Whigham, D., 1984. The influence of vines on the growth of *Liquidambar styraciflua* L. (sweetgum). *Canadian Journal of Forest Research* 14:37-39.

WWF-Gland., 1988. Mission report on the WHO/IUCN/WWF international consultation on the conservation of medicinal plants.

Zagt, R. J., and M. J. A. Werger., 1998. Community structure and the demography of primary species in tropical rainforest in D. M. Newbery, H. H. T. Prins and N. D. Brown, (eds.), *Dynamics of tropical communities*, Pages 193-219. *The 37 Symposium of the British Ecological Society*, Cambridge Univ., 1996. Oxford: Blackwell Science.

Zammit, C., and M. Westoby., 1987. Population structure and reproductive status of two *Banksia* shrubs at various times after fire. *Vegetation* 70:11-20.

Zuidema, P. A., and R. G. A. Boot., 2002. Demography of the Brazil nut tree (*Bertholletia excelsa*) in the Bolivian Amazon: impact of seed extraction on recruitment and population dynamics. *Journal of Tropical Ecology* 18:1-31.