

BIBLIOGRAPHY

- Alexander, G. N. (1959). Return period relationships. *J. Geophys. Res.* 64 (6): 675-682.
- Arnold, B. C. (1960). Parameter estimation for multivariate exponential distribution. *J. Am. Statist. Ass.* 63: 848-852.
- Balkema, A. A. and Hann, L. de (1972). On R. von Mises condition for the domain of attraction of $\exp(-e^{-x})$. *Ann. Math. Statist.* 43: 1352-1354.
- Balkema, A. A. and Resnick, S. I. (1977). Max-Infinite divisibility. *J. Appl. Probability* 14: 309-319.
- Barndorff-Nielsen, O. (1961). On the rate of growth of the partial maxima of a sequence of independent identically distributed random variables. *Mathematica Scand.* 9: 383-394.
- Barndorff-Nielsen, O. (1963). On the limit behavior of extreme order statistics. *Ann. Math. Statist.* 34: 992-1002.
- Barndorff-Nielsen, O. (1964). On the limit distribution of the maximum of a random number of independent random variables. *Acta Math. Hung.* 15: 399-403.
- Benham, A. D. (1956). The estimation of extreme flood discharges by statistical methods. *Proc. N. Z. Inst. Engrs.* 32: 891-908.
- Benson, M. (1968). Uniform flood frequency estimating methods for federal agencies. *Water Resour. Res.* 4(5): 891-908.
- Bezmen, S. M. (1961). Convergence of bivariate extreme value distribution. *Ann. Inst. Statist. Math.* 13: 217-223.
- Bezmen, S. M. (1962 b). Limiting distribution of the maximum term in a sequence of independent random variables. *Ann. Math. Statist.* 33: 894-908.
- Bernard, A. and Bos-Levenbach, E. C. (1955). The plotting of observations on probability paper. Robert SP30A, Math. Centrum, Amsterdam.

- Bobee, B. (1975). The log Pearson type 3 distribution and its application in hydrology. *Wat. Resour. Res.* 11(5): 681-689.
- Bofinger, Eve and Bofinger, V.J. (1965). The correlation of maxima in samples drawn from a bivariate normal distribution. *Aust. J. Statist.* 7:57-61.
- Bofinger, V.J. (1970). The correlation of maxima in several bivariate non-normal distribution *Aust. J. Statist.* 12: 1-7.
- Borgman, L.E. (1961). The frequency distribution of near extremes. *J. Geophys. Res.* 66(10): 3293-3307.
- Bortkiewicz, L. von (1922). Variationsbreite und mittlerer Fehler. *Sber. Berl. Math. Ges.* 21.
- Bury, K.V. (1974). Distribution of smallest lognormal and gamma extremes. *Statist. Works.* 15:103-114.
- Campbell, J.W. and Tackos, C.P. (1973). The asymptotic distribution of maxima in bivariate samples. *J. Am. Statist. Ass.* 68:734-739.
- Chan, K.K. and Jarvis, G.A. (1970). Convergence of moments of some extreme order Statistics. *J. Statist. Res.* 4:37-42.
- Chow, V.T. (1951). A general formula for hydrological frequency analysis. *Trans. Am. Geophys. Edn.* 32: 231-237.
- Chow, V.T. (1956). Hydrologic studies of floods in the United States. *Int. Ass. Scient. Hydrol. Publ.* 42:134-170.
- Chow, V.T. (1964). Hand Book of Applied Hydrology. McGraw-Hill Book Company.
- Court, A. (1953 a). Temperature extremes in the United States. *Geophys. Rev.* 43: 39.
- Court, A. (1953 b). Wind extremes as design factors. *J. Franklin Institute.* 256:39.
- David, H.A. (1970). Order Statistics John Wiley & Sons. N.Y.

- Deininger, R.A. (1969). Linear programming for hydrologic analyses. *Wat. Resour. Res.* 2: 1105-1109.
- Dick, I.D. and Darwin, J.H. (1954). The prediction of floods. *N.Z. Engrg. J.* 8: 99.
- Dixon, W.J. (1950). Analysis of extreme values. *Ann. Math. Statist.* 21: 488-506.
- Dodd, E.L. (1923). The greatest and the least variate under general laws of error. *Trans. Ann. Math. Soc.* 25: 525-539.
- Dronkers, J.J. (1958). Approximate formulae for the statistical distribution of extreme values. *Biometrika* 25: 447-470.
- Dzińbolziels, W. (1972). Limit distribution of extreme order statistics in a sequence of random size. *Appl. Math.* 13: 199-205.
- Epstein, B. (1948 a). Statistical aspects of fracture problems. *J. Appl. Phys.* 19: 140.
- Epstein, B. and Brooks, H. (1948). The theory of extreme values and its implications in the study of the dielectric strength of paper capacitors. *J. Appl. Phys.* 19: 544.
- Epstein, B. (1949 a). Application of the theory of extreme values in fracture problems. *J. Am. Statist. Ass.* 43: 403.
- Epstein, B. (1960). Elements of the theory of extreme values. *Technometrics* 2: 27-41.
- Eugene, L.G. (1940). The probability view point in hydrology. *Trans. Ann. Geophys. Un.* 21: 7-12.
- Farlie, D.J.G. (1960). The performance of some correlation coefficients for a general bivariate distribution. *Biometrika* 47: 307-333.
- Feller, W. (1966). An introduction to probability theory and its applications Vol. 2. John Wiley & Sons, N.Y.
- Finkelstein, B.V. (1953). On the limiting distribution of the extreme terms of a variational series of a two-dimensional random quantity. *Dokl. Akad. Nauk SSSR* 91: 209-211.

- Fisher, R.A. and Tippett, L.H.C. (1928). Limiting forms of the frequency distributions of the largest or smallest member of a sample. Proc. Camb. Phil. Soc. 24: 180-190.
- Frechet, M. (1927). Sur la loi de probabilité de l'écart maximum. Ann. Societe Polonaise de Mathematique 5: 92-116.
- Frechet, M. (1951). Sur les tableaux de corrélation dont les marges sont données. Ann. Univ. Lyon, Section A, Series 3, 14: 53-77.
- Freudenthal, A.M. and Gumbel, E.J. (1954 a). Minimum life in fatigue. J. Am. Statist. Ass. 49: 575.
- Fung, Y.C. (1952). Statistical aspects of Dynamic loads. Inst. Aeronaut. Sci. Preprint 376 N.Y.
- Galanbos, J. (1972). On the distribution of the maximum of random variables. Ann. Math. Statist. 43: 516-521.
- Galanbos, J. (1973 b). The distribution of the maximum of a random number of random variables with applications. J. Appl. Probability 10: 122-129.
- Galanbos, J. (1975 d). Order statistics of samples from multivariate distributions. J. Am. Statist. Ass. 70: 674-680.
- Geffroy, J. (1958). Contributions a' la theorie des valeurs extremes. Publ. Inst. Statist. Paris 17: 37-121.
- Geffroy, J. (1959). Contributions a' la theorie des valeurs extremes. Publ. Inst. Stat. Paris 8: 123-184.
- Geyer, J.C. (1940). New curve fitting method for analysis of flood records. Trans. Am. Geophys. Un. 660-668.
- Gnedenko, B.V. (1943). Sur la distribution limite du terme maximum d' une serie aleatoire. Ann. Math. 44: 423-453.
- Gringorten, I.I. (1963). A plotting rule for extreme probability paper. J. Geophys. Res. 68(3): 813-814.

- Gumbel, E.J.(1935). Les valeurs extremes des distributions statistiques. Ann. Inst. Henri Poincare 5:115-158.
- Gumbel, E.J.(1941). The return period of flood flows. Ann.Math. Statist. 12:163-190.
- Gumbel, E.J.(1941). Probability interpretation of the observed return period of floods. Trans.Am. Geophys. Un.22:836-850.
- Gumbel, E.J.(1942). Statistical control curves for flood discharges. Trans.Am.Geophys. Un.23:409- 500.
- Gumbel, E.J.(1943). On the plotting of flood discharges. Trans.Am.Geophys. Un.24:699-719.
- Gumbel, E.J.(1946). On the independence of the extremes in a sample. Ann.Math. Statist.17: 78-81.
- Gumbel, E.J.(1958). Statistics of extremes. Columbia University Press N.Y.
- Gumbel, E.J.(1960). Bivariate exponential distributions. J.Am.Statist.Ass.55: 698-707.
- Gumbel, E.J.(1961). Bivariate logistic distributions. J.Am.Statist.Ass. 56: 335-349.
- Gumbel, E.J.(1962). Statistical theory of extreme values. In: Contributions to order statistics (Ed: Sarhan, A. S. and Greenberg, B.G.). John Wiley & Sons, N.Y: 56-93 and 406-431.
- Gumbel, E.J. and Goldstein, N. (1964). Analysis of empirical bivariate extremal distributions. J.Am.Statist.Ass. 59: 794-816.
- Gumbel, E.J. (1965). A quick estimation of the parameters in Frechet distribution. Rev.Int. Stat.Inst.33:
- Gumbel, E.J. and Mustafi, C.K.(1967). Some analytical properties of bivariate extreme value distributions. J.Am.Statist.Ass. 62: 549-568.
- Quota, V.K. et al.(1976). On the joint distribution of the largest flood and its time of occurrence. Wat.Resour. Res.12(2): 295-304.

- Haan, L. de (1970). On regular variation and its application to the weak convergence of sample extremes. Math. Centre Tracts. 32: Amsterdam.
- Haan, L. de (1971). A form of regular variation and its application to the domain of attraction of the double exponential distribution. Zeitschrift für Wahrscheinl. Verw. Geb. 17: 241-258.
- Haan, L. de and Resnick, S.I. (1977). Limit theory for multivariate sample extremes. Zeitschrift für Wahrscheinl. Verw. Geb. 40: 317-337.
- Hall, W.A. and Howell, D.T. (1963). Estimating flood probabilities within specific time intervals. J. Hydrology 1(3): 265-271.
- Harshbied, D.M. (1962). An empirical comparison of the predictive value of three extreme-value procedures. J. Geophys. Res. 67(5): 1535-1542.
- Hassanein, K.M. (1964). Estimation of the parameters of the extreme value distribution by order statistics. Chapel Hill: University of North Carolina. AD622237.
- Hassanein, K.M. (1969). Estimation of the parameters of the extreme value distribution by use of two or three order statistics. Biometrika 56: 429-436.
- Hassanein, K.M. (1972). Simultaneous estimation of the parameters of the extreme value distribution by sample quantiles. Technometrics 14(1): 63-70.
- Holgate, P. (1964). Estimation for bivariate poisson distribution. Biometrika 51: 241-245.
- Homma, T. (1951). On the asymptotic independence of order statistics. Res. Statist. Applic. Res. Tokyo 1: 1-3.
- Huxham, S.H. and McGillchrist, C.A. (1969). On the extreme value distribution for describing annual flood series. Wat. Resour. Res. 5(6): 1404-1405.
- Juncosa, M.L. (1949). On the distribution of the minimum in a sequence of mutually independent random variables. Duke Math. J. 16: 609-618.

- Kawato, T. (1951). Limit distributions of single order statistics. Rep. Statist. Applic. Res. Tokyo 1:4-9.
- Kimball, B.F. (1938). Probability distribution curve for flood control studies. Trans. Am. Geophys. Un. 19: 460-473.
- Kimball, B.F. (1942). Limited type of ordinary probability distribution applied to maximum flood flows. Ann. Math. Statist. 13: 318-323.
- Kimball, B.F. (1942). Discussion of paper entitled "Statistical control curves for flood discharges." by E.J. Gumbel, Trans. Am. Geophys. Un. 23: 500-509.
- Kimball, B.F. (1946). Sufficient statistical estimation functions for the parameters of the distribution of maximum values. Ann. Math. Statist. 17: 299-309.
- Kimball, B.F. (1949). An approximation to the sampling variance of an estimated maximum value of a given frequency based on fit of doubly exponential distribution of maximum values. Ann. Math. Statist. 20: 110-113.
- Kimball, B.F. (1956). The bias in certain estimates of the parameters of the extreme value distribution. Ann. Math. Statist. 27: 758-767.
- Kirby, W. (1969). On random occurrence of major floods. Wat. Resour. Res. 5(4): 778-784.
- Konijn, H.S. (1956). On the power of certain tests for independence in bivariate populations. Ann. Math. Statist. 27: 300-323.
- Lai, T.L. and Robbins, H. (1976). Maximally dependent random variables. Proc. Nat. Acad. Sci. U.S.A. 73: 286-288.
- Lancaster, H.O. (1958). The structure of bivariate distribution. Ann. Math. Statist. 29: 719-736.
- Langbein, W.B. (1949). Annual floods and the partial duration flood series. Trans. Am. Geophys. Un. 30: 879-881.
- Lawless, J.F. (1974). Approximations to confidence intervals for parameter in the extreme value and weibull distributions. Biometrika 61: 123-

- Lawless, J.F. (1978). Confidence interval estimation for the weibull and extreme value distributions. *Technometrics* 20(4): 353-364.
- Lieblein, J. (1951). On certain estimators for the parameters of the distribution of the largest value (abstract). *Ann.Math.Statist.* 22:487.
- Lieblein, J. (1952). On certain estimators based on large samples of extremes (abstract). *Ann.Math. Statist.* 23: 137
- Lieblein, J. (1953). On the exact evaluation of the variances and covariances of order statistics in samples from the extreme-value distribution. *Ann.Math.Statist.* 24: 282-287.
- Lieblein, J. (1954). A new method of analysing extreme value data. *Nat. Adv. Comm. Aeronaut. Tech. Rep* 3033.
- Lieblein, J. (1955). Estimation from "censored" samples of extreme data (abstract). *Ann.Math.Statist.* 26: 156.
- Mann, N.R. (1963). Optimum estimates of parameters of continuous distributions. Rocketdyne, Res. Report 6341 Rocketdyne, Canoga Park, California.
- Mann, N.R. (1965 a). Point and interval estimates for reliability parameters when failure times have the two-parameter weibull distribution. Unpublished doctoral dissertation. Univ. of California.
- Marcus, M.B. and Pinsky, M. (1969). On the domain of attraction of exp. $(-e^{-x})$. *J. Math. Anal. Appl.* 28: 440-449.
- Mardia, K.V. (1964 a). Some results on the order statistics of the multivariate normal and Pareto type I population. *Ann.Math.Statist.* 35: 1815-1818.
- Mardia, K.V. (1964 b). Asymptotic independence of bivariate extremes. *Calcutta Statist. Ass. Bull.* 13: 172-178.
- Mardia, K.V. (1970). Families of bivariate distributions. Griffin, London.
- Marshall, A. K. and Olkin I. (1967). A generalized bivariate exponential distribution. *J. Applied Probability* 4: 291-302.

- Martiz, J.S. (1952). Note on a certain family of discrete distributions. *Biometrika* 39: 196-198.
- McCord, J.R. (1964). On asymptotic moments of extreme statistics. *Ann.Math.Statist.* 35:1738-1745.
- Mejzler, D.G. (1949). On the theorem of B.V.Gnedenko. *Sb.Trudov. Inst.Mat.Akad.Nauk.Ukrain, U.S.S.R.* 12: 31-35.
- Mikhailov, V.G. (1974). Asymptotic independence of vector components of multivariate extreme order statistics. *Teor. Veroyatnost. i primen.* 19: 817-821.
- Mises, R. von (1923). *Über die verhältnissbreite einer beobachtungsreihe.* *Sitzungsberichte Berlin. Math. Geo.* 22: 3
- Mises, R. von (1936). *La distributions de la plus grande de n values.* Reprinted in *Selected Papers II, Am.Math. Soc., Providence, R.I., (1954)* 271-294.
- Mood, A.M. and Graybill, F. (1963). Introduction to the theory of statistics. McGraw Hill.
- Moran, P.A.P. (1957). The statistical treatment of flood. *Trans. Am.Geophys. Un.* 38:519-523.
- Morgenstern, D. (1956). *Einfache Beispiele mehrdimensionaler verteilungen.* *Mitteilungsblatt Math. Stat. B*: 234-235.
- Nair, K.A. (1976). Bivariate extreme value distributions. *Comm. in Statist.* 5: 575-581.
- Newell, G.F. (1964). Asymptotic extremes for independent random variables. *Ann. Math. Statist.* 35: 1322-1325.
- Pickands, J. III (1968). Moment convergence of sample extremes. *Ann. Math. Statist.* 39: 881-889.
- Pogner, E.C. et al. (1969). Application of an estimator of high efficiency in bivariate extreme value theory. *J. Am. Statist. Ass.* 64: 1403-1415.
- Quenouille, M.H. (1952). (Cited by Kendall M.G. and Buckland W.R. (1956), *Dictionary of Statistical terms.*

- Rangarajain, R. (1960). A new approach to peak flood estimation. J. Geophys. Res. 65(2):643-650.
- Reich, B. (1970). Flood series compared to rainfall extremes. Wat. Resourc. Res. 6: 1655-
- Rootzen, H. (1974). Some properties of convergence in distribution of sums and maxima of dependent random variables. Zeitschrift für wahrscheinl. verw. Geb. 29: 295-307.
- Rostvedt, J.O., et al. (1968). Summary of floods in the United States during 1963. U.S. Geol. Surv., Wat.-Sup. Pap. 1830-B.
- Rowe, R.R. et al. (1957). Flood frequency by regional analysis. Trans. Am. Geophys. Un. 30: 879-884.
- Sarhan, A.E. and Greenberg, B.G. (1962). Contributions to order statistics. John Wiley & Sons, N.Y.
- Schacany, W.R. et al. (1978). Correlation structure in Farlie-Gumbel Morgenstern Distributions. Biometrika 65: 650
- Sen, P.K. (1961). A note on the large sample behaviour of extreme sample values from distribution with finite end points. Bull. Calcutta Statist. Ass. 10: 106-115.
- Sethuraman, J. (1965). On a characterization of the three limiting types of extremes. Sankhya 27 A: 357-364.
- Shane, R. and Lynn, W. (1964). Mathematical model for flood risk evaluation. J. Hydraul. Div. Am. Soc. Civ. Engrs. 90(Hy6): 1-20.
- Shen, H.W. et al. (1980). Effect of tail behaviours assumptions on flood predictions. Wat. Resourc. Res. 16(2): 361-364.
- Sibuya, M. (1960). Bivariate extreme statistics. Ann. Inst. Statist. Math. Tokyo 11: 195-210.
- Slade Jr., J.J. (1936). Statistical methods in the determination of flood frequencies. Geol. Surv. Water-supply Paper 771.
- Smirnov, N.V. (1949; 1952). Limit distributions for the terms of a variational series (original in Russian published in 1949). Am. Math. Soc. Transl. Ser. 1, No. 67(1952).
- Srivastava, O.P. (1967). Asymptotic independence of certain statistics connected with extreme order statistics in a bivariate distribution. Sankhya 29A: 175-

- Stol, PH.TH. (1971). On the decomposition of the extreme value distribution of daily rainfall depths and derivation of probabilities of compound events. *J. of hydrology* **14**:181-196.
- Thomas, D.I. (1972). On limiting distributions of a random number of dependent random variables. *Ann.Math.Statist.* **42**:1719-1726.
- Tiago de Oliveira, J. (1957). O ensaio 2 e os ensaios de concordancia. *Gaz. Mat.*, n. 68-69.
- Tiago de Oliveira, J. (1958). Extremal distributions. *Revista Fac.Cienc. Univ.Lisbo*:7A:215-217.
- Tiago de Oliveira, J. (1961). The asymptotical independence of the sample mean and the extremes. *Revista Fac.Cienc.Univ. Lisboa* **8A**: 299-310.
- Tiago de Oliveira, J.(1962-63). Structure theory of bivariate extremes: extensions. *Estudos de Math.Estet. Econom.* **7**:165-195.
- Tiago de Oliveira, J.(1968). Extremal processes. Definitions and properties. *Publ.Inst.Stat.Univ.Paris* **17**:25-36.
- Tiago de Oliveira, J. (1970). Bixtremal distributions. *Statistical decision.Trab.Estet.Invest.Opex.* **21**:107-117.
- Tiago de Oliveira, J.(1971). A new model of bivariate extremes. *Statistical decision. In: Studi Prob.Stat.ricerca opex.in onore di G.Pompilj.Oderisi, Gubbio,* : 1-13.
- Tiago de Oliveira, J.(1972a). Statistics for Gumbel and Frechet distributions. In *Structural safety and reliability* (Ed:A. Freudenthal). Pergamon, N.Y. 91-105.
- Tiago de Oliveira, J.(1974). Regression in the nondifferentiable bivariate extreme models. *J.Am.Statist. Ass.* **69**:816-818.
- Tiago de Oliveira, J.(1975). Bivariate extremes. Extensions. *Proc.40th Session ISI, Warsaw.*
- Tippett, L.H.C.(1925). On the extreme individuals and the range of samples taken from a normal population *Biometrika* **17**: 364-387.
- Todorovic, P.(1970). On some problems involving random number of random variables. *Ann.Math.Statist.* **41**:1059-1063.
- Todorovic, P. and Zelenhasic, E.(1970). A stochastic model for flood analysis. *Wat.Resour.Res.* **6**(6): 1641-1658.
- Todorovic, P.(1971). On extreme problems in hydrology, paper presented at joint statistics meeting. *Am.Statist.Ass. and Inst.of Math.Statist.Colo.State Univ.Fort Collins.*

- Todorovic, P. and Rousselle, J. (1971). Some problems of flood analysis. *Wat. Resour. Res.* 7(5): 1144-1150.
- Todorovic, P. and Woolhiser, D.A. (1972). On the time when the extreme flood occurs. *Wat. Resour. Res.* 8(8): 1433-1438.
- U.S. Geological Survey. Magnitude and frequency of floods in the United States. U.S. Geol. Surv. Water supply paper 1671-1789, 1963-1968.
- Villasenor, J. (1976). On univariate and bivariate extreme value theory. Thesis for Ph.D., Iowa State University.
- Wald, A. (1943). An extension of Wilk's method for setting tolerance limits. *Ann. Math. Statist.* 14: 45-65.
- Walsh, J.E. (1969 a). Asymptotic independence between largest and smallest of a set of independent observations. *Ann. Inst. Stat. Math. Tokyo* 21: 287-289.
- Walsh, J.E. (1969 b). Approximate distributions for largest and for smallest of a set of independent observations. *S. Afr. Statist. J.* 3: 83-89.
- Watson, G.S. (1954). Extreme values in a samples from n -dependent stationary stochastic processes. *Ann. Math. Statist.* 25: 798-800.
- Weissman, J. (1978). Estimation of parameters and large quantiles based on the k largest observations. *J. Am. Statist. Ass.* 73: 812-815.
- White, J.S. (1964). Least squares unbiased censored linear estimation for the log weibull (extreme value) distribution. *J. of the Industrial Mathematics Society* 14: 21-60.
- Wilks, S.S. (1948). Order Statistics. *Bull. Am. Math. Soc.* 54: 6-30.
- Zelenhasic, E. (1970). Theoretical probability distribution for flood peaks. *Hydrol. Rep. 42, Colo. Stat. Univ. Fort-Collins.*

* Original not seen.