

BIBLIOGRAPHY

- Algrant.I.D. (1963) Determination of initial rates in enzymic non-linear progress reactions. *Biochem. Biophys Acta* 73: 152-155
- Ali.N. and Evans W.H. (1990) priority targeting of glycosyl phosphotidyl inositol- anchored proteins to the bile canalicular (apical) plasma membrane of hepatocytes. *Biochem J.* 271: 193-199
- Ammermann J.W and Azam f.(1985) Bacterial 5' nucleotidase in aquatic ecosystems: A novel mechanism for phosphorous regurgitation *Science* 227:1338-1340
- Amruthesh S.C.and D'souza C.J.M. (1986) Membrane bound 5'nucleotidase inhibitor in Ehrlich Ascites tumor cells and new born mouse liver. *Biochemica Biophysica Acta.* 884:48-53
- Anraku. Y.(1964a) A new cyclic phosphodiesterase having a 3' nucleotidase activity from *E.coli*B I. *J. Biochem* 239: 3412-3419
- Anraku, Y. (1964b) A new cyclic phosphodiesterase having a 3' nucleotidase activity from *E.coli* II. *J. Biochem* 239: 3420-3424
- Arch J.R.S.and Newsholme, E.A. (1978) Activities and some properties of 5'nucleotidase Adenosine deaminase kinase and Adenosine deaminase in tissues from vertebrates and invertebrates in relation to the control of the concentration and physiological role of adenosine. *Biochem J.* 174: 965-977
- Avruch J and Wallach D .F H (1971) Preparation and properties of plasmamembrane and endoplasmic reticulum fragments from isolated rat fat cells. *Biochemica Biophysica Acta* 233:334-347.
- Bailyes, E.M., Ferguson, M.A.J., Colaco C.A.L.S. and Luizo J. P (1990) Inositol is a constituent of detergent solubilized immunoaffinity purified rat liver nucleotidase *Biochem.J* 265:907-909

Baron M.D and Luzio J.P (1987). The synthesis and turnover of 5' nucleotidase in primary cultured hepatocytes. *Biochimica Biophysica Acta*. 927:81-85

Belfield A. and Goldberg D.M (1971). Normal range and diagnostic value of serum 5' nucleotidase and alkaline phosphatase activities in infancy. *Arch. Disease Childhood* 46: 842-846

Bodansky, O. and Schwartz M.K. (1968) 5' nucleotidase. *Adv. Clin. Chem* 11:277-327

Bontemps F., Vincent M.F., Vanden Burg F, VAN waeg G. and Vanden Berghe G (1978) Stimulation by glutarate 2,3- bisphosphate: A common property of cytosolic IMP-GMP 5'nucleotidase in rat liver and human tissues. *Biochimica Biophysica Acta* 997: 131-134

Borgers, M and Thone, F. (1992) species differences in adenosine metabolic sites in the heart. *Histochem J*.24: 445-542

Brase C. H. and Brase C. P. (1983) *Understandable statistics: concepts, methods and applications*. D. C Health and company, Toronto second edition

Brockhurst D., Lathe, G.H. and Aparicio S.R.(1976). Serum Alkaline phosphatase, Nucleotide pyrophosphatase, 5'nucleotidase and lipoprotein -x in cholestasis. *Clin. Chem Acta*. 67:269-279

Bukoski, R.d., Sparks. H.V. and Mela-Riker L.M.(1968) In myocardial and skeletal muscle Bioenergetics. (Brathbar N.Ed) Plenum press, New York pp 157-167

Burgemeister R., Daneseu I and Guteusohu.W. (1990) Glycosylation and processing of carbohydrate side chains of ecto 5'nucleotidase in cultured human chorionic cells. *Hoppe-Seyler Biol. Chem*. 371:355-361

Burns, D.M. and Beacham I.R. (1986) Identification and sequence analysis of a silent gene (UshA) in *Salmonella* *Syphimurium*. *J. Mol. Biol* 195: 163-175.

Buschette-Brambrinle, S and Gutensohn W.(1989). *Hoppe -Selyer Biol. Chern* 370:67-74

Carter S.G. and Trpton C.L.(1986) Purification of 5'nucleotidase from *Zea mays* microsomes. *Phytochem* 25: 31_37

Chen C.H.M and Kristopeit S.M. (1981) *Plant physiology* 67: 498-494.

Chistensen, L.d., ANdersen V. Nygaard P. and Bendtzen K . (1992) Effect of immuniomodulators on ecto 5'nucleotidase activity on blood mononuclear cells in vitro. *Scand. J. Immunology* 35:407-413

Chung n-n., Newby A.C. and Luzio j.p. (1984) Characterization of different molecular forms of 5' nucleotidase in normal serum from cholestatic patients and bile duct ligated rats. *Biochem.J.* 224;689-695

Collinson A.R.,peuhkurinen K.J. and Lowenstien J.M.(1987) in topics and prespectives in Adenosine Research (Gerlach E.,and Becker B.F. eds) Springer-Verlag, Heidelberg pp 134-144

Craig, D.A. (1993) The Cheng -Prusoff relationship: Something lost in the translation. *T.I.B.S.* 14:89

Cunha R.A., Sebastio A.M. and Ribeiro, J.A. Ecto 5'nucleotidaseis assoiated with cholinergic nerve terminals in the hippocampus but not in the cerebral cortex of the rat. *J.Neurochem* 59:657-666

Cusack N.J., Pearson J.D., and Gordon J.T.C.(1983) Stereoselectivity of ecto⁵nucleotidase on vascular endothelial cells. *Biochem J.* 214: 975-981

Date s. , Kulkarni R. , Kulkarni B., Kulkarni Kale, u. and Kolaskar A.S. (1992) Multiple alignment sequences on a parallel computers *CA BIOS* 8: 198-203

Davitz M.A., Low M.G. and Nusseszweig v.(1986) Release of decay-accelerating factor (DAF) from the cell membrane by phosphatidylinositol-specific phospholipase C (PIPLC). *J. Exp. Med.* 163: 1150-1161

Davitz M. H., Horn, J . and Schenkman S.(1989) *J. Biol. Chem.* 264 : 13760-13764.

De Broe, M.E., Borgers, M and Wiene R.J.(1975) The separation and characterization of liver plasma membrane fragments circulating in the blood of patients with cholestasis. *Clinica Chemica Acta.* 59:369-372.

De Pierre J.W.and Karnovsky M.L. (1974) Ectoenzyme of granulocytes ⁵nucleotidase. *Science* 183:1096-1098.

Dieckhoff J., Knebel H., Heidemann M. and Manherz H.G.(1985) An improved procedure for purifying ⁵nucleotidase from various sources. *Eur.J. Biochem* 151: 377-383

Dixiom T.F and Purdom M. (1954) Serum ⁵nucleotidase *J. clin Path.* 7.341-343

Drummond, G.I and Yamamoto, M . (1971) The enzymes (P.D. Boyer ed) Vol IV, Academic press New York, pp 337-354.

Dvorak H.F. and Heppel L.A.(1968) metalloenzyme released from *E.coli* by osmotic shock. *J. Biol Chem.* 243: 2647-2653.

Eardley D.D. and Koshland M.E. (1991) Glycosylphosphatidylinositol: A candidate system for interleukin-2 signal transduction. *Science*:251:78-81

Edwards N.L., Gelfand E.W., Burk L., Dosch H.M and Fox I.X.(1979) Distribution of 5' nucleotidase in human lymphoid tissue. *Proc. Natl. Acad. Sci(USA)* 76:3474

Fini, C., Ipata P.L., palmerini C.A. and Florida A. (1983) 5' nucleotidase from bull seminal plasma. *Biochemica Biophysica Acta* 748: 405-412

Fini, C., palmerini C.A., Damiani p., Stochaj, U.Mannhertz H.G. and Floridi A (1990) 5'nucleotidase from bull seminal plasma, chicken gizzard and snake venom is a zinc metalloprotein. *Biochemica Biophysica Acta* 1038: 18-22.

Fini.C., coli M.and Floridi a.(1991) Purification of human 5' nucleotidase from seminal plasma *Biochemica Biophysica Acta* 1075: 20-27.

Fini C., Bertoli E., Albertini G., Florida A. and Tanfani F (1992) Structure and functional relationship in 5' nucleotidase from bull seminal plasma. A fourier transform infrared study. *Biochemica Biophysica Acta* 1118: 187-193.

Fox I.H.and Marchant P.J. (1976) Purine catabolism in man characterisation of placental microsomal 5'nucleotidase. *Can.J. Biochem* 54: 462-469.

Fox I.H. (1978) In uric acid (Kelly, W.N.and WEiner [M. eds] Springer-Verlag, Berlin.pp93-124.

Fox, J. A., Solizn.A. and Sattiel A.R. (1987) Purification of a phosphatidylinositol glycan specific phospholipase from liver plasma membranes: A possible target of insulin activity. *Proc. Natl. Acad sci. USA* 84 : 2663-2667.

Fredholm B.B and Lindgren E (1983).

Fritzon P. and Smith I. (1971) A new nucleotidase of rat liver with activity towards 3' and 5' nucleotides. *Biochimica Biophysica Acta* 235 :128-141.

Fritzon P. (1979) Regulation of nucleotidase activities in animal tissue in *advances in enzyme regulation* vol 16 pp 43-61 .

Fritzon P., Haugen T.B and Tjernshaugen H. (1986) The presence and activity in normal and regenerating rat liver post microsomal supernatant fraction of an enzyme with properties similar to that of those of membrane bound 5 'nucleotidase. *Biochem .J.* 239: 185-190.

Fuchs J.L.(1991) 5'nucleotidase activity increases in ageing rat brain. *Neurobiol ageing* 12:523-530

Gronadal E.J.M. and Zimmermann H. (1969) In cellular and molecular basis of synaptic transmission (Zimmermann H.ed) Springer-Verlag, Heidelberg, pp 395-410

Gronadal E.J.M. and Zimmermann H. (1987) Purification and characterization and cellular localization of 5 'nucleotidase from torpedo electric organ. *Biochem J.* 245:805-810.

Gutensohn W. and Thiel E., (1990) Prognostic implications of ecto 5'nucleotidase activity in acute lymphoblastic leukemia cancer 66: 1755-1758.

Harb, J., Meflah K., Dutlos Y and Bererard S (1983) Purification and properties of bovine liver .plasma membrane 5 'nucleotidase.

Harkness, R.A., Coade S.B. and Webster A.O.B (1984) ATP, ADP and AMP in plasma from, peripheral venous blood. *Clinical Chemica Acta* 143 :91-98

Headrick J.P., Matherene G.P. and Berne, R.M. (1992) Myocardial adenosine formation during hypoxia: Effects of 5'-nucleotidase inhibition. *J. Mol. cell cardiology* 24 : 295-303.

Henke W., Lang, M., Dubiel, W., Holzhu"tter H.G., and Gerber G. (1989) Identification and characterization of a novel mitochondrial 5'-nucleotidase in rat liver *Biochem. Int.* 18:833-844.

Hill P.G. and Sammons h.g.(1967) An assessment of 5'-nucleotidase as a liver fuction test. *Q.J.Med* 36: 457-468.

Itoh R. (1981) Purification and some properties of cytosolic nucleotidase from rat liver. *Biochem Biophysica Acta* 657 : 402-410.

Itoh R. and Yamada K. (1990) Pig lung 5'-nucleotidase : Effect of diadenosine 5',5''-p',p⁴-tetraphosphate and its related compounds. *Int. J. Biochem* 22 : 231-238.

Janin, J. and Chothia, C. (1990) The structure of the protien-protien recognition sites. *J. Biol. Chem.* 265:16027-16030

Karonovsky M.L. (1986) In cellular Biology of ecto enzymes (Kreutzberg, G.W., Redduigton M, and Zimmermann H. eds) springer Verlag, New York pp 3-16.

Kihn, L.,Dinwoodie, A, and Stinson, R.A.(1991) High molecular weight alkaline phosphatase in serum has properties similar to the enzyme in plasma membrane of the liver. *Am.J. clin. Pathol.* 96:470-478

King, E.J.and Armstrong A.R. (1934) *Canad. Med. Ass.J.* 31 : 376.

Kitakaze. M., Hori M., Takashima S., Iwai, K., Sato,H., Inoue, M., Kitabatake, A., and Kamada T. (1992) Superoxide dismutase enhances ischemia induced reactive hypermic flow and adenosine release in dogs: A role of 5'nucleotidase activity. *Circ. Res.* 71 : 558-566

Klemens, M.R., Sherman, W.R., Holmberg N.J. Ruedi J.M., Low M.G. and Thompson L.F.(1990) Charaterisation of soluble vs membrane bound human placental 5' nucleotidase.

Kowlessas, O.D., Haeffner L.J., Riely E.M. and Sleisenger, M.H. (1961) Comparitive study of serum Leucine aminopeptidase, 5'nucleotidase and nonspecific alkaline phosphatase in diseases affecting the pancreas, hepatobiliary tree and bone. *Am. J. Med.* 31:231-237

Kruger K.H., Thomson L.F., Kaufmann M and Moller P(1991) Expression of ecto 5' nucleotidase (CD 73) in normal mammary gland and in breast carcinoma *Br. J. Cancer* 63:114-118

Laemmli, U.K. (1970) *Nature* 227:680-685

Lai kK.M. and Wong P.C.L. (1991)

Lee, R.S.F. and Ford H.C. (1988) 5'nucleotidase of human placental trophoblastic microvilli posseses cobalt stimulated FAD pyrophosphatase activity *J. Biol .Chem* 263 : 14878-14883.

Le Hir, and Kaissling B. (1993) Distribution and regulation of renal ecto5'nucleotidase: Implication for physiological functions of adenosine. *Am. J. Physiol* 264: F377-F387

Leventhal P.S. and Bertics P.J. (1993) Activation of protien kinase C by selective binding of Arginine - rich polypeptides. *J.Biol. Chern* 268:13906-13913.

Lisanti M. L. and Rodriguez- Boulan F. (1990) Glycophospholipid membrane anchoring provides clues to the mechanism of protein sorting in polarised epithelial cells. *T-I.B.S.15*: 113-118.

Majumadar G., Heard S.E. and Singh A.K. (1990) Use of cytoplasmic 5'nucleotidase for differentiating malignant from benign monoclonal gammopathies. *J.Clin. Pathol* 43 :891-892.

Massaia M. , perreir L., Bianchi A., Ruedi J. , Attisano C. , Altiert D., Rijkers G.T. and Thomson L.F (1990). Human T cell activation: Synergy between CD73 (ecto 5' nucleotidase) and signals derived through CD3 and CD2 molecules. *J. Immunol.* 145:1664-1674.

Maznitsa-I.I , Nudler A.A and Burd G.I. (1991) A new pleiotropic mutation affecting purine metabolism, sporulation and biosynthesis of exo enzymes in *Bacillus subtilis*. *Genetika* 27: 983-990.

Meftah, K, Bernard S and Massoulie J. (1984) *Biochem.* 66 :59-69.

Meftah, S., Prasad A.s., Lee D. Y and Brewer G.J. (1991) Ecto 5'nucleotidase as a sensitive indicator of human zinc deficiency. *J. Lab Clin. Med* 118 : 309-316.

Meghiji P., Pearson J.D. and Slakey L.L . (1992) Regulation of extra cellular adenosine production by ecto nucleotidases of adult rat ventricular myocytes. *Am. J. Physiol.* 263 :440-447.

Mian, R. and Marshall J. M. (1991) The role of adenosine in dilator responses induced in arterioles and venules of rat skeletal muscle by systemic hypoxia. *J. Physiol (Lond)* 443 : 499-511

Mittal R., Das, J., and Sharma *Plant science* 55 : 93-101

Misumi Y., Ogata S., Ohkubo, K., Hirose S and Ikehara Y. (1990b) Primary structure of human placental 5' nucleotidase and identification of the glycolipid anchor in the mature form. *Eur. J. Biochem.* 191 : 563-569.

Misumi Y., Ogata S., Ohkuba, K., Hirose S and Ikehara Y. (1991) 5' nucleotidase from the electric ray electric lobe *Eur. J. Biochem* 202:855-861

Mohandas E.A., and Hayhoe, F.G.J. (1983) 5' nucleotidase activity in myeloma cell. *Clin. Lab. Haematol.* 5:265-269

Mohan Das D. V. and Weeks G. (1984) Studies on the unmasking of membrane bound alkaline phosphatase during the differentiation of *Dictyostelium discoideum*. *Can. J. Biochem. cell Biol* 62:970-974.

Mullock B.M. , Issa, F.S. and Hinton R.H. (1977). Bile 5' nucleotidase in the serum of jaundiced rats. *Clin. Chem. Acta.* 79: 129-140

Murphy M.G. and Byezko, Z. (1992) Non eicosanoid functions of essential fatty acids: Regulation of adenosine related functions in cultured neuroblastoma cells. *Adv. Exp. Biol.* 318 : 91-102.

Nascimento, W., Schoen, S.W., Nacimiento A.C. and Kreutzberg G.W. (1991) Cytochemistry of 5' nucleotidase in the superior cervical ganglion of cat and guinea pig. *Brain res* 567 : 283-289

Naito Y and Tsushine K. (1976) 5' nucleotidase of chicken liver: A comparison of soluble 5' nucleotidase activities in chicken and rat liver. *Int. J. Biochem* 5: 807-810.

Neu, H.C. (1967) The 5' nucleotidase of *E. coli* : I purification and properties *J. Biol. Chem.* 242 : 3896-3904.

Newsholme, F.A., Chaliss RAJ and Crabtree B. (1984) Substrate cycles: Thier role in improving sensitivity in metabolic control. T.I. B.S> 9: 277-280

Newby A.C.and Worku, Y. (1986) In cellular biology of ectoenzymes (Kremtzberg g.w., Redduigton M. and Zimmermann H. eds) Springer Verlag New York. pp 165-178

Ogata s., Hayashi Y, Misumi Y and Ikehara Y (1990) Membrane anchoring domain of rat liver 5'nucleotidase. Identification of the COOH terminal serine 523 covalently attached with a glycolipid. Biochemistry 29: 7923- 7927.

Ostergaard, J. Larsen K. and Jochimsen B.D. (1991). J. Physiol 138 : 387-393

Pearson J. D. (1989) Methods in Pharmacol 6: 83 -107.

Pearson J.D. (1987) in mamalian ectoenzymes (Kenny A. and Turner A.J. eds) Elsevier New York pp 139-167

Peeters, C.,De Wolf M., Van Dessel G., Lagrou A., Hilderson H. and Dierick, W. (1988) Topography, purification and characterization of thyroidal 5 'nucleotidase. Int.J. Biochem. 20:409-419

Phelan, M.B. Neale, G and Moss D.W. (1971) serial studies of serum alkaline Phosphatase and 5' nucleotidase levels in hepatobiliary disease. Clin. Chem. Acta 32 : 95-102

Poelstra, K., Heyner, E.R., Baller, J.F.Hardouk, M.S. and Bakker W.W. (1992) Modulation of anti Thy-1 nephrites in the rat by adenosine nucleotides. Evidence for an antiinflammatory role for nucleotidases. Lab. Invest. 66 : 555-563.

Polya, G. M. (1975) Purification and charecterisation of a cyclic nucleotide - regulated 5'nucleotidase from poatato.

Raatikainen M.J.P., Peuhkurinen K.J., Kiviluoma K.T., Hiltunen J.K., and Hasineu I.E.(1992) 5'nucleotidase activity and adenosine production in rat liver mitochondria. *Biochemica Biophysica Acta*. 1099: 238-246.

Rajput A. (1990) Studies on 5'nucleotidase Inhibitor: Isolation and characterization. Ph D thesis submitted to University of Mysore.

Rajput A., Chakravarthy B.R. and D'Souza C.J.M. (1992) Isolation and characterization of 5' nucleotidase inhibitor from rat liver. *Ind. J. Biochem. Biophys.* 29:204-208.

Savic. V., Blanchard A., Vlahovic. P., Stefanovic V., Ardaillou, N. and Ardaillou R. (1991) Cyclic adenosine monophosphate stimulating agents induce exto 5' nucleotidase activity and inhibit DNA synthesis in rat cultured mesangial cells. *Arch. Biochem. Biophys.* 290:202-206.

Schoen, S.W., Graeber M.B., Toth L., and Kreutzberg g.w. (1991) Synaptic 5'nucleotidase in transient and indicative of climbing fiber plasticity during postnatal development of rat cerebellum. *Brain. Res. Dev. Brain Res.* 61 : 125-138.

Schwabe J.W.R. and Rhodes D. (1991) Beyond zinc fingers steroid hormone receptors have a novel structural motif for DNA recognition. *T.I.B.S.* 16:291-296.

Schwartz M.K. and Bodansky .O. (1965) Serum 5 'nucleotidase in patients with cancer. *Cancer* 18:886-892.

Sharama C.B., Mittal R. and Tanner W. (1986) Purification and properties of a glycoprotien adenosine 5' monophosphatase from plasma membrane fraction of arachismhypogaea cotyledons. *Biochemica Biophysica Acta* 884 : 567-577.

Shimizu Y. and Shaw S. (1991) Lymphocyte interaction with extracellular matrix *FASEB J.*, 5:2292-2299.

Shuster L. and Kaplan N.O (1955) in methods in enzymology vol 2 P 551.

Shuter L., (1957) Rye grass nucleases. J.Biol. Chern. 229 :289-303

Skladanowski A.C.and New by A.C. (1990) Partial purification and Properties of an AMP specific soluble 5' nucleotidase from pigeon heart. Biochem J. 268: 117-122.

Spychala,J. Madrid-Marina. and Fox I.H.(1988) J. Biol. Chem. 263: 18759-18765b

Stefanova, I, Horejisi V., Ansotegni I. J., Knapp, W. and Stockinger H. (1991) GPI- anchored cell surface molecules complexed to protein tyrosine kinases. Science. 254:1016-1019

Stochaj, U., Dieckhoff, J., Mollenhauer, J., Cramer, M. , and Maunherz, H.G., (1989) Evidence for the direct interaction of chicken gizzard 5' nucleotidase with laminin and fibronectin. Biochem. Biophys. Acta 992:385-392.

Stochaj, U., Floeke, K., Mather w., and Maunherz H.G.(1989) 5' nucleotidase of chicken gizzard and human pancreatic adenocarcinoma cells are anchored to the plasma membrane Via a phosphotidyl inisitol -glycan. Biochem.J. 262:33-40

Stochaj U., Cramer M., and Maunherz H. g. (1992) Limite proteolysis of chicken gizzarad 5' nucleotidase . Biochemica Biophysica Acta. 1122 : 327-332.

Stone, T.W. (1981) Neuroscience 6: 523-555

Szasz, G.A. (1969) Clin. chem.15 : 124.

Szezeklik, A. (1969) Serum alkaline phosphatase and 5'nucleotidase levels during normal pregnancy Clin. Chem. Acta. 25:181-182

Tamao, Y., Nogachi, K., Sakai-Tomita, Y. Hama, H. Shimamoto T, Kanazawa H., Tsuda M., and Tsudchiya T. (1991) Sequence analysis of met A gene encoding membrane bound Cl^- dependant 5' nucleotidase of vibrioparahaemolyticus. J.biochem (Tokyo) 109:24-29.

Thompson L., F., Ruedi, J.M. and Low, M. G. (1987) Purification of 5'nucleotidase from human placenta after release from plasma membrane by phosphatidylinositol-specific phospholipase C B.B.R.C.118-125

Thompson L. F. (1991) 5'nucleotidase- An overview of the last three years. Adv. Exp. Med. Biol 309B : 145-150

Tozzi M. G., Camici. M., pesi R., Allegrini S., Sgarrella F., and Ipata P. L. (1991) Nucleoside phosphotransferase activity of human colon carcinoma cytosolic 5 'nucleotidase. Arch. Biochem. Biophys. 291 : 212-217.

Truong V.L., Collinson A. R. and Lowenstein J.M. (1988) 5'nucleotidases in rat heart. Biochem. J. 253 : 117-121.

Turner A.J. dos santos medeiros M. and Hooper N .M. (1991)

Vanden Bosch, R. A., Geuze H. J., Du Maine APM and Strous G.J. (1986) Transport and metabolism of 5 'nucleotidase in rat hepatoma cells.

Vanden Bosch R. A., du Maine APM and Geuze H.J. (1988).

Varley H.(1980) Practical clinical biochemistry William Heinemann Medical books Ltd London fifth Edu. p 882

Visvader, J., and Begley, C.G., (1991) Helix-loop-helix genes translocated in lymphoid leukemia. T.I.B.S. 16:330-333.

Voet D. and Voet J.G. in Biochemistry John wiley and sons, 1990 p 759

Vogel M., Kowalewski, H. J., Zimmermann H., Janetzko A. Margolis R. U. and Wollny H. E. (1991) Association of the HNK-1 epitope with 5' nucleotidase from Torpedo Marmorata (electric ray) electric organ. *Biochem J.* 278 : 199-202.

Volkandt W., Vogel M., Pevsner J., Misumi Y., Ikehara Y., and Zimmermann H. (1991)

Wada I., Himeno M., Faruno K. and Kato M. (1986) Biosynthesis and intracellular transport of rat liver 5' nucleotidase.

Wada I., Eto, S. Himeno M., and Kato K. (1987) 5' nucleotidase of rat liver lysosomes.

Walters T. L. and Loring H. S. (1966) Enzymes of nucleic acid metabolism from mung bean sprouts-I. *J. Biochem* 241 : 2870-

Waneck, G.L., Stein M.E. and Flavell, R.A., (1988) Conversion of a PI-anchored protein to an integral membrane protein by a single amino acid mutation. *Science* 241:697-699.

Worku Y. and Newby A.C. (1982) Nucleoside exchange catalysed by the cytoplasmic 5' nucleotidase. *Biochem J.* 205 :503-510

Wortmann R.L. Veum, J. A. and Rachow J. W. (1991) Synovial fluid 5' nucleotidase activity: Relationship to other purine catabolic enzymes and arthropathesis associated with calcium crystal deposition. *Arthritis - Rheum* 34 : 1014 -1020.

Yamazaki, Y. Troung V. L. and Lowenstein J. M. (1991) 5' nucleotidase I from rabbit heart. *Biochemistry* 30 : 1503-1509

Yaron, A., and Waider, F., (1993) Proline-dependent structural and biological properties of peptides and proteins. *crit. Rev. biochem. Mol. Biol.* 28:31-81.

Young I.I (1985) Serum 5'nucleotidase: Characterization and evaluation in disease status. Ann. N.Y. Acad. Sce. 75:357-362

Zekri, M., Harb, J., Bernard, S., Poirier, G., Devaux C. , and Meflah, K. (1989) Difference in the release of 5' nucleotidase and alkaline phosphatase from plasma membrane of several cell types by PI-PLC. compo Biochem. Physiol. 9313:673-679.

Zimmermann, H. (1992). %'nucleotidase : Molecular structure and funtional aspects. Biochem J. 285 : 345-365

Additional References

- Baron, D.M., Pope, B. and Luzio, J.P. (1986) The membrane topography of ecto-5'nucleotidase in rat hepatocytes *Biochem. J.* 236 : 495-502
- Cornish-Bowden A. (1976) in *Principles of enzyme kinetics.* Butterworth, London pp 150-152.
- Chou, P.Y. and Fasman, G.D. (1978) Prediction of Secondary Structure of proteins from their amino acids sequence. *Adv. Enzymol.* 47,45-148.
- Duggleby, R.G. (1981) A nonlinear regression program for small computers *Anal. Biochem.* 110:9-18.
- Hoglund, L. and Reichard, P. (1990) cytoplasmic 5'(3') nucleotidase from human placenta. *J.Biol.Chem.* 265 : 6895-6595.
- Hooper, N.M. and Turner, A.J. (1988) Ectoenzymes of the kidney microvillar membrane. *Biochem. J.* 250 : 865-869.
- Itoh, R. (1993) IMP-GMP 5' Nucleotidase. *Comp.Biochem. Physiol.* 105B: 13-19.
- Kyte, J. and Doolittle R.F. (1982) A simple method for displaying the hydrophobic character of a protein. *J.Mol.Biol.* 157: 105-132.
- Levin, S. and Bodansky, O. (1966) The double pH optimum of 5' nucleotidase of bull seminal plasma. *J.Biol.Chem.* 241 : 51-56.
- Laemmli U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227 : 680-68.

Loring, H.S., MacLennan, J.E., and Walters, T.L. (1966) Enzymes of nucleic acid metabolism from Mung bean sprouts. II: The specificity of 3' nucleotidase activity and general properties of the 3' nucleotidase - ribonuclease M₂ fraction. J.Biol. Chem. 241: 2876-80.

Low, M.G. and Finean, J.B. (1978) Specific release of plasma membrane enzymes by a phosphatidylinositol - specific phospholipase C. Biochem. Biophys. Acta. 508: 565-570.

Lai, K.M. and Wong, P.C. (1991) Metabolism of extracellular adenine nucleotides by cultured rat brain astrocytes. J. Neurochem. 57: 1510-1515.

Mittal R., Das, J. and Sharma, C.B. (1988) Plant Sci. 55: 92-101
Pearson, J.D. (1985) Methods. Pharmacol. 6: 83-107.

Shimizu, Y.E. and Shaw, S. (1991) Lymphocyte interaction with extracellular matrix. FASEB J. 5: 2292-2299.

Spychala, J., Madrid - Marina, V. and Fox, I.H. (1988) High Km soluble 5' nucleotidase from human placenta. Properties and allosteric regulation by IMP and ATP. J.Biol.Chem. 263: 18759-18765.

Torrance J, West C and Beutler E. (1977) A simple rapid radiometric assay for pyrimidine 5' nucleotidase J.Lab.Clin. Med.90: 563-568

Valentine W.N., Fink, K. Paglia D.E, Havris, S.R. and Adams N.S. (1974) Hereditary hemolytic anemia with human erythrocyte pyrimidine 5' nucleotidase deficiency. J.Clin. Invest. 54: 866-879.

Zachowski, A., Evans, W.H. and Paraf, A. (1981) Immunological evidence that plasma-membrane 5' nucleotidase is a protein. Transmembrane protein. *Biochem. Biophys. Acta.* 644: 121-126.